



APPROVED: JAN 2024	REVISIONS	DATE	UPDATE	 OLATHE	TREE PRESERVATION	STANDARD DIGITAL 75-2



1. FENCING MUST BE FOUR (4) FEET IN HEIGHT, BE SUPPORTED BY METAL CHANNEL POSTS SPACED AT A MINIMUM OF TEN (10) FEET ON CENTER, AND REMAIN ERECT AND SECURE THROUGHOUT ALL CONSTRUCTION PHASES.
2. THE REQUIRED TREE PROTECTION FENCING MUST BE INSTALLED AND PASS CITY INSPECTION PRIOR TO ALL CONSTRUCTION ACTIVITIES, SUCH AS EXCAVATING, GRADING, CONSTRUCTION, OR TREE REMOVAL.

Orange Construction Fence



2220 H. Winchester
Olathe, Kansas 66061
(913) 393-1855
Fax (913) 393-1666
www.pbsportsdirecting.com
©2003 Shadow Engineering, Inc.

PROLIFERATION
GROWTH
GROWTH



TREE PRESERVATION PLAN
PARKSIDE RESERVE, EIGHTH PLAT
OLATHE, KS

PROJECT NO. 260548		Date	Revisions:	By	App.
1.	DATE: 7/9/26	7/9/26	REVISED PER CITY COMMENTS	DAG TJT	
2.	DRAWN: 6/2/26	7/27/26	REVISED PER CITY COMMENTS	DAG TJT	

AUTHORITY OF AUTHORIZATION
 PROJECT NO. 260548
 DATE: 7/9/26
 DRAWN: 6/2/26
 REVISED PER CITY COMMENTS
 DATE: 7/27/26
 AUTHORITY OF AUTHORIZATION
 PROJECT NO. 260548
 DATE: 7/9/26
 DRAWN: 6/2/26
 REVISED PER CITY COMMENTS
 DATE: 7/27/26

1

OF 1