

### STAFF REPORT

Planning Commission Meeting: May 13, 2024

<u>RZ24-0007</u>: Request for approval of a rezoning and preliminary site development plan for Primrose School of Olathe. Application:

Southwest of W. 158th Street and S. Hunter Street Location:

Owner: Timothy Anschutz, Spark Properties Group, LLC

**Engineer/Applicant:** Luke Moore; Olsson

**Staff Contact:** Andrea Fair, AICP; Planner II

Site Area: **Proposed Use:** Day-Care and Child-3.74± acres

Care Center

**Building Area:** 13,545 sq.ft. Plat: Asbury Centre

RP-1, CP-1, CP-0 **Proposed Zoning:** C-1 (Neighborhood **Existing Zoning:** 

Center)

Tracts: Lots: 2 0

	Plan Olathe Land Use Category	Existing Use	Existing Zoning
Site	Conventional Neighborhood	Undeveloped	RP-1, CP-1, CP-0
North	Secondary Greenway/Conventional Neighborhood	Single-Family Residential	R-1
South	Conventional Neighborhood	Undeveloped	RP-1
East	Conventional Neighborhood	Day-Care and Child-Care Center	CP-O/C-1
West	Mixed Density Residential Neighborhood	Multi-Family Residential	RP-3

### 1. Introduction

The applicant is requesting to rezone from the RP-1 (Planned Single-Family), CP-1 (Planned Retail Business), and CP-O (Planned Office Building) Districts to the C-1 (Neighborhood Center) District with a preliminary site development plan for two (2) lots on a 3.74± acre property located southwest of W. 158<sup>th</sup> Street and S. Hunter Street. A 13,545 square foot building for Primrose School of Olathe will be located on Lot 1. Primrose School will accommodate approximately 200 students and 28 staff members. A future phase for Lot 2 includes a 10,800 square foot general commercial building. The details provided for this lot are still conceptual in nature and do not include the level of detail typically provided with a preliminary site development plan. A revised preliminary site development plan will be required prior to submittal of a final site development plan for Lot 2.

The Day-Care and Child-Care Center use is permitted in the CP-1 District, but the applicant is requesting to rezone this property to allow for a variety of neighborhood-focused commercial uses on both lots and to align the zoning with the larger Asbury Centre development.

### 2. History

The subject property was annexed (ANX-01-93) into the City of Olathe in 1993 and rezoned (RZ-19-02) to the RP-1, CP-1, and CP-O Districts in 2002 as part of the Asbury Centre commercial development. The subject property was originally approved for a commercial retail and office building. The final plat (FP-24-03) for Asbury Centre was recorded in 2003. Public improvements, including S. Hunter Street, were constructed shortly after platting, but Asbury Centre's commercial area remained undeveloped until 2018, when Country Kids Day Care was constructed just east of the subject property.

In 2023, Asbury Centre, Lot 4 (RZ23-0006) located to the east was rezoned from the CP-O District to the C-1 District and a preliminary site development plan for a bank and multi-tenant building were approved. On April 29, 2024, an application for Asbury Centre, Tract A (RZ23-0013) was recommended for rezoning from the RP-1 to the C-1 District by the Planning Commission and the application proceeds to City Council on May 21, 2024.



Zoning map

## 3. Existing Conditions

The subject property is undeveloped, and the land gently slopes to the northwest. W. 159<sup>th</sup> Street and S. Ridgeview Road are existing arterial roads with sidewalks along both streets. S. Hunter Street is a private street with public water and sanitary sewer connections to the north and east.



Aerial photo with subject site outlined in yellow and the Asbury Centre commercial development outlined in black.



View of subject property looking northeast.

### 4. Zoning Standards

a. <u>Land Use</u> – The applicant is requesting to rezone from the RP-1 (Planned Single-Family), CP-1 (Planned Retail Business), and CP-O (Planned Office Building) Districts to the C-1 (Neighborhood Center) District. The PlanOlathe Future Land Use Map designates this site as a Conventional Neighborhood, which typically consists of single-family housing. However, as provided in PlanOlathe, neighborhood centers are distributed throughout Olathe neighborhoods to provide local access to convenience goods and services, reduce the need for lengthy drives, and promote walkability. The Asbury Centre is an existing neighborhood center commercial node located at a major intersection, which is consistent with other major intersections in southern Olathe.

The C-1 District permits over 70 land uses that provide the convenience goods and services called for by PlanOlathe, including office, restaurant and retail uses. This rezoning is compatible with the adjacent commercial/office districts already found in the Asbury Centre. However, some use restrictions are recommended to maintain compatibility with the nearby residences and these uses have been restricted on adjacent properties in Asbury Centre. Staff has worked with the applicant and they are amenable to prohibiting the following uses:

- 1. Fast-Food or Carryout Restaurants
- 2. Animal Care Facilities with Outdoor Kennels.
- 3. Any Distance Restricted Businesses as listed in Olathe Municipal Code Chapter 5.43.
- <u>Building Height</u> The daycare building is one-story and no taller than 29 feet at its peak, complying with the maximum building height within the C-1 District of two-stories and 30 feet tall.
- c. <u>Setbacks</u> The C-1 District requires developments to maintain a front yard building setback between 20 and 150 feet. The proposed day care building is setback 60 feet from S. Hunter Street, complying with the 20 foot minimum and 150 foot maximum requirement.

The day care building complies with the minimum street corner side yard setback of 20 feet along S. Hunter Street and the minimum side and rear yard setback of 7.5 to the north and west. All paved areas comply with the minimum paving setback of 15 feet from street right-of-way and 10 feet from property lines.

- d. <u>Frontage Buildout</u> The C-1 District requires a minimum frontage buildout of 50% within the required front setback area. Frontage buildout is calculated as the front building façade width as a percentage of the overall lot width. The frontage buildout is 55% of the proposed Lot 1, meeting this requirement.
- e. **<u>Building Footprint</u>** The daycare building has a footprint of 13,545 square feet, complying with the maximum building footprint of 15,000 square feet.
- f. Open Space The development includes 28% open space, exceeding the minimum requirement of 20% open space within the C-1 District.

### 5. Development Standards

a. <u>Access/Streets</u> – The proposed development will be accessed from S. Hunter Street and align with the southernmost access point into Country Kids Daycare to the east. S. Hunter Street connects to S. Brentwood Street, which is a collector street, and W. 158<sup>th</sup> Street, which has direct access to W. 159<sup>th</sup> Street and S. Ridgeview Road.

A new sidewalk will be installed along S. Hunter Street and S. Brentwood Street.

b. <u>Parking</u> – Per UDO 18.30.160, minimum parking required for a day care facility is one (1) parking stall per 800 square feet. A minimum of 17 parking stalls are required and 41 parking stalls are proposed.

The C-1 District also requires that parking areas should not exceed 125% of the minimum required off-street parking requirements of the UDO, for a maximum of 21 stalls. The applicant is requesting a waiver to the maximum parking requirement, which is detailed in Waiver Request, Section 9.

c. <u>Landscaping/Screening</u> – The proposed development exceeds all landscape requirements of UDO 18.30.130. Along the perimeter of the site, the required plantings are proposed along all street frontages and 10-foot and 15-foot buffer requirements are being met. Internally, the proposed parking lot and building foundation landscaping exceeds UDO requirements.

All rooftop utilities will be screened by the proposed parapet walls and all ground and wall mounted utilities will be adequately screened.

- d. <u>Stormwater/Detention</u> Improvements to the property will increase impervious surface area. Stormwater runoff created by this development will be captured and diverted into a Stormwater Treatment Facility, a native vegetation swale, in accordance with stormwater quality and quantity requirements of Title 17 before continuing to the City's public stormwater system.
- e. <u>Public Utilities</u> The property is in City of Olathe sewer and WaterOne service areas. Existing sanitary sewer and water mains are in the northeast corner of the site and this development will connect to and extend these main lines along S. Hunter Street.

### 6. Site Design Standards

The property is designated as a Conventional Neighborhood on the PlanOlathe Future Land Use Map; however, with the proposed C-1 District zoning designation, the site is subject to Site Design Category 3 (UDO 18.15.115). The following is a summary of the applicable site design requirements.

a. <u>Landscape Options</u> – Developments must provide one landscape option where the building façades are not located within the minimum frontage area. The development exceeds the option for a 20-foot planted buffer without a wall along S. Hunter Street and exceeds the option for a 10-foot planted area with fence along S. Brentwood Street. Additional landscaping along the perimeter of the fenced playground area is also being provided to soften fence row and provide signature landscaping at the hard corner of W. 158<sup>th</sup> and Brentwood Streets.

b. <u>Street Frontage Area</u> – Street frontage area for commercial and mixed-use buildings in Site Design Category 3 must be setback a maximum of fifteen (15) feet as measured from the property line. The day care building is setback 60 feet from S. Hunter Street and therefore does not comply with this requirement.

The applicant is requesting a waiver to street frontage requirement, which is detailed in Waiver Request, Section 9.

- c. <u>Parking Pod Size</u> The maximum parking pod side is 40 stalls. The proposed development includes 36 stalls in the largest parking pod, which is in compliance with the UDO requirements.
- d. <u>Pedestrian Connectivity</u> Developments must provide enhanced pedestrian connections to encourage pedestrian use. The site provides a pedestrian gateway at the southwest corner of the property consisting of signature landscaping comprised of ornamental trees, evergreen and decorative grasses. Additionally benches with landscaping in decorative planters are provided at the building entrance to create a more defined pedestrian entry feature.
- e. <u>Drainage Features</u> Open drainage and detention areas visible to the public must be incorporated as an attractive amenity feature or focal point. There is a proposed native vegetation swale along the south side of the property. Additional details regarding exact location and landscape requirements will be reviewed at the time of final site development plan.

### 7. Building Design Standards

The proposed daycare building is subject to building design standards for Commercial and Retail Buildings (UDO 18.15.020.G.7). The following table lists the applicable design requirements and proposed design elements. All elevations are considered primary facades.

Building Design	UDO Design Requirements				
Standard	Proposed Design				
Building Entryway	Each building entry along primary facades must be defined with a covered projection or a recessed area.				
	The main building entry, located on the east elevation, includes a canopy that projects out six feet from the façade.				
Horizontal Articulation	Each primary façade must provide horizontal articulation every 50 linear feet of the façade.				
	All primary façades provide horizontal articulation using either wall offsets or wall projections every 40 feet, exceeding UDO requirements for horizontal articulation.				
Vertical Articulation	Each primary façade must provide vertical articulation every 50 linear feet of the façade.				
	All primary façades include a minimum variation of two feet in parapet height at least once every 40 feet, exceeding UDO requirements for horizontal articulation.				

Façade Expression	One-story buildings must be a minimum of 17 feet tall and include a tower element or special vertical articulation to anchor the main entry or building corner.
	The one-story building is 29 feet tall at the peak of the stone tower element on the northeast corner of the building, which anchors the building corner.

The proposed building is predominately comprised on all four façades with brick veneer, stone veneer, and a base of stone wainscotting. The building is required to include a combination of three (3) materials from Class 1 or Class 2 on 80% of the primary facades. The building uses a minimum of 84% Class 1 and 2 materials on all primary facades, exceeding this minimum requirement. The building also utilizes a standing seam metal awning (Class 1) on all façades.

The building is required to have 25% clear glass on all primary façades. Clear glass windows are used on 7% of the north façade, 10% of the south façade, 11% of the east façade and 12% of the west façade. Opaque glass windows are also incorporated on 12% of the north façade, 12% of the south façade, 12% of the east façade and 13% of the west façade. The applicant is requesting a waiver to the minimum clear glass requirements. See Section 9 below for an analysis of this waiver request.

### 8. Public Notification and Neighborhood Meeting

The applicant mailed the required public notification letters to surrounding property owners within 200 feet and posted a sign on the subject property per UDO requirements.

The applicant held a neighborhood meeting on April 8, 2024 in accordance with UDO requirements and the minutes of this meeting are included in the agenda packet. Seven (7) residents attended this meeting and asked several questions regarding traffic, and building and site design, which were responded to. Neither staff nor the applicant has received additional correspondence regarding the project.

### 9. Waiver Request

Section 18.40.240 of the UDO provides a mechanism for waivers to be considered when unnecessary hardships can be demonstrated or where the exception would result in superior design. The applicant submitted a justification statement for the requested waivers, which is attached to this report. The applicant is requesting waivers from:

- 1. UDO 18.15.115, which requires street frontage area for commercial buildings be a maximum of 15 feet as measured from the property line and the façade width within the frontage area must be a minimum of 30% of the lot width. The applicant is requesting a setback of 60 feet from the front (east) property line.
- 2. UDO 18.15.020.G.8.b, which requires that clear glass comprise a minimum of 25% of any primary façade. The applicant is requesting to reduce the clear glass from 25% on all primary façades to 7% on the north façade, 10% on the south façade, 11% on the east façade and 12% on the west façade.

3. UDO 18.20.130.C.1, which requires that no more than 125% of the required parking for a use may be provided on site. The applicant is requesting to increase the parking from the required 17 spaces to 43 spaces.

Staff is supportive of the three (3) requested waivers and worked with the applicant to understand the reason for each request. The first waiver is concerning the requirement for the building to set the street edge by placing buildings closer to the street and requiring buildings to occupy a certain percentage of the lot width at that street edge. The applicant is not meeting the intent of this requirement which is challenging on this property due to the shape of the lot and nature of the proposed business and need for outdoor playground and child drop-off areas. In lieu, the developer is proposing to add additional landscaping around the entire perimeter of the site and an outdoor amenity area. The proposed building placement also allows for the parking to be located interior, furthest from the residential properties to the west.

The second waiver is concerning the 25% clear glass requirement on each primary façade. Each façade of the building is classified as a primary façade, which means all four façades are required to meet the 25% clear glass requirement. Staff worked with the applicant to increase the amount of clear glass on each façade where possible, and the applicant has also provided at least 12% of opaque glass on each façade near the parapet wall to provide the appearance of clear glass, which brings the total amount of glazing to 20% - 25% for each façade. The building also utilizes over 84% Class 1 and 2 building materials on all façades, exceeding the minimum requirement of 80% Class 1 and 2 building materials. The vertical and horizontal articulation of the building also exceeds UDO requirements, and additional façade expression techniques and architectural details were incorporated, including tower elements and awning cornices. The applicant also worked with staff to provide additional high quality building materials and color variations.

The third waiver is concerning the maximum parking requirement. The applicant is requesting to increase the number of parking stalls from 17 to 43. The Primrose School has a staff of 28 including teachers and administration, which exceeds both the number of required stalls and the allowed increase of 125%. The 15 remaining stalls will be utilized for drop off and pick up. The applicant estimates that each drop off and pick up takes approximately six (6) minutes, which allows for each stall to accommodate 10 drop off and/or pick up trips per hour. Staff is supportive of the increase because it allows for the daycare to be adequately staffed and provides adequate parking for parents.

## 10. UDO Rezoning Criteria

The future land use map of the PlanOlathe Comprehensive Plan identifies the subject property as a Conventional Neighborhood. Conventional Neighborhoods typically consist of single-family housing, but neighborhood centers are distributed throughout Olathe neighborhoods to provide local access to convenience goods and services, reduce the need for lengthy drives, and promote walkability.

The application was reviewed against the UDO criteria for considering rezoning applications listed in UDO Section 18.40.090.G as detailed below.

# A. The conformance of the proposed use to the Comprehensive Plan and other adopted planning policies.

The requested district does not directly align with the Conventional Neighborhood designation of the Comprehensive Plan. However, the Comprehensive Plan calls for neighborhood centers to be distributed throughout Olathe neighborhoods to provide local access to convenience goods and services, reduce the need for lengthy drives,

and promote walkability. This is an existing neighborhood center located at a major intersection, which is consistent with the pattern of commercial centers at other major intersections in southern Olathe.

The proposed zoning request meets the following policy elements of the Comprehensive Plan:

**LUCC-7.1: High Quality Design**. Encourage economically reasonable efforts toward high quality architecture, urban design, and site design. Use design guidelines as a tool for new development and redevelopment. Consider the desired context and character of existing neighborhoods and commercial centers.

**LUCC-8.1: Mixture of Complementary Land Uses.** Encourage and enable a mixture of complementary land uses in major new developments. In existing neighborhoods, a mixture of land use types, housing sizes and lot sizes may be possible if properly planned and respectful of neighborhood character. Whenever land uses are mixed, careful design will be required in order to ensure compatibility, accessibility and appropriate transitions between land uses that vary in intensity and scale.

**HN-2.2: Complete Neighborhoods.** Encourage a "complete" neighborhood concept for new development, which includes a variety of residential densities on appropriately sized parcels, opportunities for shopping, nearby support services and conveniently sited public facilities, including roads, transit, and pedestrian connections, parks, libraries, and schools.

B. The character of the neighborhood including but not limited to: land use, zoning, density (residential), architectural style, building materials, height, structural mass, siting, open space and floor-to-area ratio (commercial and industrial).

This area is a developing commercial node and is surrounded by an existing residential neighborhood to the west. The adjacent non-residential use is Country Kids Day Care. Plans have been approved for a bank and multi-tenant retail building to the southeast. The existing and future buildings are primarily one-story tall and are a mix of residential and modern design.

C. The zoning and uses of nearby properties, and the extent to which the proposed use would be in harmony with such zoning districts and uses.

The proposal is in harmony with the surrounding zoning and uses of nearby properties. The adjacent CP-O and C-1 Districts to the south and east are commercial districts, similar to the proposed C-1 District. The property directly to the south is in the RP-1 District but an application was presented to the Planning Commission on April 29, 2024 to rezone the property to the C-1 District. There is an existing daycare to the east, which is a compatible use. The proposed daycare will complement the adjacent commercially zoned properties and serve as a commercial node for nearby residential developments.

D. The suitability of the property for the uses to which it has been restricted under the applicable zoning district regulations.

The property is suitable for the land uses allowed in the existing CP-1 and CP-O Districts; however, the requested C-1 District will allow for a more consistent zoning throughout the entire Asbury Centre and aligning with the existing zoning districts and established businesses. Use restrictions are proposed that are consistent with adjacent C-1 District zoning.

### E. The length of time the property has remained vacant as zoned.

The property was zoned to the RP-1, CP-O and CP-1 Districts in 2002 and has remained undeveloped since that time.

# F. The extent to which approval of the application would detrimentally affect nearby properties.

Approval of this application is not anticipated to detrimentally affect nearby properties. The property is within an existing commercial node (Asbury Centre) and adjacent to an existing daycare facility that has been operation since 2018 date.

# G. The extent to which development under the proposed district would substantially harm the value of nearby properties.

Approval of this development will not substantially harm the value of the nearby properties, which are zoned for residential and nonresidential uses. The property already has commercial zoning designation, only a small portion of the property retains residential zoning.

# H. The extent to which the proposed use would adversely affect the capacity or safety of that portion of the road network influenced by the use, or present parking problems in the vicinity of the property.

The proposed use will not adversely affect the capacity or safety of the road network influenced by the use, or present parking problems. The proposed use will not substantially increase traffic and the site is adequately parked for the needs of the daycare use. The development will have access from S. Hunter Street from to W. 159<sup>th</sup> Street and S. Ridgeview Road, which are arterial streets.

# I. The extent to which the proposed use would create air pollution, water pollution, noise pollution or other environmental harm.

The development is not anticipated to create pollution or other environmental harm. The development will follow all regulations and requirements pertaining to stormwater, air quality, noise, and other related items.

### J. The economic impact of the proposed use on the community.

The proposed development will create new jobs and generate additional property taxes to be collected by the City.

K. The gain, if any, to the public health, safety and welfare due to denial of the application as compared to the hardship imposed upon the landowner, if any, as a result of denial of the application.

There is no gain or detriment to the public health, safety and welfare due to the denial of the application. The rezoning does not negatively affect public health, safety or welfare as presented. If the application were denied, the applicant would not be able to develop the requested daycare use within the existing zoning district.

### 11. Staff Recommendation

Staff recommends approval of the rezoning and preliminary site development plan (RZ24-0007) with the following stipulations:

- A. Staff recommends approval of RZ24-0007 for the following reasons:
  - 1. The proposed development complies with the policies and goals of the Comprehensive Plan.
  - 2. The requested rezoning to the C-1 District meets the Unified Development (UDO) criteria for considering zoning applications.
- B. Staff recommends approval of the rezoning to the C-1 District with the following stipulations:
  - 1. The following uses are prohibited:
    - a. Fast-Food or Carryout Restaurants
    - b. Animal Care Facilities with Outdoor Kennels
    - c. Any Distance Restricted Businesses as listed in Olathe Municipal Code Chapter 5.43.
- C. Staff recommends approval of the preliminary development plan with the following stipulations:
  - 1. A revised preliminary site development plan is required for Lot 2 prior to submittal of a final site development plan.
  - 2. A waiver is granted from UDO 18.15.115.C to reduce the street frontage setback and buildout requirement from 15 feet and 30% to a setback of 60 feet with the elimination of the façade width requirement, as shown on the preliminary site development dated April 22, 2024.
  - 3. A waiver is granted from UDO 18.15.020.G.8.b to decrease the minimum glass requirement from 25% on all primary façades to 7% on the north façade, 10% on the south façade, 11% on the east façade and 12% west facade as shown on the elevations dated April 22, 2023.
  - 4. A waiver is granted from UDO 18.020.130.C.1 to exceed the 125% maximum parking requirement and permit a maximum of 43 parking stalls, as shown on the preliminary site development plan dated April 1, 2024.


RZ24-0007 May 13, 2024 Page 12


5. Exterior ground-mounted or building mounted equipment including but not limited to, mechanical equipment, utilities' meter banks and coolers must be screened from public view with three (3) sided landscaping or an architectural treatment compatible with the building architecture.


## **STATEMENT OF PURPOSE – REZONING**

Rezoning from CP-1 to C-1

The purpose of rezoning this vacant land is to develop it with a use that is compatible with the type of properties already in the area. The land is currently CP-1 zoning with some extensive restrictions, therefore the developer has chosen to rezone the property to C-1 in order to achieve the City of Olathe's latest code requirements The intent for the property is to develop a new Primrose Daycare Facility. These daycare facilities are very well known not just around the area locally but nationally.








SHEET C300

F: \2023\07501-08000\023-07974\40-Design\\unioCAU\PYPRINIOTY Plans\Shects\CAVCY\POP\C\_STM01\_02307949.dwg USER: hole Apr 01, 2024 10: 35am XRETS: C\_XBASE\_2307974 C\_P6ASE\_02307974 C\_P6ASE\_02307974 C\_RBUS\_02307974 C\_RBUS\_02305974 olsson


| STORM MANAGEMENT PLAN | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100

SHEET C400










(o)

(1) #5 REBAR IN GROUT EACH CELL VERT, IN (1) FULL BLOCK MIN.

विक्र कार्य वार्थ

 $\underbrace{ \text{ DUMPSTER PLAN} }_{\text{SCALE: } \textit{3/80'} = 1'\text{-}0'}$ 



b GATE HINGE DETAIL


© SWING LATCH


DUMPSTER GATE HARDWARE


8" DIA. DOUBLE EXTRA STRONG ( (6.875" I.D.) HINGE & STOP


ΪŸ

STOP PLATE









Type P - Pipe Mount


Series: Classic Product Number: 150-RT

4

**BOLLARDS**USA

Footer detail is for reference only; proper footer construction depends on local soil conditions and engineering requirements

WEIGHT .18 g. eo.






PRIME 159TH STE

ROSE SCHOOL OF OLATHE REET AND S. RIDGEVIEW ROAD CUT SHEETS
PRELIMINARY DEVELOPMENT PLAN

SHEET





## **ELEVATION KEYED NOTES**

 $\langle X \rangle$ 

- NOT USED
- 3 5/4 x 4 TRIMBOARD, WD 2
- 5 LIGHTING, REFER TO ELECTRICAL DRAWINGS.
- 6 TRIMBOARD AT OFFICE & CONF ROOM WINDOWS: HORIZ TO BE 5/4 x 6, VERT TO BE 5/4 x 4, BOTH WD-3
- 7 TRIMBOARD AT ALL EXTERIOR DOORS AND CLASSROOM WINDOWSA TO BE 5/4 x 6, WD 3
- 8 NOT USED
- 9 CUPOLA WITH WEATHERVANE. PAINT ALL SURFACES TO MATCH "ARCTIC WHITE", ROOF TO BE MR 1 REFER TO 1A/A6.3 FOR CONSTRUCTION.
- 10 ROOF LINE BEHIND PARAPET WALL.
- 11 GLAZING TO RECIEVE WINDOW FILM, TINT 1. SEE FINISH SCHEDULE SHEET A2.2
- 12 NOT USED
- 13 KNOX BOX OR APPROVED EQUAL. COORDINATE LOCATION WITH LOCAL FIRE OFFICIAL
- 14 6' 0" HIGH SOLID VINYL FENCE WITH (2) 3' 0"W GATES. COLOR TO MATCH DOORS
- 15 BEIGE ALUMINUM PLAQUE W/6" REFLECTIVE BLACK VINYL NUMBERS. PROVIDED BY 1 HOUR SIGN. COORDINATE LOCATION WITH LOCAL FIRE OFFICIAL.
- 16 4" REFLECTIVE NUMBERS SEE SIGNAGE PACKAGE
- 17 MECHANCIAL UNIT BEHIND PARAPET WALL. SCREENING TO BE PROVIDED WHERE NOT FULLY COVERED BY PARAPET WALL.

- ALL BUILDING MOUNTED AND ROOFTOP BUILDING HVAC AND MECHANICAL EQUIPMENT, VENTS, PIPING, ROOF ACCESS LADDERS, AND UTILITY METERS MUST BE LOCATED OUT OF VIEW OR OTHERWISE SCREENED FROM PUBLIC VIEW.
- 2. EXTERIOR GROUND-MOUNTED OR BUILDING MOUNTED EQUIPMENT INCLUDING BUT MOT LIMITED TO, MECHANICAL EQUIPMENT, UTILITIES'
  METER BANKS AND COOLERS MUST BE SCREENED FROM PUBLIC VIEW WITH THREE-SIDED LANDSCAPING OR WITH AN ARCHITECTURAL TREATMENT COMPATIBLE WITH THE BUILDING ARCHITECTURE.
- 3. ALL SIGNAGE WILL BE APPROVED ADMINISTRATIVELY THROUGH A SEPARATE SIGN PERMIT APPLICATION.




















Stone Sill - ST-2

MARK	DESCRIPTION	SPECIFICATION
ACC-1	LOUVERS	EKENA MILLWORK: 65"W X 21 3/4"H X 1 1/4"P, PITCH 8:12 TRIANGLE GABLE VENT, NON-FUNCTIONAL. ITEM NO. GVTR65X21D (COLOR TO MATCH "ARCTIC WHITE")
ACC-2	WINDOW BOX	PLOW & HEARTH: LEXINGTON SELF-WATERING WINDOW BOX, 3'-0"I. COLOR: ANTHRACITE.
ACC-3	SHUTTERS	EKENS MILLWORK: TWO BATTEN W/Z-BAR BOARD & BATTEN COMPOSITE SHUTTERS. 3'-6"T x 1'-6"W. SHUTTERS TO BE ORDERED PRIMED, PAINT TO MATCH "AGED PEWTER"
BR-1	BRICK VENEER	AUTHINTIC BRICK; THIN BRICK VENEER; STYLE "COTTONWOOD"
DR - 1	FULL LITE DOOR	EXTERIOR INSULATED METAL FULL LITE DOOR: COLOR (INTERIOR & EXTERIOR): WHITE. SEE DOOR SCHEDULE FOR ADDITIONAL INFORMATION.
DS - 1	SCUPPERS, DOWNSPOUTS	BM COLOR REVIEW #OC - 21 WINTER WHITE. (COLOR TO MATCH "ARCTIC WHITE"): 6" GUTTERS AND 6" DOWN SPOUTS U.N.O.
DS - 2	GUTTERS ALONG METAL ROOF	COLOR: TO MATCH "MR - 1"
MR-1	METAL ROOF	BERRIDGE CEE-LOCK SYSTEM. COLOR: DARK BRONZE.
ST-1	STONE WAINSCOT	US STONE - SAINT CLERE, PLAZA GRAY. MACHINE SPLIT RUBBLE VENEER. GROUT: BUFF COLORED MORTAR
ST-2	STONE CAP @ WAINSCOT	CORONADO: CHISELED STONE SILL. COLOR: LIGHT GREY
ST-3	STONE VENEER	CORONADO: SMOOTH LIMESTONE, COLOR: HARVARD GREY
TRIM	MISC METAL TRIM & FLASHING	ANY MISC METAL FLASHING AND TRIM NOT NOTED AS TRIM-1 SHOULD MATCH COLOR OF ADJACENT SURFACE. CONTACT ARCHITECT FOR DIRECTION AS REQ'D.
TRIM-1	MTL TRIM @ METAL ROOF	BM COLOR REVIEW #OC - 21 WINTER WHITE. (COLOR TO MATCH "ARCTIC WHITE")
WD-1	BOARD AND BATTEN SIDING	HARDIE PANEL (4' X 10') AND HARDIE TRIM BATTEN BOARDS (2 1/2" WIDE @ 16" O.C.) FINISH: SMOOTH. COLOR: ARCTIC WHITE (PRIMED AND FIELD PAINTED)
WIN - 1	VINYL WINDOWS	ANDERSEN: SILVERLINE 2200 SERIES. COLOR: WHITE. SEE WINDOW SCHEDULE.
WIN - 2	VINYL WINDOWS (@ OFFICE)	ANDERSEN: 100 SERIES, COLOR: WHITE, SEE WINDOW SCHEDULE
WV-1	WEATHER VANE	LARGE COPPER ROOSTER WEATHERVANE. SEE 1A/A6.3 FOR ADDITIONAL INFORMATION.



### MATERIAL BOARD AND COLORED ELEVATION PRIMROSE SCHOOL

Prototype "The Erwin" Olathe, KS 66062 04/22/24







SOUTH ELEVATION

NORTH ELEVATION



COLORED ELEVATIONS PRIMROSE SCHOOL


Prototype "The Erwin" Olathe, KS 66062 04/22/24











	STREET TREES	(UDO 18.30.130.G)	
FRONTAGE	LENGTH (LF)	1 TREE/40 LF	PROVIDED
BRENTWOOD STREET	309.8	7.7	14
158TH PLACE/	658.2	16.5	21*

\* SEE NONRESIDENTIAL LANDSCAPING

### SCREENING (UDO 18.30.130.I)

- All trash containers, trash compactors, and recycling containers shall be screened from public view on all sides with materials compatible with building architecture.
- 7. Exterior ground-mounted or building-mounted equipment including, but not limited to, mechanica equipment, utilities meter banks and coolers shall be screened from public view.

	BUFFER (18.30.130.J)									
LOCATION		BUFFER	BUFFER		PLANT REQUIREMENTS PER 100 LF					
	TYPE	UFFER   MIDTH	LENGTH (FT)		DECIDUOUS SHADE TREES (1)	ORNAMENTAL TREES (1)	EVERGREEN TREES (1)	SHRUB ORNAMEN GRASSES		
NORTH PROPERTY	1	10 FEET	257	REQUIRED	2.6	2.6	2.6	51.4		
LINE	,	IUFEEI	257	PROVIDED	9	3	3	81		

		NONRESID	ENTIAL LAN	DSCAPING (1	8.30.130.L.2)	
STREET	ADJACENT USE	FRONTAGE LENGTH (LF)	LANDSCAPE WIDTH		SHADE/ EVERGREEN TREES	ORNAMENTAL TREES
BRENTWOOD	RP-3 309.8	000.0	15 FEET	REQUIRED	10.3	3.4
STREET		309.8	15 FEE1	PROVIDED	11	3
158TH PLACE	RP.1	283.4	15 FFFT	REQUIRED	9.4	3.1
1581H PLACE	HOP-1	283.4	15 FEE1 -	PROVIDED	9	6
HUNTER	C-1, CP-0	260.8	10 FEET	REQUIRED	8.7	2.9
STREET	C-1, CF-0	260.6	(15 FEET)	PROVIDED	9	0

PARKING LOT LANDSCAPING (UDO 18.30.130.M)									
		LANDSCAPE	ISLANDS (3.a.)	SHADE TREE	ES (3.b.)				
PARKING LOCATION	SPACES	REQUIRED	PROVIDED	REQUIRED	PROVIDED				
NA.	44	3	4	4	4				

ADDITIONAL REQUIREMENTS: (2.a.) RIGHT-OF-WAY SCREENING - SHRUBS FORM CONTINUOUS VISUAL SCREEN AT LEAST 3 FT IN HEIGHT

FOUNDATION LANDSCAPING (UDO 18.30.130.0)							
BUILDING SIDE	LENGTH (LF)	25% MIN.	WIDTH (LF)	PROVIDED (LF)			
WEST	158	39.50	10	79			
SOUTH	86	21.50	10	22			
EAST	158	39.50	10	4*			

### LANDSCAPE NOTES

- LANDSCAPE NOTES

  1. SETDING MAY BE REQUISITED AND APPROVED IN LEU OF 500 BY THE PLANNING COMMISSION PER UDO IN STABLUZE SOLS PER UDO 18 30.130.0.8.

  2. BRIGARION REQUIRED INFOCUMENT THE SITE, ELECEPT WHERE NATURE OR DROUGHT RESISTANT PLANS STABLUZE SOLS PER UDO 18 30.130.0.8.

  2. BRIGARION REQUIRED INFOCUMENT THE SITE, ELECEPT WHERE NATURE OR DROUGHT RESISTANT PLANS AND THE SITE OF THE S

		PLANT SCHEDULE		
DECIDUOUS TREES	QTY	BOTANICAL / COMMON NAME	SIZE	CAL.
$\bigcirc$	8	Acer saccharum Caddo 'JFS-Caddo2' FLASHFIRE CADDO SUGAR MAPLE	B&B	2.5"
(+)	12	8	2.5"	
~(A)	6	Ginkgo biloba 'Autumn Gold' AUTUMN GOLD GINKGO	B&B	2.5"
$(\lambda)$	10	Malus 'Spring Snow' (FRUITLESS) SPRING SNOW CRABAPPLE (ORNAMENTAL)	B&B	2.5"
$\sim$	10	SPRING SNOW GRABAPPLE (ORNAMENTAL)		2.5*
EVERGREEN TREES	QTY	BOTANICAL / COMMON NAME	SIZE	HEIGHT (MIN)
0	7	Juniperus scopulorum "Wichita Blue" WICHITA BLUE JUNIPER		6'
<b>(A)</b>	3			6'
EVERGREEN SHRUBS	QTY	BOTANICAL / COMMON NAME	SIZE	
<b>②</b>	12	Juniperus chinensisa 'Monlep' MINT JULEP JUNIPER	5 GAL	24"
0	36	Juniperus sabina 'Buffalo' BUFFALO JUNIPER	5 GAL	12*
<b>①</b>	104	Juniperus virginiana 'Grey Owl' GREY OWL JUNIPER	5 GAL	24"
DECIDUOUS SHRUBS	QTY	BOTANICAL / COMMON NAME	SIZE	
0	16	Viburnum nudum 'Bulk' BRANDYWINE VIBURNUM	5 GAL	24"
0	35	Viburnum opulus 'Nono' DWARF EUROPEAN CRANBERRY VIBURNUM	5 GAL	18*
•	54	Weigela florida 'Spilled Wine' SPILLED WINE WEIGELA	5 GAL	18*
PERENNIALS	QTY	BOTANICAL / COMMON NAME	SIZE	
٥	148	Colamagrostis x acutiflora 'Karl Foerster' KARL FOERSTER'S FEATHER REED GRASS	1 GAL ESTABLIS	HED
0	54	Panicum virgatum 'Hot Rod' HOT ROD SWITCH GRASS	1 GAL ESTABLIS	

SEEDING/SOD					
SOD/SEED	BOTANICAL / COMMON NAME	TYPE			
	FESCUE TURF	S00			

olsson

NO. DATE REVISIONS DESCRIPTION	ENT PLAN			OI ATHE		EVIEW ROAD		2024 REVISIONS	
		1	ľ					54	
	ENT PLAN			THE STAFF		EVIEW ROAD			
LANDSCAPE PLAN	PRELIMINARY DEVELOPMENT PLAN			PRIMPOSE SCHOOL OF OLIVER	0.0000000000000000000000000000000000000	159TH STREET AND S. RIDGEVIEW ROAD		ISAS	

SHEET



April 12, 2024

Attn: Andrea Fair 100 E Santa Fe Street Olathe, Kansas 66061

Re: **RZ24-0007**: Neighborhood Meeting for Primrose Daycare at Asbury

### Dear Andrea:

A neighborhood meeting for the Primrose Daycare at Asbury rezoning submittal was held on April 8<sup>th</sup>, 2024 at 6:15pm in Sunnyside Elementary School.

The list of neighbors that attended the meeting included:

- Doris and Bob Fenton
- Jane Koof
- Vernon Steenhand
- Jeff Eaton
- Frances Stuart
- Barbara Yates

Questions that were asked by the neighbors during the meeting included:

- Number of parking stalls and will street parking occur?
  - No concern we are proposed extra parking than is required to avoid parking on the adjacent streets or excess stacking.
- Type and appearance of perimeter fencing?
  - No concern
- One proposed entrance and exit and if there could be a secondary entrance?
  - o Response was that we would consider this suggestion
- Is there a need for an additional daycare next to an existing daycare?
  - No concern
- Which direction do we predict the traffic will be coming from?
  - No concern
- What will their view of the daycare be off of Brentwood Street? What will the playground and adjacent landscaping look like?
  - No concern
- Are there rooftop units for HVAC?
  - No concern
- How many kids will be at the facility?
  - No concern
- When do we anticipate construction starting?
  - No concern
- Who will be responsible for cleaning the retention pond on their property if the situation occurs that trash or debris enters through the storm sewer system?
  - We are designing for any runoff from our site to be treated and water quality to be preserved before it enters into the public storm system. We do not anticipate

and are designing our site to not contribute to any damage or debris to enter the neighborhood's retention pond.

- Who is responsible for maintaining adjacent roads
  - o No concern our site's property owner does not own any of the adjacent streets.
- What would the development of Lot 2 look like?
  - No concern
- What will the traffic flow look like with the proposed Caribou Coffee to the south of our site?
  - No concern

Thank you,

Haidan O'Keefe Olsson



April 23, 2024

Attn: Andrea Fair 100 E Santa Fe Street Olathe, Kansas 66061

Re: **RZ24-0007**: Rezoning for Primrose Daycare at Asbury

### Dear Andrea:

A waiver is being requested for the exterior glazing requirements identified in UDO 18.15.020. The requirement states that we are to have a minimum of 25% glass on at least two exterior facades. We have resubmitted architectural elevations where all four facades have either met the 25% glass requirement or the percentage is very close. This amount of glazing has increased significantly on all four facades from our initial design. The tower element on the north and east facades now has spandrel glazing as well.

The architect and developer requests a lower amount of glazing than required due to the needs and requirements for classrooms associated with the Primrose schools. Within each classroom, it is preferred to have a certain percentage of opaque wall space instead of windows or glass to assist with classroom needs. These needs can include wall space for instructional purposes, space to facilitate lessons led by the teachers and staff, or educational decoration to supplement the classroom teaching. The request for a lower amount of glass is also led by the need for the safety of students and staff. Privacy is a concern for students and staff and an increased number of windows could prohibit some of those desired safety measures. In the event of a lockdown situation, staff will need to be able to conceal and black out any windows or glass in a timely manner to promote their safety and the students' safety. These are a few of the reasons why the 25% required glazing was not originally presented and the continued reason for Primrose's request for a waiver.

We feel that the amount of glazing presented in the most recent architectural elevations will align with the overall appearance of what was originally expected for the ordinance. All four facades have met or are extremely close to meeting the 25% glazing requirement and has been increased significantly from the original submittal. For these reasons, we request that the glazing requirement be waived as we have worked with Staff to add as much glazing as possible while staying aligned with Primrose's standards and preferences.

If you have any questions, please do not hesitate to contact me at <a href="https://hokeefe@olsson.com">hokeefe@olsson.com</a> or by phone at 913-381-1170.

Sincerely,

Haidan O'Keefe



April 23, 2024

Attn: Andrea Fair 100 E Santa Fe Street Olathe, Kansas 66061

Re: **RZ24-0007**: Rezoning for Primrose Daycare at Asbury

Dear Andrea,

A waiver is being requested for the street frontage requirements identified in UDO 18.15.115 Site Design Category. The requirement states that the building face be within 15 feet of the property line and the façade width of that frontage area to be more than 30% of the lot width. We are requesting this waiver as we feel that the layout of our site is most conducive to the neighborhood and surrounding properties, and the layout would not lend well to having our building within 15 feet of the property line. Relocating our building further to the west or south property line to be within the 15 feet would reduce the amount of usable playground space and eliminate valuable playground space that Primrose requires. The playground space is unable to move further north or east due to standard gate and classroom door locations.

To combat not meeting this requirement, we have provided high quality alternative designs that include increased landscaping and an additional site design category amenity zone. In our most recent set of plans, we have enhanced the entryway landscaping at the northeast corner of the site near the drive entrance from Hunter Street. We have also reduced our playground area by bringing the fence line in closer to the building by 5' on the west and south side of the site. This allowed us to greatly increase the density of shrubs along the fence line adjacent to Brentwood Street and the south side of Hunter Street, which also increased the planted materials within the south buffer zone. Shrubs have been added to the mulch area on the east side of the building to add even more foundation landscaping. Additionally, a signature landscaped area was added to the corner of Brentwood and Hunter Street to enhance the frontage area where the 15-foot build-to-line requirement could not be met. A seating area was also added near the entrance of the building for an additional Site Design Category 3 amenity zone.

Overall, the amount of landscaping across the site increased significantly to better align with the vision of the ordinance area and to provide a high-quality alternative to the street frontage requirements.

If you have any questions, please do not hesitate to contact me at <a href="https://hokeefe@olsson.com">hokeefe@olsson.com</a> or by phone at 913-381-1170.

Sincerely,

Haidan O'Keefe



April 1, 2024

Attn: Andrea Fair 100 E Santa Fe Street Olathe, Kansas 66061

Re: **RZ24-0007**: Rezoning for Primrose Daycare at Asbury

Dear Andrea:

A waiver is being requested for the parking requirements identified in UDO 18.30.160. The requirement states that we are to have 1 parking space per 800 square feet of proposed building and not to exceed 125% of the requirement, or 20 parking stalls. We have designed the site to provide 43 parking stalls, 2 of which will be ADA compliant.

The property owner and developer requests 43 parking stalls to accommodate enough parking for teachers, administration, and parent and drop off and pick up of children. There is a staff of 28 teachers and administration, leaving only 15 stalls for drop off and pick up of 210 children. Primrose Schools' studies have shown that each parent takes 6 minutes to drop off and pick up their child. One stall an hour can accommodate 10 drop off and/or pick up turns. From their studies, 15 stalls multiplied by 10 turns per hour allows for 150 available spaces. Their studies also show that not all parents come at the same time which results in spread out drop off and pick up times in the mornings and afternoons.

We feel that 43 parking spaces are needed in order to support the facility's staff and parents of the children attending this Primrose School. Adjacent properties with the same proposed usage, Country Kids Day Care of Olathe located at 158<sup>th</sup> Street and S Hunter Street, have over 40 parking spaces in their lot with a similar building size as proposed. Additional parking than what is required will also eliminate stacking or pile ups on adjacent streets that may impede the flow of traffic.

If you have any questions, please do not hesitate to contact me at <a href="https://hokeefe@olsson.com">hokeefe@olsson.com</a> or by phone at 913-381-1170.

Sincerely,

Haidan O'Keefe