





	Appara	tus Quote	
Customer Name: OLATHE	<u>, KS</u>	Sales Rep: KARL S	CHULTZ
6 h with all Date 4/5/04		5 vivito Bala de la	
Submitted Date: 1/5/24		Expiration Date: 1/31/24	
	Appara	tus Detail	
Qty. Des	cription	Pri	ce
1 PIERCE ENFOR	<u> </u>	\$ 1,688,893.66	
	_		
Quote Bid No.: 511	Quo	te Doc Date: 1/5/24	
	I	<b>-</b>	
Performance Bond YES	Warr	anty Period: Standard	
Estimated Build Time: 44 MO	l		
	Paymer	nt Options	
<b>OPTION 1</b> (with Pre-Payme	nt Discount)	<b>OPTION 2</b> (w/o Pre-Pay	ment Discount)
Apparatus Purchase Price	\$ 1,688,893.66	Apparatus Purchase Price	\$ 1,688,893.66
Trade-in Value	\$ 0.00	Trade-in Value	\$ 0.00
Price After Trade-in	\$ 1,688,893.66	Price After Trade-in	\$ 1,688,893.66
Pre-Payment Discount	\$ 0.00	Pre-Payment Discount	N/A
Extrication Rescue Tools	\$ 0.00	Extrication Rescue Tools	* \$ 0.00
Loose Equipment	\$ 0.00	Loose Equipment*	\$ 0.00
Options	\$ 0.00	Options	\$ 0.00
Due Upon Order	\$ 1,688,893.66	Due Upon Delivery	\$ 1,688,893.66
Payment Terms		Notes	
OPTION 1 PRICING IS NOT APPLICABLE OPTION 2 PRICING IS BASED ON FULL PARADE AT TIME OF PRODUCT DELIVERY.	AYMENT BEING	Enclosed pricing is based on HGAC or	ontract FS12-19.

## APPARATUS QUOTE PROVISIONS

This Quote (together with all attachments referenced herein), as provided by CONRAD FIRE EQUIPMENT, INC (Company) to the referenced Customer (Customer) includes the following terms and conditions and attached product specifications as hereby acknowledged by the Company and the Customer, which will become applicable to the sale related to this quote and effective upon the Company accepting the Customer's acknowledgment and approval of such sale. Acceptable forms of acknowledgment and approval shall be an official and properly authorized purchase order or supplemental contract between the parties; such acceptable forms must incorporate the referenced date and quote/bid number stated herein.

- 1. <u>Specification Changes.</u> Various state or federal regulatory agencies (e.g. NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. In addition, any future drive train upgrades (engine, transmission, axles, etc.), or any other specification changes have not been calculated into our annual increases and will be provided at additional cost.
- 2. <u>Commercial Chassis Pricing Changes.</u> Pricing for commercial chassis provided by manufacturers other than Pierce (e.g., Kenworth, International, Peterbilt, etc.) may be subject to change subsequent to an order being placed as determined by the commercial chassis manufacturer. To the extent practicable, Company will document any such updated price for the Customer's approval before proceeding and provide an option to cancel the order.
- 3. Persistent Inflationary Environment. If the Producer Price Index of Components for Manufacturing [www.bls.gov Series ID: WPUID6112] ("PPI") has increased at a compounded annual growth rate of 5.0% or more between the month Pierce accepts our order ("Order Month") and a month 14 months prior to the then predicted Ready For Pickup date ("Evaluation Month"), then pricing may be updated in an amount equal to the increase in PPI over 5.0% for each year or fractional year between the Order Month and the Evaluation Month. To the extent this provision results in a price increase to the Customer for the order associated with this quote, the Company will notify the Customer in writing of such price increase for the Customer's approval before proceeding with the order; in lieu of proceeding with the order, the Customer may cancel the associated order without penalty by providing the Company written cancellation within 30-Days of of receiving the price increase notice pursuant to this provision.
- 4. <u>Payments.</u> Pre-payment discounts are based on purchase price at time of order and are not subject to change. Manufacturing build time may change after an order is placed due to supply chain delays. All taxes, excises and levies that Company may be required to pay or collect for any reason shall be for the account of the Customer and shall be added to the Purchase Price. Delinquent payments shall be subject to a carrying charge of 1.5 percent per month or such lesser amount permitted by law. Company will not be required to accept payment other than as set forth in this Agreement. Company shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by Company or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to Company, Company shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of [KANSAS].
- 5. <u>Cancellation/Termination.</u> In the event this associated order is canceled or terminated by the Customer before completion for any reason other than that directly related to and allowed per the provisions of Paragraph 3 above, Company may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by Company; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. Company endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by Company upon sale of the Product to another purchaser, plus any costs incurred by Company to conduct any such sale.
- 6. <u>Delivery and Custody.</u> Delivery of the Product is scheduled to be within the timeline specified herein following the Effective Date of this Agreement. The Customer is responsible for taking delivery of product directly from the Company and risk of loss transfers to the Customer upon an authorized Customer representative acknowledging product delivery. Payment shall be rendered according to the payment terms herein.
- 7. <u>Governing Law and Jurisdiction.</u> Without regard to any conflict of law provisions, this Agreement is to be governed by and under the laws of the state of KANSAS.
- 8. <u>Entire Agreement.</u> This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by the Customer shall not be applicable, unless accepted in writing by Company's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by Company's authorized representative.
- 9. <u>Conflict.</u> In the event of a conflict between the Customer Specifications and the Company Proposal, the Company Proposal shall control. In the event there is a conflict between the Company Proposal and this Agreement, the Company Proposal shall control.



511

1

06/30/2023



## **Option List**

**Bid Number:** 

Job Number:

**Bid Date:** 

Lane:

**Number of Units:** 

**Stock Number:** 

Customer: Olathe Fire Department

Representative Schultz, Karl

Organization: Conrad Fire Equipment

**Requirements Manager:** 

**Description:** Olathe Rescue

Body: HDR, Walk-In, Aluminum Price Level: 47 (Current: 47)

Chassis: Enforcer Chassis

Line Option	Type	Option Description	Qty
1 0010012		No Boiler Plates requested	1
2 0661794		Single Source Compliance	1
3 0584456		Manufacture Location, Appleton, Wisconsin	1
4 0584452		RFP Location: Appleton, Wisconsin	1
5 0588609		Vehicle Destination, US	1
6 0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
7 0533352		Special Services (Rescue) Fire Apparatus	1
8 0588614		Vehicle Certification, Rescue	1
9 0681285		Agency, Apparatus Certification, Rescue, U.L.	1
10 0891947		Certification, Vehicle Inspection Program, NFPA 1901	1
11 0535579		Not Required, Unit of Measure, (no pump, no tank)	1
12 0529326		Bid Bond, 10%, Pierce Built Chassis	1
13 0816849		Performance Bond, Not Requested	1
			1
14 0000007		Approval Drawing	1
15 0517327		Drawing, As Built, At Delivery a Revised Print w/ Changes	1
16 0765582		Drawing, Bumper Extension, Top View, Reference Only	1
17 0745732		Drawing, Cab Cabinets, 3D View	1
18 0002928		Electrical Diagrams	1
19 0649754		Enforcer Chassis	1
20 0000110		Wheelbase	1
		Wheelbase - TBD	
21 0000070		GVW Rating	1
		GVW rating - TBD	
22 0729280		Frame Rails, 13.38 x 3.50 x .375, Enforcer	1
23 0889469		Frame Liner, "C/Inv L" 12.50" x 3.00" x .25", AXT/Vel/Imp/Enf, 56" QVal	1
24 0790821		Axle, Front, Oshkosh TAK-4, Non Drive, 24,000 lb, Enforcer (425 Tires)	1
25 0090914		Suspension, Front TAK-4, 24,000 lb, DLX/Qtm/AXT/Vel/Enf/SFR	1
26 0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf	1
27 0000322		Oil Seals, Front Axle	1
28 0899289		Tires, Front, Goodyear, Armor MAX MSA, 425/65R22.50, 20 ply, Fire Service Load	1
29 0052887		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Dura-Bright, Hub Pilot	1
30 0508439		Axle, Rear, Meritor RT46-160, 48,000 lb, HDR/Tiller Tractor	1
31 0814705		Top Speed of Vehicle, 68 MPH/109 KPH, Non-NFPA 2016	1
32 0581285		Suspen, Rear, Hendrickson FMX 482 EX, Air Ride, 48,000 lb, HDR	1
33 0000485		Oil Seals, Rear Axle	1
34 0782551		Tires, Rear, Goodyear, Endurance RSA, 12R22.50, LRH, Tandem	1
35 0066497		Wheels, Rear, Alcoa, 22.50" x 8.25", Alum, Dura-Bright, Hub Pilot, Tandem	1
36 0568081		Tire Balancing, Counteract Beads	1
37 0620569		Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Tandem Axle	1
		Qty, Tire Pressure Ind - 10	
38 0801932		Lug Nut, Covers, Stainless Steel	1
39 0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
40 0013241		Axle Hub Covers, Rear, S/S High Hat (Tandem)	1
41 0742321		Mud Flap, Front and Rear, Custom Logo	1
42 0813783	SP	Tire, "Crossfire" Air Pressure Equalization (tandem), 120 PSI	1
43 0759846		Chains, Rud automatic tire, 18 strand	1
44 0544802		Chocks, Wheel, SAC-44-E, Folding, (Up to 44" Diameter Tires)	1
++ 00 <b>++</b> 002		Qty, Pair - 01	Į.
45 0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
10 004-1000		Qty, Pair - 01	
		Location, Wheel Chocks - Left Side Rear Compt	
1/5/2024 10:3		Rid #: 511	

Line Opt	tion	Туре	Option Description	Qty
46 001	10673		ABS Wabco Brake System, Tandem Rear Axle	1
47 065	52082		Brakes, Meritor, EX225, 17", Disc Plus, TAK-4	1
48 000	00730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1
49 073	35527		Air Compressor, Brake, Wabco 26.8 CI, Paccar	1
50 063			Brake Reservoirs, 6,408 Cubic Inch Minimum Capacity, Saber FR/Enforcer	1
			Paint Color, Air Tanks -	
51 056	38012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
52 000			Brake Lines, Nylon	1
53 050			Air Inlet, w/Disconnect Coupling, Milton	1
00 000	31700		Location, Air Coupling(s) - a) DS Step Well, Forward	
			Qty, Air Coupling (s) - 1	
			Air Fitting Model Number - M	
54 000	00860		Outlet, Air, with shut off valve	1
			Location, Air Coupling(s) - a) DS Step Area	•
			Qty, Air Coupling (s) - 1	
55 058	32175		Cover, Hinged Over Recessed Air Inlet/Outlet, Location	1
			Location - DS Step Well	·
56 001	14195		Fitting, Milton 727 (MNPT) for Air Inlet/Outlet, IPOS	1
57 077		SP	Air Tank, Additional for Extra Tool Air Outlet Capacity	1
01 011	1040	O.	Paint Color, Air Tanks - Frame color	
58 000	ากลวก		Moisture Ejector, Automatic, w/Heat	4
00 000	30020		Qty, Auto. Moisture Eject - 4	
			Location, Moisture Ejector - Wet Tank	
59 080	18515		Engine, Paccar MX, 510HP, 1850 lb-ftW/OBD, EPA 2027, Saber FR/Enforcer	1
60 081			Not Required, Engine Contingency Adjustment	1
61 000			High Idle w/Electronic Engine, Custom	1
62 073				1
02 073	55001		Engine Brake, Fully Integrated, Paccar MX13 Engine	1
62.064	11227		Switch, Engine Brake - MX13	1
63 064			Clutch, Fan, Air Actuated, Saber FR/Enforcer	1
64 064			Air Intake, Water & Ember Screen, Saber FR/Enforcer	1
65 081	14375		Exhaust System, Horizontal, Right Side	1
			Exhaust, Diffuser - 5" x 7" x 5" (Premium)	
			Exhaust, Material/Finish - Stainless Steel (Premium)	
			Location, Diffuser Termination - Flush With Rub Rail	
66 077	75065	en.	Tip, Exhaust - Straight Tip (Standard)	1
66 077	75005	SP	Heat Shield, S/S, Additional, Location	1
67 061	17005		Location - TBD  Exhaust Mod for Plymovant Magnetic Crabber Sys. 6.0" Rig Plack Engine. CARE	1
			Exhaust, Mod for Plymovent Magnetic Grabber Sys, 6.0", Big Block Engine, CARE	1
68 081	10171		Adapter, Exhaust, Nederman, for 6" or 7" Diffuser Outlet	1
			Location - Exhaust	
60.079	00765		Anchor Plate, Nederman - 1-Piece	1
69 078			Radiator, Saber FR/Enforcer	1
70 000			Cooling Hoses, Rubber	1
71 001			Skid Plate, Radiator, All Custom Chassis	1
72 004			Fuel Tank, 65 Gallon, Dual Fills	1
73 000			Lines, Fuel	1
74 089		SP	DEF Tank, 6.0 Gallon, LS Fill, Compartment Mounted, Paccar, HDR	1
75 055			Fuel Pump for Repriming	1
76 055			Shutoff Valve, Fuel Line @ Fuel Tank	1
77 069			Cooler, Chassis Fuel, Not Req'd.	1
78 001	11125		Door, Fuel Fill Painted Job Color	1
			Qty, - 01	
79 069	90880		No Selection Required From This Category	1
80 080	01890		Trans, Allison 6th Gen, 4500 EVS P, w/Prognostics, Imp/Vel/Enf	1
81 063	33606		Transmission, Shifter, 6-Spd, Push Button, 4500 EVS, 5+1 Mode,	1
			AXT/Qtm/DCF/Enf	
			Trans, ratio - 4500 EVS, 6Spd	٠
82 068			Transmission Oil Cooler, Modine, External	1
83 056			Fluid, 4000/4500 Series Transmission, TranSynd synthetic, IPOS, Custom	1
84 000			Driveline, Spicer 1810	1
85 073			Steering, Sheppard M110 w/Tilt, TAK-4, Paccar Pump, w/Cooler, Paccar	1
86 060	05355		Steering Wheel, 4 Spoke with Controls, Enforcer, Mux	1

	Option	Туре	Option Description	Qty
87	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - Olathe	
			Text, Row (2) Two - Fire	
			Text, Row (3) Three - Department	
88	0809648		Lube System, Graco G3 Grease Jockey, Tandem Axle	1
			Rear Axle, Auto Lube - 6x4 Straight Axle, Cam Brakes (Graco)	
89	0785907	SP	Hitch, Receivers, (3), Front, Custom Chassis, Under Bumper	1
			Location - Front	
90	0815891	SP	Winch, Warn, 12000 lb. Fixed, Front, Series G2, Spydura Pro	1
0.4	0045075	0.0	Stay arm, Tray Cover - c)Pneumatic Stay Arm, Dual	4
	0815975	SP	Winch, Warn, 12000 lb. Fixed, Rear, Series G2, Spydura Pro	1
	0606330		Bumper, 22" Extended, Stainless Steel, Painted, Saber FR/Enforcer	1
93	0658303		Box, Tool w/cover, Left	1
			Stay arm, Tray Cover - c)Pneumatic Stay Arm, Dual	
0.4	0005557		Latch, Bumper Storage - D ring latch	4
	0625557		Hose Restraint, Not Required, Cover Included with Other Option	1
95	0638048		Box, Tool w/cover, Right	1
			Stay arm, Tray Cover - c)Pneumatic Stay Arm, Dual	
06	0625556		Latch, Bumper Storage - D ring latch Hose Restraint, Not Required, Cover Included with Other Option	1
			·	1
	0614646	CD	No Lift & Tow Package, Imp/Vel, AXT, SFR/Enf	1
98	0816250	SP	Tow Eyes, Painted, Top of Deck, Thru Bumper Face, 10,000 lbs	1
00	0544007		Hook/Eyes Finish - black	4
99	0544837		Blocks, Rubber dock style, Front of bumper, Location, Qty. Pairs	1
			Location - each side of the winch opening	
100	0502389		Qty, Pair - 01 Receiver, Portable Winch, (2), One Each End, Front Bumper,Class IV,10K	1
	0692444		· ·	1
101	0092444		Recess, Front/Side Warning Light, In Angled Corner of Extended Bumper	I
100	0532853		Material, Brkt, Recess Lt Bumper - Painted Smooth Aluminum Recess, Side Zone Warning Light, In Side of Extended Bumper	1
102	0002000			Ţ
103	0698960		Material, Brkt, Recess Lt Bumper - Painted Smooth Aluminum Coating, Top Flange, Front Bumper, Outside Exterior, UL-LX Coating, Black	1
	0813359	SP	Cab, Enforcer, Two Door, No Crew Cab	1
	0747442	OI.	Engine Tunnel, X12, MX13, Enforcer	1
	0887601		Cab Insulation, Enforcer/Saber FR	1
	0610508		Rear Wall, Interior, Adjustable Seating, Not Available	
	0632103			1
100	0032103		Rear Wall, Exterior, Cab, Saber FR/Enforcer	Ţ
100	0639727		Material, Exterior Rear Wall - Aluminum Treadplate Cab Lift, Elec/Hyd, Manual Override, Saber FR/Enforcer	1
	0695930		Grille, Bright Finished, Front of Cab, Enforcer	1
				1
111	0043816		Scuffplates, S/S At Cab Door Jambs, 2-Door Cab	I
110	0647989		Material Trim/Scuffplate - c) S/S, Polished	1
112	0047909		Trim, S/S Band, Across Cab Face, Arrow XT/Saber/Enforcer	Ţ
112	0087357		Material Trim/Scuffplate - e) S/S, Patterned	1
	0521669		Molding, Chrome on Side of Cab Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
	0072188		Mirror, Down View, Passenger Side for Driver, 8" Round	
	0768245		Door, Half-Height, Saber FR/Enforcer 2-Door Cab	1 1
110	0700245		•	Ţ
			Key Model, Cab Doors - 751	
117	0768235		Cab, Exterior Door Handle, Finish - 2-Door, Chrome/Black Door Panel, Brushed Stainless Steel, Enforcer 2-Door Cab	1
	0768230		Controls, Electric Roll-Up Windows, 2dr, 2 Driver Controls, Enforcer	1
	0603438		Electric Door Locks, 2 Door Cab, Conceal Switch Location, AXT, Enf	1
119	0003436			ı
120	0638814		Location - tbd Key Pad, Electric Door locks, DS, QXS, AXT, SFR, Enf	1
121	0768243		Steps, 2-Door Cab, Saber FR/Enforcer	1
122	0770060		Step Well Material - Alum Treadplate - 2 Dr Cab Handrail, Exterior, Knurled, Alum, 2-Door Cab	1
	0890456		Lights, Cab Access Steps, P25, LED w/Bezel, 1Lt/Step, 2 Door Cab	1
123	0090400			ı
10/	0583698		Color, Trim - Chrome Housing Fenders, S/S on cab, Extra Wide, Saber/Enf	1
	0557023		Handrail, 10", Below Cab Windshield, Pair	1
120	0001023		riandian, 10 , Delow Cab WindSilleld, Fall	I

Line	Option	Туре	Option Description	Qty
126	0042105		No Windows, Side of Crew Cab	1
127	0815484	SP	Handrails, Cab Entrance, Semi-Recessed in Side of Cab, 2-Dr, SFR/Enf	1
			Finish - Painted, Job Color	
128	0055209	SP	Locks, Keyed Alike, Cab Doors & Body Compartments	1
129	0894089		Dash, Heavy Duty Metal, Enforcer	1
			Material Finish, Metal Dash - Gray	
130	0738524		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, 2-Door Enforcer	1
			Mounting Provision Spacing - 1.00"	
			Material Finish, Cab Interior - Painted	
131	0750824		Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE	1
			Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
			Engine Tunnel Cover - Dark Silver Gray Endure Vinyl	
122	0752002		Cab Interior Rear Wall Material - Painted Aluminum	1
132	0753903		Cab Interior, Paint Color, Saber FR/Enforcer	1
133	0586117		Color, Cab Interior Paint - i) fire smoke gray Floor, Cab, 3/16" Alum Treadplate Covered, AXT/Enf 2-Dr, CARE	1
	0735346		HVAC, Standard-Duty, Two Door Enforcer, w/Heat, CARE	1
134	0733340			ļ
			HVAC System, Filter Access - Removable Panel Auxiliary Cab Heater - Both, 2 Door Cab	
			HVAC System, Control Loc Panel Position #12	
			Plenum Cover Material - Metal, Painted	
135	0002120		Fan, Window Defrost, Driver's Side, One (1)	1
136	0012121		Fan, Window Defrost, Passenger's Side, One (1)	1
137	0639675		Sun Visor, Smoked Lexan, AXT, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - Thumb Latch	
138	0634328		Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer	1
139	0583938		Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim	1
			Qty, - 01	
140	0767724		Fluid Check Access, 2-Door Enforcer	1
			Latch, Door, Storage - Lift and Turn Latch, Flush	
	0583042		Side Roll and Frontal Impact Protection	1
	0622621		Seating Capacity, 2 Seats	1
	0636955		Seat, Driver, Pierce PSV, Air Ride, High Back, Safety, PRIMARY, SFR/Enf	1
	0636942		Seat, Officer, Pierce PSV, Fixed, SCBA, Safety, PRIMARY, SFR/Enf	1
145	0620420		Radio Compartment, Below Non-Air Ride Seat, Saber FR/Enforcer	1
4.40	0000040		Latch, Door, Storage - Lift and Turn Latch	4
146	0896249		Cabinet, Rear Facing, LS, 24 W x 28 H x 23 D, Ext Acc Only, 2 Dr Enf	1
			Light, Short Cabinet - Pierce, Exterior, Left Side and Pierce, Exterior,	
			Right Side Scuffplate, Material/Finish - S/S, Polished	
			Material Finish, Shelf - DA Finish	
			Shelf/Tray, Cabinet - (0) None	
			Door, Cab Exterior Cabinet - Double Pan, Rev. Hinged, Locking #751	
			Door, Exterior Stop - Chain	
			Louvers, Cabinet - 0-No Louvers	
	0102783		Not Required, Seat, Rr Facing C/C, Center	1
148	0896241		Cabinet, Rear Facing, RS, 24 W x 28 H x 23 D, Ext Acc Only, 2 Dr Enf	1
			Light, Short Cabinet - Pierce, Exterior, Left Side and Pierce, Exterior,	
			Right Side	
			Scuffplate, Material/Finish - S/S, Brushed Material Finish, Shelf - DA Finish	
			Shelf/Tray, Cabinet - (0) None	
			Door, Cab Exterior Cabinet - Double Pan, Rev. Hinged, Locking #751	
			Door, Exterior Stop - Chain	
			Louvers, Cabinet - 0-No Louvers	
	0108189		Not Required, Seat, Forward Facing C/C, LS Outboard	1
	0103319		Not Required, Seat, Forward Facing C/C, Center	1
	0108190		Not Required, Seat, Forward Facing C/C, RS Outboard	1
152	0766467		Upholstery, Seats In Cab, All Vinyl, Seats Inc, CARE	2
			Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Black	
450	0540004		Qty, - 02	,
153	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	1
			Qty, - 1	

	Option	Туре	Option Description	Qty
154	0690610		Embroidery, Seats, Cab and Crew Cab	1
155	0603866		Qty, Seats Embroidery - 2 Seats Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer	1
450	0000404		Seat Belt Color - Red	4
	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
157	0649961		Lights, Dome, Weldon Dual LED 2 Lts	1
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch	
			Control, Dome Lt Color - Lens Switch	
158	0896451		Enhanced Software for Cab and Crew Cab Dome Lts	1
159	0628471		Light, Map, Overhead, Peterson M371S LED, Rectangula w/Switch	2
			Location - tbd	
			Qty, - 02	
160	0602618		12vdc power from - Battery switched Portable Hand Lt,Provided by Fire Dept,Special Services,NFPA 2016 Classification	1
	0603606		Cab Instruments, Ivory Gauges, Chrome Bezels, Enf MUX	1
			Emergency Switching - E-Master Only	·
162	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
163	0032602		Speedometer, Class 1 w/LED, Officer Overhead	1
164	0673123		Light, Do Not Move Apparatus, Wln 3SR00FRR LED	1
			Alarm, Do Not Move Truck - Pulsing Alarm	
	0509042		Messages, Open Dr/DNMT, Color Dsply,	1
166	0611683		Switching, Cab Instrument Lower Console & Overhead, Membrane, Enforcer WiFi MUX	1
167	0802940		Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer	1
			Location, Wiper Control - Standard Location	
168	0548013		Wiring, Spare, 20 A 12V DC 2nd	3
			Qty, - 03	
			12vdc power from - Battery direct Wire termination - 10-Place Bus Bar w/Cover	
			Location - TBD	
169	0548014		Wiring, Spare, 20 A 12V DC 3rd	3
			Qty, - 03	
			12vdc power from - Battery direct	
			Wire termination - 10-Place Bus Bar w/Cover	
170	0548012		Location - TBD Wiring, Spare, 20 A 12V DC 4th	3
110	0010012		Qty, - 03	ŭ
			12vdc power from - Battery direct	
			Wire termination - 10-Place Bus Bar w/Cover	
474	0540000		Location - TBD	
1/1	0548009		Wiring, Spare, 20 A 12V DC 1st	3
			Qty, - 03 12vdc power from - Battery direct	
			Wire termination - 10-Place Bus Bar w/Cover	
			Location, Spare Wiring - TBD	
172	0896666		Wiring, Spare, 4.8 A 12V DC, USB Termination 1st	5
			Qty, - 05	
			12vdc power from - On w/ignition powered switch & relay	
173	0804003		Location - TBD Radio, APTIV, AM/FM/WB/Frt USB, BT	1
170	0004000		Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Body	
			Antenna, AM/FM Radio - c) Roof-mounted rubber antenna	
			Location, AM/FM Radio - b) within reach of the officer	
174	0814201		Vehicle Information Center, 7" Color Display, Touchscreen, MUX, CL714	1
475	0040004		System Of Measurement - US Customary	4
1/5	0816634		Collision Mitigation, HAAS Alert (R2V), HA7, Dash Mount	1
176	0606251		Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription Vehicle Data Recorder w/Seat Belt Monitor, Body Seating	1
	0662683		Intercom, Firecom 5100D Single Radio, 6-Pos, D,O,4C	1
			Location - TBD	•
			Location, Intercom, C Cab - 4) 4 rear facing seats	
178	0009063		Not Required, Radio Interface	1

Line Option	Туре	Option Description	Qty
179 0681389		Headset, Firecom, UH-51 Under Helmet, Radio Transmit	6
		Qty, - 06	
		Location, Headset - Driver Seat and Officer Seat	
180 0681408		Hangers For Headsets, NFPA, Each	6
		Qty, - 06	
404 0705000	0.0	Location, Headset Hangers - Driver Seat and Officer Seat	4
181 0725298	SP	Bracket, Box, Intercom, ICA400, Cab	1
182 0808334	SP	Speakers, Amplified, W/Volume Control, Pair Located in HDR Body, 410	1
183 0559156		Install Customer Provided Two-Way Radio(s)	1
		Location - TBD	
184 0003757		Qty, - 01 Antenna, Std and Add'l Mts Only, 2-way Radio,Cust,Spl Cable Routing	5
104 0000707		Location - Two above the driver route to the center console three above	J
		the office route behind the officer seat.	
		Qty, - 05	
		Location 1 - Two above the driver and three above the officer	
185 0815289	SP	Camera, Safety Vision, 7", 21"Displays, F/F, RS, (RS, LS, Cab Out), R, 4112, HD	1
		Location 1 - TBD	
		Location 2 - TBD	
		Location, Camera Monitor - Mounted at Pick Up - Appleton	
		Color Camera #1 - Black	
186 0814831		Color Camera #2 - Black Not Required, Camera Switcher	1
187 0523921		Recess, Rear Vision Camera	1
107 0020021		Location, Camera, Recessed - Driver Side	•
188 0890416		Pierce Command Zone, Advanced Electronics & Control System, Enforcer, WiFi	1
		CZT	
		Color, Antenna - Black Antenna	
400 0000450		Module Housings - See Through Housings with LED Cuircuit Indicators	4
189 0896456		Prognostics, Electrical System	1
190 0624253		Electrical System, Enforcer MUX	1
191 0098841		Batteries, (6) Deka Grp 31, 1000 CCA each, Threaded Stud	1
192 0008621 193 0813838		Battery System, Single Start, All Custom Chassis Battery Compartment, 2 Door Cab, No Crew Cab, Enforcer	1 1
193 0013030			ı
194 0806076		Location - Forward Body Compartment Charger, Sngl Sys, Blue Sea P12, 7532, 40 Amp	1
195 0814869		Location, Cab, Charger, Behind Driver Seat	1
196 0812519		Panel, Charger Display, Blue Sea, 7517	1
197 0814939		Location, Cab, Ind/Remote, Driver's Seat Riser	1
198 0684515		Shoreline, 50A 120/240V, Hubbell Marine, HBL504NM, HBL63CM64 TL	1
		Connection, Shoreline - Badge Air A/C System	
		Qty, Shoreline - 1	
199 0787592	SP	Shorelines Cab Loc, Surface Mt, Driver's Side Cab, Above Front Wheel	1
200 0802408		Shoreline Inlet, 20A 120V Ksml Auto Eject, 091-55-20-120-**	1
		Location - DS Cab above the wheel well Rearward as possible	
		Qty, - 01	
		Color, Kussmaul Cover - b) red	
		Connection, Shoreline - Battery Chargers body interior and exterior outlets	
201 0809444	SP	Switch, Auto Transfer, 120/240 volt, 50 amp, Surge Guard, A/C Acc	1
		Location - DS Cab above the wheel well Rearward as possible	
		Connection, Transfer Swit - Badge Air A/C	
202 0009429		Electric Power Only, Portable Winch	6
		Location - (1) each side between tandem	
		(1) each side of front bumper	
		(1) Rear centered (1) Front Centered	
		Qty, Receptacles - 06	
203 0121711		Alternator, 320 amp, Leece-Neville 4962PA, Sgl Sys	1
204 0092582		Load Manager/Sequencer, MUX	1
		Enable/Disable Hi-Idle - e)High Idle enable	
205 0783157		Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel	1
		Color, Headlight Bez - Chrome Bezel	

Line	Option	Туре	Option Description	Qty
206	0625953		Light, Directional, Wln 600 Cmb, Cab Crn, Wrp Bzl Out HD Lts, Enf, Sab FR	1
007	0000054		Color, Lens, LED's - m)match LED's	4
	0620054 0735474		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts, Saber FR/Enforcer	1 1
200	0735474			I
209	0647899		Light Guard - No Guards Lights, Directional/Marker, Cab Front Side, Weldon 9186-8580-29 LED, Sab/Enf	1
	0627282		Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts	1
211	0804514		Lights, Tail, Wln M62BTT* Red Stop/Tail & M62T* Amber Dir Arw For Hsg	1
			Color, Lens, LED's - Match	
0.40	0000400		Flash Pattern, Directional Lts - Steady On (Arrow)	4
	0806466		Lights, Backup, Wln M62BU, LED, For Tail Lt Housing	1
213	0663884		Bracket, License Plate & Light, P25 LED, Temp Under Tailbrd	1
214	0556853		Location - right side Bezels, Wln, (2) M6 Chrome Pierce, For Mtg (3) Wln M6 Lts	1
	0589905		Alarm, Back-up Warning, PRECO 1040	1
	0791715	SP	Intercom, Back-up Warning, Two-Way, FRC ICA400-A40, Master Switch	1
			Location - recessed in a painted aluminum box and then the box is cut	
			into the engine tunnel mounting plate at the center (see option 0725298 and	
			photos in stage 7 job e-folder) Location 1 - on DS rear wall of apparatus above cup switch with NO	
			STAINLESS TRIM RING	
			Location 2 - switch panel 10 in position 5 from the left.	
217	0613699		Synchronize, Wln Warning Lights, 3rd	4
			Location - synchronize side warning lights 0540692, 0553356, 0794475,	
			0798682 Qty, - 04	
			Location 1 - synchronize side warning lights 0540692, 0553356,	
			0794475, 0798682	
			Location 2 - synchronize side warning lights 0540692, 0553356,	
218	0614309		0794475, 0798682 Synchronize, Wln Warning Lights, 1st	2
	0011000		Location - (Wire lights together so the lights alternate in sync DS Red	_
			outside and PS Blue inside to DS Blue inside to PS Red outside.) Color: DS	
			Front Outside Red, PS Front Outside Red, DS Front Inside Blue, PS Front	
			Inside Blue. Qty, - 02	
			Location 1 - front warning	
			Location 2 - front warning	
219	0613892		Synchronize, Wln Warning Lights, 2nd	2
			Location - Rear Zone Lower, Wln M9*C LED, Clear Lens (Wire lights together so the light alternate in sync with rear	
			amber.) Should alternate DS Amber to PS Blue and PS Amber to DS Red in a	
			X pattern	
			Qty, - 02	
			Location 1 - Rear Zone Lower, WIn M9*C LED, Clear Lens (Wire lights together so the light alternate in sync with rear	
			amber.) Should alternate DS Amber to PS Blue and PS Amber to DS Red in a	
			X pattern	
			Location 2 - Rear Zone Lower, WIn M9*C LED, Clear Lens (Wire lights together so the light alternate in sync with rear	
			amber.) Should alternate DS Amber to PS Blue and PS Amber to DS Red in a	
			X pattern	
220	0564535		Light, Marker, Britax Rubber Arm, Model L427.203.L12 LED, Red/Amb, Qty/Loc	1
			Location, Lights - Rear body DS and PS Qty, Lights (pair) - 1	
221	0797043	SP	Lights, Perimeter Cab, Wln PEL*C LED 2Dr	1
	0616293		Not Required, Lights Perimeter Pump House, No Pump	1
223	0888385	SP	Lights, Perimeter Body, Wln PEL*C LED 2lts, Rear Step, Under Bmpr , Spcl Brkt	1
			Control, Perimeter Lts - Parking Brake Applied and Directional Light	
			Activation	
22/	0662818		Color, Trim - Chrome Trim Lights, Perimeter, WIn PEL*C Chrome Mnt	8
224	3002010		Location, Lights - 4 under each side of the body, do not put under the	U
			belly pans (Drawing 70862-SH1). Put one on either side of them.	
			Qty, - 08	
225	0896454		Enhanced Software for Perimeter Lts	1

Line	Option	Туре	Option Description	Qty
	0556350		Lights, Step, Weldon 9186-23882-30, HDR Walk-In, Dr Sw	1
227	0748973		Light, Roof Mt, Wln S72M**, 72" Cnt Feature, Mkr Lts Not Activated	1
			Color, Wln Lt Housing - Black Paint	
			Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
228	0748796		LED Module Type - 4 White Spot Lights, Wln, S44M** 44" 12VDC LED, RS Cab	1
220	0140150		Location - RS Cab	'
			Qty, - 01	
			Control, Light - Mkr Lt Not Connected	
			Color, Wln Lt Housing - Black Paint	
			Control, Scene Lts - Side Scene Controls	
220	0740707		LED Module Type - 2 White Spot	4
229	0748797		Lights, Wln, S44M** 44" 12VDC LED, LS Cab	1
			Location - LS Cab Qty, - 01	
			Control, Light - Mkr Lt Not Connected	
			Color, WIn Lt Housing - Black Paint	
			Control, Scene Lts - Side Scene Controls	
000	0740004		LED Module Type - 2 White Spot	•
230	0748321		Lights, Wln, PCPSM2*, Pioneer, 12 VDC, 3rd	2
			Location - Rear body high on each side	
			Qty, - 02 Color, Wln Lt Housing - Black Cover	
			Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS and Body	
			Switch, DS Rear SS	
231	0763608		Lights, Wln, PCPSM2*, Pioneer, 12 VDC, 2nd	3
			Location - 3 spaced out on PS of body	
			Qty, - 03	
			Color, Win Lt Housing - Black Cover	
232	0763610		Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS Lights, Wln, PCPSM2*, Pioneer, 12 VDC, 1st	3
	0700010		Location - 3 spaced out on DS of body	ŭ
			Qty, - 03	
			Color, Wln Lt Housing - Black Cover	
	0001001		Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
	0004961		Not Required, Work Lights, Alt. Rear Lights, HDR/Encore, No Hose Bed	1
	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body Not Required, No Walking Surface, NFPA	1 1
	0797313 0753736	SP	Intercom, FRC, ICA900-112, HF Cab to Body	1
230	0133130	SF	Location - ON THE VERTICAL WALL JUST BEHIND THE REARMOST	ļ
			SET OF SCBA BRACKETS IN THE BODY	
			Location 1 - in cab close to officer position	
	0026117		HDR, Walk-In, Aluminum	1
	0814737	SP	27' Body Length, 24.60.52.Tandem.44. Spcl Bulkhead, WI, 2-Door Cab	1
	0632264		100" Body Width, WI	1
	0026143		78" Interior Height, 103.25" Body Height, WI	1
	0026147		WI, 103.25"H, Flat Roof	1
	0593620	CD	Doors, Lap, Side Compartments, Aluminum	1
	0814743 0814750	SP SP	27' Body Lap Doors, 24.60.52.Tandem.44.Spcl Bulkhead, WI, 2-Door Cab Left Forward Compt,24"Tranverse" & 60" Partial Tranv & 52", Lap, WI, 2-Door Cab	1 1
244	0014730	SF	• •	ı
			Compt Height 1 - 42.75" High, Lap Compt Height 2 - 19.25" High, Lap	
			Compt Height 3 - 64.75" High, Lap	
			Compt Height 4 - 64.75" High, Lap	
245	0515813		Left Over Wheel Compt, 51.50"-51.50", Lap Dbl Dr, Tandem, WI	1
			Compt Height 1 - 36" High Tandem Over Wheel, Lap	
0.40	0045000	0.0	Compt Height 2 - 36" High Tandem Over Wheel, Lap	4
246	0815892	SP	Left Rear Compt, 44" Lap, w/Spcl Taller Rear Bulkhead Compt, WI	1
247	0814751	SP	Compt Height 1 - 64.75" High, Lap Right Forward Compt, 24" Trans & 60" Partial Trans & 52", Lap, WI, 2-Door Cab	1
241	0014731	SF		1
			Compt Height 1 - 42.75" High, Lap Compt Height 2 - 19.25" High, Lap	
			Compt Height 2 - 19.23 Tright, Lap	
			Compt Height 4 - 64.75" High, Lap	
			<del>-</del> ·	

Line Op	otion	Туре	Option Description	Qty
248 05	15816		Right Over Wheel Compt, 51.50"-51.50", Lap Dbl Dr, Tandem, WI	1
			Compt Height 1 - 36" High Tandem Over Wheel, Lap	
0.40.00	45004		Compt Height 2 - 36" High Tandem Over Wheel, Lap	<u>.</u>
249 08	15894	SP	Right Rear Compartment, 44" Lap, w/Spcl Taller Rear Bulkhead Compt, WI	1
250.00	14075	CD	Compt Height 1 - 64.75" High, Lap	1
250 08 <sup>-</sup> 251 07 <sup>-</sup>		SP	Entrance, Rear, Double Doors, Lrg Window, WI, Olathe	1 1
231 073	97002		Interior, Walk-In Body, Floor, Walls, Ceiling, Countertop	l
			Material, Interior Lower Wall - Brushed Aluminum Material, Interior Upper Wall - Brushed Aluminum	
			Material, Interior Ceiling - Brushed Aluminum	
			Material, Interior Countertop - Brushed Aluminum	
			Material, Interior Flooring - Aluminum Treadplate	
252 072	24939	SP	MODIFICATION, Roof Recess, Knockouts	1
253 074	43577	SP	MODIFICATION, Bench Seat, Storage	1
254 004	44064		Intermediate Step w/Storage Compt, HDR-WI	1
255 064	43541		Lights, Interior, 12 VDC, Durolumen R03852 V4, White/Red LED	6
			Qty, - 06	
256 07		SP	Switch, Ceiling Lights, 12v Durolumen Red/White Lts, Two Switches, 3-Way	1
257 07	42435	SP	Light, Interior, Pierce LED, 27.00" Light Strip	12
			Location - the up to 60" cabinets on each side	
050.07	40.407	0.0	Qty, Lights - 12	4
258 074	42437	SP	Light, Interior, Pierce LED, 18.00" Light Strip	4
			Location - forward upper cabinet each side interior	
259 05	53821		Qty, Lights - 04 Switch 1, Interior Lighting	1
200 00.	33021		Location - strip lighting in 11 overhead cabinets	Ų.
			Switch, Interior - s1-4 Area Entrance	
260 05	53952		Switch 2, Interior Lighting	1
			Location - strip lighting in 11 overhead cabinets	
			Switch, Interior - s1-4 Wall	
261 070	63989		Seat, Bench, Side Facing, Fixed w/Mtg Brackets & Storage for Rack	1
			Location - driver side of walkway, seats as far forward as possible. Make	
			sure bench seat goes all the way to the door like Wichita 33970	
			Color, Seat Upholstery - Endure Vinyl - Black	
			Single Triangle Brackets - Single Bracket, Not Required Dual Triangle Brackets - Dual Brkt Between Seats 01 & 02 and Dual Brkt	
			Between Seats 03 & 04	
			Qty, Seats, Bench w/Storage Encl - 04 Fixed	
			Door, Bench Seat Storage - End of Bench,(1) Door,Flush Lift & Turn	
			Material, Interior Component - Aluminum Treadplate	
262 05			Door, Bench Seat Enclosure	1
263 080	09121	SP	A/C, Heat, Badge Aire, 120/240 Volt, 25,000 BTU Cooling/35,000 BTU Heat, Tran	1
			Sw  Location - Exterior components under the body. Interior Register DS	
			Forward	
			Qty, - 01	
264 059	95609		Bracket, Mounting, SCBA, Triangular	2
			Location - Between seats 1&2, Between seats 3*4	
			Qty, - 02	
265 05	348/1		Cabinet, Interior, Upper Wall, Aluminum, Heavy Nylon Web Door, Up To 48" Wide	2
			Location - ABOVE REELS	
			Qty, - 02 Finish, Interior Cabinet - #10 White	
266 05	34540		Cabinet, Interior Cabinet - #10 Write  Cabinet, Interior, Upper Wall, Aluminum, Heavy Nylon Web Door, Up To 60" Wide	8
			Location - Four each side in upper interior area	
			Qty, - 08	
			Finish, Interior Cabinet - #10 White	
267 07	40412	SP	Netting, Retention, 2.00", Seat Belt Buckle, Top Bar with Pull Strap, IPOS	10
			Location - all interior compts.	
000 00	70050		Qty, - 10	
268 06	78353		Lights, Exit Indicator, Wln RSR02ZCR Red, RSG02ZCR Green, Spcl Label 1st	1
260.05	29004		Location - inside rear entry doors, best location	3
269 05	∠099 I		Step, Folding, Eberhard	3
			Location - interior for escape hatch	

	Option	Туре	Option Description	Qty
269	0004416		Qty, - 03	1
210	0004410		Handrail On Ceiling  Location - full length on ceiling opposite of seating area	ı
			Qty, - 01	
271	0045063		Escape Hatch, Skylight	2
			Location - evenly space front to rear in ceiling.  Qty 02	
272	0678029	SP	Head Protector, Padded, Vinyl Covered, Color	2
			Location - at rear entrance doors and one on lower area of ceiling at front of walkway  Qty, - 02	
273	0758041	SP	Color - 6) gray Console, Switch and Radio, Brushed Stainless Steel	1
210	0700041	Oi.	Location - on top of the desk top between the two windows	•
274	0054417		Radio Provision, Black Vinyl Panel for Cust Equip	1
			Location - In between windows, approx. size to be 25" x 36" to store 4 radio's  Qty, - 1	
275	0556784		Bracket, Air Bottle, Hands-Free II, Forward/Rear Facing Seat	4
			Location - between body seats on bench seat	
276	0045020		Qty, - 04 Shelf, Adjustable, Interior	8
	0010020		Location - One in each upper interior compartment on the up to 60" sizes	Ū
277	0011711	CD	Qty, - 08 Window Sliding Floatric Upper Front of Rody Above Cob. (2) Switches	1
211	0814711	SP	Window, Sliding, Electric, Upper Front of Body Above Cab, (2) Switches  Location - TBD	1
278	0583283		Window, Sliding w/Escape Feature, 34" x 20"	2
			Location - Front officer side body window on walk in body to be equal distance from anchors as rear windows (slide front window back some from drawing 70862-SH1)	
279	0199039		Qty, - 02 Detector, Air Quality, First Alert, Smoke/Carbon Monoxide Qty, - 1	1
280	0503436		Not Req'd, Telephone Network, Command Interior	1
	0503432		Audio/Video Network Not Provided	1
282	0055066		Aluminum Treadplate, Body Corners, Full Height, Pair  Qty, - 02	2
283	0752285	SP	Location, - front & rear Hitch, Receiver, (3) Rear, 10000 lb, No Wiring or Ball, (3) Thru Bumper Location - rear	1
284	0099429		Hitch, Receiver, Sides, Through Fenders, Between Tandems	1
285	0090569		Hitch, Receiver, Sides, Under Body, Rearward of Rear Axle	1
286	0637847	SP	Location - ONE (1) EACH SIDE BEHIND REAR AXLE Roller, Rear, Roof of Body	3
		0.	Location - THREE (3) ACROSS THE REAR EDGE OF THE BODY	J
287	0814689	SP	Qty, - 03 Lock, Electric Door, w/ Key Pad, Body Entry Door	1
			Location - Rear body, tied together with front keypads Qty, - 01	
288	0815824	SP	Recess, in Body, Hinged, Removable, Warning & Scene Lights	8
			Location - (3) DS Scene/warning light clusters (3) PS Scene/warning light clusters (2) Rear Bulkhead scene/warning/traffic light clusters	
289	0762945		Qty, - 08 Recessed Area, Roof of Walk-In Body	2
			Location - PS for Hydraulic Generator DS for Badge Air Components	
290	0814690	SP	Qty, - 02 Tie Down(s), D-Ring, Mounted to Roof	10
			Location - evenly space front to rear each side on roof	
291	0629341		Qty, - 10 Rope Anchors, Pair, 9,000 lb Rating	1
			Qty, Pair - 01	
			Location, Rope Anchors, First Pair - Rear Sheet, Upper Corners	

Line	Option	Туре	Option Description	Qty
291			Location, Rope Anchors, Second Pair - Not Required	
	0=11010		Location, Rope Anchors, Third Pair - Not Required	
	0744340	SP	Rope Anchors, Pair, Front Facing, 9,000 lb Rating	1
293	0766072	SP	Rope Anchors, Crosby Swivel Hoist Rings, Pair, 3,000 lb, Side Body,Non-NFPA 2016	4
			Location - (1) Side Sheet Front High DS & PS	
			(1) Side Sheet Rear High DS & PS (1) Side Sheet High between LS4/LS3 & RS4/RS3	
			(1) Side Sheet High between LS2/LS1 & RS2/RS1	
			Reference 33970	
			Qty, Pair - 04	
20/	0809397		Position, Rope Anchors - Upper Compt, Under Body, Slide Drawer w/Slam Latch, 8" H, Up to 84" W, LS	1
234	0009391		Location - DS Forward	ļ
			Qty, - 01	
			Front, Under Body Compt - Aluminum Treadplate	
295	0809402		Compt, Under Body, Slide Drawer w/Slam Latch, 8" H, Up to 84" W, RS	1
			Location - PS Forward	
			Qty, - 01	
200	0000050		Front, Under Body Compt - Aluminum Treadplate	2
290	0023359		Floor Extension, Compt	2
			Location - Left side of LS5, right side of RS5 Qty, - 02	
297	0793822		Not Required, Water Tank, Rescue	1
	0023410		Not Required, Overflow	1
	0028107		Not Required, Foam Cell Modification	1
300	0013534		Not Required, Running Boards	1
301	0690026		Wall, Rear, Body Material	1
302	0003540		Tow Eyes (2) (Tanker/Rescue)	1
	0552955		Blister, Compts in Front of Rear Axle, To Clear Firemaax Suspension	1
304	0733752	SP	Keyed Locks for Lap Doors, 751 Lock to Match Cab, Silver	12
			Qty, Door Accessory - 12	
205	0000547		Location, Door Accessory - ALL	40
300	0689547		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, HDR	12
306	0606056		Qty, - 12 Lights, Hatch Compt, Not Required, HDR	1
	0652247		Shelf, Adjustable, 500 lb Capacity, Standard Depth, HDR	3
			Qty, Shelf - 03	Ū
			Location, Shelf - 3 in officer side Cab compartment	
			Material Finish, Shelf - DA Finish	
308	0652242		Shelf, Adjustable, 500 lb Capacity, Full Trans, HDR	3
			Qty, Shelf - 03	
			Location, Shelf - 2 in RS5/LS5, 1 in right side of RS5	
309	0774182	SP	Material Finish, Shelf - DA Finish Tray, 1000 lb Slide-Out, 2" Sides, Adj, SlideMaster, Standard Depth, HDR	5
000	0114102	O.	Location - left side of RS4 in lower third, 2 left side of LS1 in lower third, 2	J
			right side of LS5 lower third.	
			Qty, Tray (slide-out) - 05	
040	0700704	0.0	Material Finish, Tray - DA Finish	
310	0762794	SP	Tray, 1000 lb, Slide-out, 2-Way, Adj, 3" Sides, SlideMaster (PC), Full Trans	1
			Location - right side of RS5 half way up.	
			Qty, Tray (slide-out) - 01 Material Finish, Tray - DA Finish	
311	0785751	SP	Tray, 250 lb, Tilt/Slide-out, 30 Deg, Adj, 1/2 Trans, SlideMaster, HDR	15
			Location - 2 in right side upper third of LS5, 2 in upper third of LS4, 1 in	
			LS3, 1 in LS2, 2 in left side upper third of LS1, 1 in right side upper third of LS1,	
			2 in left side upper third of RS4, 1 in RS3, 1 in RS2 above air bottles, 2 in upper	
			half of RS1. Qty, Tray (slide-out) - 15	
312	0812493	SP	Tray, Floor Mounted, Slide-Out, Std Depth, 1000 lb, 2.00" Sides, SlideMaster	5
- · -		= -	Qty, - 05	-
			location - RS1, Left side of RS4, left side of LS1, LS4, Right side of LS5	
			Material - DA finish	
313	0789938	SP	Toolboard, Slide-out, 1-Way, Alum, w/Tray, 1/2 Trans, HDR, SlideMaster	4
			Finish - DA Finish	

Line (	Option	Туре	Option Description	Qty
313			location - 2 on leftside of RS5 and 2 on right side of RS4	
21/ (	0726451		Qty - 4 Partition, Vertical Compt	4
314 (	0720431		Qty, Partition - 04	4
			Location, Partition, Vertical - LS5, RS5, LS1 and RS4	
315 (	0004016		Rub Rail, Aluminum Extruded, Side of Body	1
	0004024		Fender Crowns, Rear, S/S	1
	0519848		Not Required, Hose, Hard Suction, No Pump	1
318 (	0779826	SP	Compt, Air Bottle, Fender Panel, Double Wide, Above Hitch, Common Door, Tandems	2
			Qty, - 02	
			Location, driver's/passenger's/center - Left & Right	
			Door Finish, Fender Compt - Polished	
310 (	0795688		Latch, Air Bottle Compt - Southco C2 Chrome Raised Compt, Air Bottle, Corner of Fender Panel, Single, Common Fuel Fill Door, HDR	1
319 (	0793000		Door Finish, Fender Compt - Polished	ı
			Latch, Air Bottle Compt - Southco C2 Chrome Raised	
			Insert, Air Bottle Compt - Dura-Surf Lining	
320 (	0657121		Compt, Storage Fender Panel, Tri, HDR	3
			Qty, - 03	
			Door Finish, Fender Compt - Polished Location, Fender Compt - Single - LS Fwd, Single - RS Fwd and Single -	
			RS Rear	
			Latch, Air Bottle Compt - Southco C2 Chrome Raised	
004	0770504	0.0	Insert, Air Bottle Compt - Dura-Surf Lining	4
321 (	0776524	SP	Bracket, Zico Quic-Swing Model QSD, Compt Mounted	1
			Qty, Bracket - 01 Location, Bracket/comp DS cab compt	
322 (	0024210		Storage Bin, Air Bottle	10
			Location, Bracket/comp 2 rows of 5 (5500 45 min) bottles on floor of	
			RS2. each slot should be at a slight angle so the bottles can't slide forward.	
323 (	0004224		Qty, Bottle Bin - 10 Ladder, 28' Duo-Safety 1200-A 2-Sect	1
	0805060	SP	Ladder, 14' Duo-Safety Fresno Model 701 2-Section	1
02.		O.	Location - rear under bench	•
			Qty, - 01	
325 (	0595251		Ladder, 16' Duo-Safety 875-DR Roof, Hooks Both Ends	1
226 (	0892040	CD	Qty, - 01	2
320 (	0692040	SP	Ladder, 6' Duo-Safety 750-A Wall, Prong Feet Both Ends Qty, - 02	2
			Location - One each side of LS5/RS5	
327 (	0074248		Not Required, Folding Ladder	1
328 (	0756045		Rack, Equipment Storage, Walk-In Body, Interior	1
			Configuration - on beam side to side	
320 (	0540832		Qty, Equipment Troughs - 2 Trough, Ladder, Duo-Safety, Roof, 16' 875A	1
323 (	0340032		Qty, - 1	ı
330 (	0540869		Trough, Storage, Custom Size, (2)	2
			Qty, - 02	
			Dimensions - 6' ladders one coming out of LS5 and RS5 each side	
331 (	0540875		(bottom) Tube, Pike Pole, Storage	4
551 (	0040070		Location - LS5/RS5 Two each side bottom	7
			Qty, - 04	
			Pike Pole Make and Model - one 6' ny hook on each side and one 6'	
222 (	0540867		colorado hook each side (Bottom).	1
332 (	0040007		Trough, Storage, Custom Size, (1)  Qty, - 1	ı
			Dimensions - 14' 701 fresno	
333 (	0540846		Trough, Ladder, Duo-Safety, 2-Section, 28' 1200A	1
			Qty, - 1	
334 (	0812235		Ladder, Little Giant, Revolution 2.0 - Model 17, 13117	1
335 (	0725381		Location - LS5/RS5 Stokes Basket Storage, Rack, Inside Trans Compartment	1
333 (	U1 2000 I		Access, Backboard/Stokes/Long Tool Compt - Both	ı
			Access, Dackboard/Stokes/Long Tool Compt - Doth	

Line	Option	Туре	Option Description	Qty
335	-		Size, Stokes Basket, Predefined - 86"L x 24"W x 9"H	
			Location Within Compartment - LS5/RS5 bottom	
			Location, Compartment, Predefined - LS5	
000	0705000		Configuration, BB/Stokes/LG - Vertical	
336	0725389		Little Giant Storage, Trough, Inside Trans Compt	1
			Make/Model - 17	
			Ladder, Make/Model - Little Giant Revolution Model 17	
			Access, Backboard/Stokes/Long Tool Compt - Both	
			Location Within Compartment - bottom  Location, Compartment, Predefined - LS5	
			Configuration, BB/Stokes/LG - Horizontal	
337	0557255		Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-6	2
			Location - one coming out of LS5 and RS5 each side	_
			Qty, Pike Poles - 2	
338	0644705		Pike Pole, 6' Fire Hooks Unlimited, Steel, Colorado Hook	2
			Location - one coming out of LS5 and RS5 each side	
			Qty, Pike Poles - 2	
339	0004379		Bell, 12" Chrome w/Eagle, Mounted on Cab Corner	1
340	0044067		Step, HDR Pull-Out Rear	1
			Location, driver's/passenger's/center - Center	
341	0518339		Not Required, Pump House, Rescue	1
342	0092531		Not Required, Pump House Structure	1
343	0796159		Not Required, Pump, Rescue	1
344	0012216		No Seal/Packing Required	1
345	0012690		Not Required, Trans, Pump	1
346	0669703		Not Required, Pumping Mode	1
347	0024484		Not Required, Pump Shift	1
348	0046295		Transmission Lock-up, Not Req'd, NO PUMP	1
349	0046296		Not Required, Auxiliary Cooling System, NO PUMP	1
350	0046283		Not Required, Transfer Valve, NO PUMP	1
351	0024513		Not Required, Intake Relief Valve	1
	0046403		No Relief Valve Req'd, No Pump	1
	0012336		No Pump Primer Req'd	1
	0012816		Not Required, Pump Manuals	1
	0090789		Not Required, Plumbing, No Pump	1
	0046371		Not Required, No Plumbing or Foam System	1
	0796254		No Main Inlet Required, Rescue No Pump	1
	0584002		Not Required, Cap, Main Pump Inlet, No Side Inlet Caps Required, No Pump	1
	0089389		No Valves, (No Pump)	1
	0074685		Not Required, Inlet Installation	1
	0064700		Not Required, Inlet Control	1
	0055600		Not Required, Auxiliary Inlet, Left Side	1
	0029147		Not Required, Inlet, Right Side	1
	0723049		Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle	1
	0681730		Not Required, Tank to Pump, No Pump	1
	0074900		Not Required, Tank to Fulfip, No Fulfip  Not Required, Tank Fill	1
	0074900		Not Required, Outlet Control, No Pump	1
	0551181		Not Required, Outlet, Left Side, Rescue	1
	0055095		·	1
	0092570		Not Required, Elbow, Left Side Outlets, 2.50"  Not Required, Outlets, Left Side Additional	1
			Not Required, Outlets, Left Side Additional	
	0021143		Not Required, Outlet, Right Side	1
	0021134		Not Required, Cuttota Right Side Outlets	1
	0092571		Not Required, Outlets, Right Side Additional	1
	0545326		Not Required, Outlet, Large Diameter, No Pump	1
	0007308		Not Required, Elbow, Large Diameter Outlet	1
	0092572		Not Required, Outlet, Front	1
	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
	0723042		Valve, 0.75" Bleeder, Discharges, "T" Swing Handle	1
	0029106		Not Required, Deluge Outlet	1
	0029302		No Monitor Requested	1
	0029304		No Nozzle Reg'd	1
382	0029107		No Deluge Mount	1

Line Op	otion	Туре	Option Description	Qty
383 072	23726		Speedlay Module Not Required	1
384 072	22432		Hose Restraint Not Required, No Speedlay Module	1
385 072	23395		Speedlays, Not Required	1
386 072	23394		Speedlays, Not Required	1
387 05°	19936		Not Required, 1.50" Crosslays, Rescue	1
388 002	29260		Not Required, Speedlays	1
389 07	50536		Hose Restr, Spdly, Not Required, No Spdly	1
390 004	46372		Not Required, Foam System, Pump, or Plumbing	1
391 00°	12126		Not Required, CAF Compressor	1
392 05	52517		Not Required, Refill, Foam Tank	1
393 004	42573		Not Required, Foam System Demonstration	1
394 004	45465		Not Required, Foam Tanks	1
395 009	91110		Not Required, Foam Tank Drain	1
396 009	91079		Not Required, Foam Tank #2	1
397 009	91112		Not Required, Foam Tank #2 Drain	1
398 073	38072		Approval Dwg, Pump Panel(s), Not Required	1
399 000	00261		Not Required, Pump Panel Layout	1
400 003	30701		Not Required, Material, Pump Panels, No Panel	1
401 004	46495		Not Required, Pump Access, No Pump	1
402 063	34458		Not Required, No Chassis Engine Gauges @ Pump Panel	1
403 004	46400		Throttle, Engine, Not Required, No Pump/Skid Pump	1
404 089	92618		Not Required, Indicator Light, Pump Panel, No Pump or Skid Pump	1
405 004			Not Required, Gauges, Vac/Pressure, No Pump	1
406 004			Not Required, Gauges, No Pump	1
407 000			Not Required, Foam Level Gauge	1
408 004			Not Required, Light Shield, No Pump	1
409 060			Air Horns, (2) Hadley, 6" Round, eTone, In Bumper	1
410 060			Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6)	1
411 07			Control, Air Horn, Multi Select	1
412 07	57076		Control, Air Horn, Lanyard, RS	1
440.07	F7004		Lanyard - Link Chain, Vinyl Tubing	
413 07			Control, Air Horn, Ft Sw, LS	1
414 07			Control, Air Horn, Horn Ring	1
415 05			Siren, Wln 295SLSC1, 100 or 200 Watt, w/Plug-in/Detachable Microphone Cord	1
416 05 <sup>-</sup>	10206		Location, Elect Siren, Recessed Overhead In Console	1
417 074	<b>48306</b>		Location, Elec Siren - Overhead, Above Eng Tunnel DS Control, Elec Siren, Multi Select	1
418 074			Control, Elec Siren, Ft Sw, RS	1
419 080			Control, Elec Siren, Horn Ring, Interlock	1
713 000	00700		Control, Interlocks - No Interlocks	
420 060	01306		Speaker, (1) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
0 00.			Connection, Speaker - siren head	•
421 060	01551		Location, Speaker, Frt Bumper, Recessed, Right Side, Outside Frame, Outbrd (Pos	1
			1)	
422 089	95310		Siren, Federal Q2B	1
			Finish, Q2B Siren - Chrome	
423 000	06095		Siren, Mechanical, Mounted Above Deckplate	1
404.07	40005		Location, Siren, Mech - a) Left	
424 074			Control, Mech Siren, Multi Select	1
425 074			Control Mech Siren, Ft Sw LS	1
426 074			Control Mech Siren, Horn Ring	1
427 074			Sw, Siren Brake, Momentary Red, RS Overhead Sw Pnl	1
428 074		CD	Sw, Siren Brake, Momentary Chrome Push Button, RS	1
429 072	26149	SP	Grille, Speaker, Front Bumper, S/S, Olathe Fire Dept	1
420 DB	06202	SP	Qty, - 1 Switch Machanical Siron Cut Out Location	1
430 089	JUZJZ	JF.	Switch, Mechanical Siren Cut-Out, Location	1
431 074	46353		Location - TBD Not Required, Warning Lights Intensity	1
432 072		SP	Lightbar, Wln, Freedom IV, Rota-Bm, 92", RrRRBRwOptwRBRRrR	1
TOL 011	_ 1020	O1	Opticom Priority - b) High	1
			Opticom Activation - E-Master	
			Momentary Opticom Activation - No Activation	

Line	Option	Туре	Option Description	Qty
432 433	0603209		Filter, Whl Freedom Ltbrs - No Filters Lightbars, Wln, Freedom IV, Rota-Bm, 2-23", RRR RRR	1
424	0725296	en.	Lightbar Location, Cab/Crew Cab - c)over the cab doors Filter, Whl Freedom Ltbrs - No Filters	4
	0725286	SP	Wiring Only, GTT Opticom, On/Off Sw, E Mstr Location - DS and PS	1
	0761731 0722706	SP	Lights, Front Zone, WIn M6** M6** M6**, 4lts Q Bezel, CIr Fet Color, Lens, LED's - c)clear Color, Lt DS Frnt Outside - DS Front Outside Red Color, Lt PS Frnt Outside - PS Front Outside Red Color, Lt DS Front Inside - b) DS Front Inside Blue Color, Lt PS Front Inside - b) PS Front Inside Blue Color, Q Bezel and Trim - Polished Chrome Light, Front, WIn M6V2** LED, 1st, CCCo	1
100	S122,33	O.	Location, Lights - 1 each side bumper recessed. On the side facing and not the 45 degree portion.  Qty, - 02  Color, Lights, Warning - Red  Color, Lens, LED's - Clear  Control, Scene Lts - Park Brake and Perimeter light  Color, Trim - Chrome Trim	-
437	0653937		Flasher, Headlight Alternating  Headlt flash deactivation - a)w/high beam	1
438	0006490		Light, Mars TB8-12P/*, SS Ped	1
439	0540692		Color, Lights, Warning - b) clear Color, Lens, Halogen Mars Lt - Clear Lights, Side Zone Lower, Wln M6*C LED, Clear Lens, 3pr, Ovr 25	1
440	0743902		Location, Lights Front Side - b)each side bumper Color, Lt Side Front - Red Color, Lt Side Middle - Blue Color, Lt Side Rear - Red Location, Lights Mid Side - Front body Location, Lights Rear Side - Between Tandem Lights, Side, WIn M6** LED, Trm Fet 2nd	2
			Location, Lights - rear side lower both sides Qty, - 02 Color, Lights, Warning - Red Flashing Color, Lens, LED's - Clear Color, Trim - Chrome Trim	
441	0889433		Lights, Side, Wln M9** LED, Lw Int 1st Location, Lights - 2 each side of the body forward and rear high Qty, - 04 Color, Lights, Warning - Red Flashing Color, Lens, LED's - Clear	4
442	0743910		Color, Trim - Chrome Trim Lights, Side, Wln M6** LED, Trm Fet 1st Location, Lights - above front tandems both sides Qty, - 02 Color, Lights, Warning - Red Flashing Color, Lens, LED's - Clear	2
443	0889430		Color, Trim - Chrome Trim Lights, Side, Wln M9** LED, Lw Int 3rd	2
444	0794475	SP	Location, Lights - 1 each side middle body high Qty, - 02 Color, Lights, Warning - Blue Flashing Color, Lens, LED's - Clear Color, Trim - Chrome Trim Lights, Side, Wln LINV2* LED, Horizontal, w/Mounting Bracket, 2nd Location, Lights - 1 behind the rear wheels of each side and 2 in front of the rear wheels each side. All in rub rails.	6
			Rear (R, B, R) Forward (R, B, R, B) Qty, - 06 Color, Lights, Warning - d) blue Control, Light - b) side warning	

Line	Option	Туре	Option Description	Qty
445	0798682	SP	Lights, Side, Wln LINV2* LED, Horizontal, w/Mounting Bracket, 1st	8
			Location, Lights - 2 behind the rear wheels of each side and 2 in front of the rear wheels each side. All in rub rails.	
			Rear (R, B, R) Forward (R, B, R, B)	
			Qty, - 08	
			Color, Lights, Warning - gla) red	
446	0540781		Control, Light - b) side warning Lights, Rear Zn Lwr, Wln M9*C LED, Clear Lens	1
			Color, Lt DS Rear - r) DS Rear Lt Red	
			Color, Lt PS Rear - b) PS Rear Lt Blue	
447	0608992	SP	Lights, Rear, Wln LINV2 Horizontal Optic, LED Lights	2
			Location - on the rear body bulkheads one each side just below the taillights. Lights should be ordered with the whelen bezel. DS should be Blue and PS should be Red	
			Qty, - 02	
			Color, Lights, Warning - f) red ps/blue ds Control, Light - c) rear lower warning	
			Control, Scene Lts - Park Brake	
448	0540799		Lights, Rear, Wln M9*C LED, Clear Lens	2
			Color, Light - d) amber	
			Location, Rear Lights - Rear compt bulkheads	
			Qty, - 02 Control, Light - d) separate switch	
449	0747386		Lights, Rear, Win 6RB** LED, Features 1st	2
			Location - 1 each side rear in light cluster	
			Color, Light - h) one red, one blue	
			Qty, - 02	
			Control, Light - c) rear lower warning Color, Lens, LED's - c)clear	
			Color, Trim - Chrome Trim	
450	0541155		Lights, Rear/Side Up Zone, Wln M9*C LED, Clear Lens 4lts	1
			Color, Lt, Side Rear Upper DS - Side Rear Upper Red	
			Color, Lt, Side Rear Upper PS - Side Rear Upper Red	
			Color, Lt, Rear Upper DS - r) DS Rear Upper Red Color, Lt, Rear Upper PS - r) PS Upper Rear Red	
451	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
452	0814118	SP	Lights, Traffic Directing, Wln WIONSM*A Amber LED, 8 Lts, TACTL5	1
			Activation, Traffic Dir L - Not Connected	
	0568991		Location, TDL, Surface Mounted	1
	0529654		Location, Traf Dir Lt Controller, Heavy Duty Swivel Bracket Centered	1
	0006646 0678520	SP	Electrical System, 120/240VAC, General Design Generator, Harrison 20kW NCM (Next Gen) Hydraulic, Hotshift PTO	1 1
430	0070320	01	Generator Interlocks - No Interlocks	
457	0610833		Location, Hydraulic Generator, In Recessed Area On Body Roof, HDR	1
458	0016752		Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl	1
459	0016757		Not Required, Remote Start, Generator	1
	0016740		Not Required, Fuel System	1
	0016767		Not Required, Oil Drain Extension, Generator	1
462	0036738		Circuit Breaker Panel, Included With PTO Generator	1
463	0745228		Location, Circuit Breaker Panel - LS1 Upper Left Wall Pump, Thru-Pump, For Hydraulic Driven Devices	1
	0016771		Not Required, Routing Exhaust, Generator	1
	0721413	SP	Light Twr, CL SL423D-H2, 12 Volt DC LED, Cld 2lts	1
			Light, Strobe, Lt Tower - w) White Strobe Light	
			Color, Tower, CL - Black	
	0664474		Location, Light Tower, Cab Roof	1
	0664794 0664791		Controller, Light Tower, CL, Wired Hndhld Location, Light Tower Controller, Driver's Side Front Body Compartment	1 1
	0817511	SP	Light Twr, CL SL423D-H2, 12 Volt DC LED, Cld 2lts	1
,00	33.7071	٥.	Light, Strobe, Lt Tower - n) No Strobe Lt on Light Tower	•
			Color, Tower, CL - Black with Black Lts	
470	0790138		Location, 2nd Light Tower, Front Hose Bed	1
			Location - On the cab with the other light opening opposite directions.	

Line Option	Туре	Option Description	Qty
471 0767089	SP	Controller, Light Tower, Command Light, Wired Handheld, Aux	1
472 0790136		Location, Light Tower Controller, Driver's Side Front Body Compartment, Aux	1
473 0607098		Reel, Elect Cable, Hannay, 1600, (4) Wire (HDR/Rescue)	1
		Qty, Cord Reels - 1	
		Reel Guide - b) Captive roller	
		Location - Above PS Bulkhead compartment. Reel to payout Rear	
		Bulkhead compartment. Hang from ceiling to fit 610 struts in rear wall. Finish, Reel - Painted Job Color Matching Upper Body	
474 0086632		Cord, Electric, 10/4 Yellow, 4 Wire	1
		Lengths of Elect Cord - 1	·
		Feet of Yellow Cord - e)200	
		Connection, Cord - Direct connection	
475 0779718		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 2nd, Interior Body	5
		Qty, - 05	
		Location 1 - TBD	
		AC Power Source - Gen to Shoreline Transfer Switch	
476 0779722		Cover, Receptacle - Interior SS Wall Plate(s) Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	5
410 0119122		Qty, - 05	3
		Qιy, - υσ Location 1 - TBD	
		AC Power Source - Gen to Shoreline Transfer Switch	
		Cover, Receptacle - Interior SS Wall Plate(s)	
477 0783678		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st	6
		Location, Receptacles - 2 on rear body, 1 each side of body near	
		tandems, 1 each side of cab in front of Driver/Officer door.	
		Qty, - 06	
		AC Power Source - Generator	
478 0016891		Cover, Receptacle - Exterior Flip Up Duplex Cover(s) Reel, Tool Air, Chassis Air Supply, w/200' Hose	1
470 0010091		Location - Interior Counter top above DS Bulkhead compartment, paying	ı
		out the rear. Hang from ceiling to fit 610 struts in rear wall.	
		Qty, Reel - 01	
		Reel Guide - b) Captive roller	
		Finish, Reel - Painted Job Color	
479 0070644		Regulator, Air, with Two Gauges at Reel	1
100 0011100		Qty, - 01	4
480 0044122		Valve, Air Shut-off, Low Pressure	1
494 0E10024		Qty, - 01 Not Paguired Brand Hydraulia Tool System	1
481 0519934 482 0649753		Not Required, Brand, Hydraulic Tool System  Not Required, PTO Driven Hydraulic Tool System	1
483 0732973	SP	Tool, Mounting, Turntable(Lazy Susan),Floor Mtd,Slide-Out,Up to (4)Tools,Std Mnt	1
403 0732973	OI .	Qty, - 01	Ţ
		Brand, Model, Age of Tool - Hurst TBD	
		Location - Right side of LS1	
484 0007150		Bag of Nuts and Bolts	1
		Qty, Bag Nuts and Bolts - 1	
485 0602524		NFPA Required Loose Equipment, Special Services, NFPA 2016, Provided by Fire	1
496 07062EE		Dept Not Dequired, Soft Suction, Record No Dumn	1
486 0796255		Not Required, Soft Suction, Rescue No Pump	1 1
487 0602533		Extinguisher, Dry Chemical, Special Services, NFPA 2016, Provided by Fire Dept	1
488 0602351 489 0741569		Extinguisher, 2.5 Gal. Press Water, Special Service, NFPA 2016, Prov by Fire Dept Paint Process / Environmental Requirements, Appleton	1
490 0709567		Paint Process / Environmental Requirements, Appleton Paint, Single Color, Enforcer	1
490 0709307		-	ı
491 0709845		Paint Color, Cab - 100 Paint, Single Color, Body	1
101 0700010		Paint, Body - Match Lower Cab	•
492 0889799	SP	Coating, Chassis Frame Assy, With Liner, Hot Dip Galvanized, Joints Sealed	1
		Paint Color, Frame Assembly, Predefined - Lower Job Color	
493 0693797		No Paint Required, Aluminum Front Wheels	1
494 0693792		No Paint Required, Aluminum Rear Wheels	1
495 0733739		Paint, Axle Hubs	1
		Paint, Axle Hub - Black #101	
496 0007234		Compartment, Unpainted, D/A Finished	1

Line	Option	Туре	Option Description	Qty
497	0544111		Reflective Band, 10"	1
			Color, Reflect Band - A - a) white	
498	0027356		Reflective, Cab Face, Below the Grille	1
499	0536955		Stripe, Chevron, Rear, Diamond Grade, Rescue	1
			Color, Rear Chevron DG - fluorescent yellow green	
500	0065687		Stripe, Reflective, Cab Doors Interior	1
			Color, Reflective - a) white	
501	0544003		Stripe, Reflective, HDR Walk-In Rear/Side Door	1
			Qty, - 01	
=00			Color, Reflective - b) red	
	0027372		Lettering Specifications, (GOLD STAR Process)	1
503	0686428		Lettering, Gold Leaf, 3.00", (41-60)	1
504	0755000		Outline, Lettering - Outline and Shade	4
	0755303		Artwork File, Provided on Custom USB Drive	1
505	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
500	0770027		Qty, - 01	4
506	0772037		Manual, Chassis Service, USB Flash Drive, Custom	1
507	0773381		Qty, - 01 Manual, Chassis Operation, (1) USB Flash Drive, Custom	1
	0030008			1
			Warranty, Basic, 1 Year, Apparatus, WA0008	
	0735523		Warranty, Engine, Paccar MX13, 5 Year	1
	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
	0596017		Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
	0733305		Warranty, Tandem Axle, 5 Year, Meritor, General Service, WA0384	1
	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
	0744240		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
	0685945		Warranty, Transmission Cooler, WA0216	1
	0033401		Not Required, Tank Warranty	1
	0596024		Warranty, Structure, 15 Year, HDR, WA0010	1
	0690936		Warranty, Roll up Doors, Not Required	1
	0012599		Warranty, Pump, Not Required	1
	0046370		Not Required, Warranty, No Plumbing	1
	0641372		Warranty, Foam System, Not Available	1
	0725636		Warranty, Harrison Generator, 2 Year	1
	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
	0595421		Warranty, Goldstar, 3 Year, Apparatus, WA0018	1
	0683627		Certification, Vehicle Stability, CD0156	1
	0808565		Certification, Engine Installation, Enf, Paccar MX, 2027	1
	0686786		Certification, Power Steering, CD0098	1
	0892691		Certification, Cab Integrity, Saber FR/Enforcer, CD0189	1
	0631973		Certification, Cab Door Durability, Saber FR/Enforcer, CD0137	1
	0631978		Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132	1
	0631974		Certification, Electric Window Durability, Saber FR/Enforcer, CD0133	1
	0631977		Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134	1
538	0735949		Certification, Cab HVAC System Performance, SFR/Enf,	1
530	0545073		CD0165/CD0167/CD0174/CD0175 Amp Draw Report, NFPA Current Edition	1
	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
	0799248		Appleton/Florida BTO	1
	0000031		HDR BODY	1
	0000031		PIERCE CHASSIS	1
	0735525		PACCAR MX13 ENGINE	1
	0733323		EVS 4000 Series TRANSMISSION	1
	0040390		NO PUMP	1
			NO WATER TANK	1
	0020013 0028047		NO FOAM SYSTEM	1
548	0020047		NO LOUIS IS LIVE	1

Line Option	Туре	Option Description	Qty
549 0046282		Not Required, Control Panel, No Pump	1
550 0020007		AKRON VALVES	1
551 0020015		ABS SYSTEM	1
552 0752883		HDR	1