**HGACB**uy





|  | Apparatu                         | us Proposal               |  |
|--|----------------------------------|---------------------------|--|
|  |                                  |                           |  |
| Customer Name: OLATHE  | FIRE DEPARTM                     | ENT Sales Rep: KARL SCHU  | JLTZ                                     |
| a la manta a la   |                                  |                           |  |
| Submitted Date: 9/6/19   |                                  | Expiration Date: 12/6/19  |  |
|  | A                                | - 0                       |  |
| Oty  |                                  | tus Detail                |  |
|  | cription                         | Price                     |  |
| 1 PIERCE VELOCI  | TY PUMPER                        | \$ 699,711.23             |  |
| Proposal Bid No.: 411  | 1                                |                           |  |
| Proposal Bid No.: 411  | Proposa                          | al Doc Date: 9/6/19       |  |
| Performance Bond: YES  | ř                                | 0. 1.                     |  |
| rendimance Bolla. 163  | Warra                            | anty Period: Standard     |  |
| Estimated Build Time: 7MO  |                                  |                           |  |
| Estimated Build Time: 7MO  |                                  |                           |  |
|  | Paymen                           | t Options                 |  |
|  | 1 dyilleli                       | it Options                |  |
| <b>OPTION 1</b> (with Pre-Paymer   | nt Discount)                     | OPTION 2 (w/o Pre-Payment | Discount)                                |
| Apparatus Purchase Price   | \$ 699,711.23                    | Apparatus Purchase Price  | \$ 699,711.23                            |
| Trade-in Value   | \$ 0.00                          | Trade-in Value            | \$ 0.00                                  |
| Price After Trade-in   | \$ 699,711.23                    | Price After Trade-in      | \$ 699,711.23                            |
| Pre-Payment Discount   | -\$ 22,892.04                    | Pre-Payment Discount      | N/A                                      |
| Extrication Rescue Tools   | \$ 0.00                          | Extrication Rescue Tools  | \$ 0.00                                  |
| Loose Equipment  | \$ 0.00                          | Loose Equipment           | \$ 0.00                                  |
| Options  | \$ 0.00                          | Options                   | \$ 0.00                                  |
| Due Upon Order   | \$ 676,819.19                    | Due Upon Delivery         | \$ 699,711.23                            |
| ·  | +                                |                           | Ψ σσσ, , , , , , , , , , , , , , , , , , |
| Payment Terms  |                                  | Notes                     |  |
| OPTION 1 PRICING IS BASED OF PAYMENT BEING MADE AT TIME OPTION 2 PRICING IS BASED OF PAYMENT BEING MADE AT TIME PRODUCT DELIVERY TO CUST | ME OF ORDER.<br>DN FULL<br>ME OF |                           |  |

NOTE: Pre-payment discounts quoted may vary based on final purchase price, prevailing interest rates, and manufacturing build time and are subject to change up to the time an order is placed. If deferred payment arrangements are required, the Customer must make such financial arrangements through a financial institution acceptable to Company.] All taxes, excises and levies that Company may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by Company to the Customer shall be for the account of the Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent per month or such lesser amount permitted by law. Company will not be required to accept payment other than as set forth in this Agreement. Company shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by Company or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to Company, Company shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of [KANSAS].



## **Proposal Option List**

9/6/2019

**Customer:** 

Olathe Fire Department

Representative

Schultz, Karl Conrad Fire Equipment

Organization: Requirements Manager:

Description:

Body: Chassis:

Olathe Pumper 2019

Pumper, Medium, Aluminum, 2nd Gen Velocity Chassis (Med Block), 2010

**Bid Number:** 

411

Job Number:

**Number of Units:** 

07/31/2019

Bid Date:

Stock Number: Price Level:

38 (Current: 38)

| Line | Option  | Туре | Option Description  | Qty |
|------|---------|------|---|-----|
| 1    | 0010012 |      | No Boiler Plates requested  | 1   |
| 2    | 0661794 |      | Single Source Compliance  | 1   |
| 3    | 0584456 |      | Manufacture Location, Appleton, Wisconsin   | 1   |
| 4    | 0584452 |      | RFP Location: Appleton, Wisconsin   | 1   |
| 5    | 0588609 |      | Vehicle Destination, US   | 1   |
| 6    | 0629424 | SP   | Unit to be Similar in some Aspects, Including Pump Panel, Sister Truck                      | 1   |
|      |         |      | Fill in Blank - 31254   |     |
| 7    | 0610784 |      | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions                             | 1   |
| 8    | 0533347 |      | Pumper/Pumper with Aerial Device Fire Apparatus   | 1   |
| 9    | 0588611 |      | Vehicle Certification, Pumper   | 1   |
| 10   | 0661778 |      | Agency, Apparatus Certification, Pumper/Tanker, U.L.  | 1   |
| 11   | 0620362 |      | Consortium, HGAC  | 1   |
| 12   | 0537375 |      | Unit of Measure, US Gallons   | 1   |
| 13   | 0529326 |      | Bid Bond, 10%, Pierce Built Chassis   | 1   |
| 14   | 0050066 |      | Performance Bond, 100% Req'd (Statement by Rep)   | 1   |
| 15   | 0000007 |      | Approval Drawing  | 1   |
|      | 0780660 |      | Drawing, Right Pump Panel, Non-Control Zone   | 1   |
|      | 0020038 |      | Drawing, Pump Operators Panel   | 3   |
|      | 0615117 | SP   | Drawing, Approval, Special Requirements, Olathe Fire  | 1   |
|      | 0060040 |      | Drawing, Piping Diagram   | 1   |
|      | 0002928 |      | Electrical Diagrams   | 1   |
|      | 0597598 |      | Velocity Chassis (Med Block), 2010  | 1   |
|      | 0000110 |      | Wheelbase   | 31  |
|      | 0000110 |      | Wheelbase - TBD   | 131 |
| 23   | 0000070 |      | GVW Rating  | 1   |
|      |         |      | GVW rating - 49800  | /2  |
| 24   | 0561644 |      | Frame Rails, 13.38 x 3.50 x .375, Extended Rearward   | 1   |
| 25   | 0020018 |      | Frame Liner Not Reg'd   | 1   |
| 26   | 0508849 |      | Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel                                   | 1   |
| 27   | 0010427 |      | Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf                                 | 1   |
|      | 0087572 |      | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf                                       | 1   |
|      | 0000322 |      | Oil Seals, Front Axle   | 1   |
|      | 0664500 |      | Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply, Fire Service Speed Rtng             | 3   |
|      | 0052887 |      | Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Dura-Bright, Hub Pilot                     | 1   |
|      | 0530466 |      | Axle, Rear, Meritor RS26-185, 27,000 lb, Imp/Vel/Dash CF                                    | - 1 |
|      | 0544253 |      | Top Speed of Vehicle, 68 MPH  | 1   |
|      | 0122075 |      | Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF                                  | 1   |
|      | 0000485 |      | Oil Seals, Rear Axle  | 1   |
|      | 0587216 |      | Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single                                   | i   |
|      | 0055237 |      | Wheels, Rear, Alcoa, 22.50" x 8.25", Alum, Dura-Bright, Hub Pilot, Single                   | 1   |
|      | 0568081 |      | Tire Balancing, Counteract Beads  | 4   |
|      | 0620570 |      | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle                     | 4   |
| 00   | 0020070 |      | - · · · · · · · · · · · · · · · · · · ·   | - 2 |
| 40   | 0003245 |      | Qty, Tire Pressure Ind - 6 Axle Hub Covers w/center hole, S/S, Front Axle                   | a   |
|      | 0003240 |      | Axle Hub Covers Wiceriter Hole, 3/3, Front Axle Axle Hub Covers, Rear, S/S Baby Moon (Pair) | 9   |
|      | 0057936 |      | Covers, Lug Nut, Chrome   | 4   |
|      | 0007930 |      | Mud Flaps, w/logo front & rear  | 8   |
|      | 0002043 |      | Tire, "Crossfire" Air Pressure Equalization   | 31  |
|      | 0759842 |      | Chains, Rud automatic tire, 6 strand  | 3   |
|      | 0759594 |      | Switch, Covered Locking Rocker, Tire Chains w/Separate Red Ind. Light, MUX                  | - 8 |

| Line | Option               | Туре | Option Description  | Qty |
|------|----------------------|------|---|-----|
| 47   | 0544802              |      | Chocks, Wheel, SAC-44-E, Folding  | 1   |
|      |                      |      | Qty, Pair - 01  |     |
| 48   | 0544806              |      | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal                                    | 1   |
|      |                      |      | Qty, Pair - 01  |     |
|      |                      |      | Location, Wheel Chocks - Left Side Rear Tire, Forward and Rearward                          |     |
|      | 0010670              |      | ABS Wabco Brake System, Single rear axle  | 1   |
| 50   | 0030185              |      | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4  | 1   |
| 51   | 0509206              |      | Brakes, Meritor, EX225, Disc Plus, Rear, Single Axle  | 1   |
| 52   | 0020784              |      | Air Compressor, Brake, Cummins/Wabco 18.7 CFM   | 1   |
| 53   | 0000785              |      | Brake Reservoirs, Three   | 1   |
| 54   | 0568012              |      | Air Dryer, Wabco System Saver 1200, Heater, 2010  | 1   |
| 55   | 0000790              |      | Brake Lines, Nylon  | 1   |
| 56   | 0636573              |      | Inlet/Outlet, Air, Female Fitting, Milton "M"   | 1   |
|      |                      |      | Location, Air Coupling(s) - h) DS Pump Panel  |     |
|      |                      |      | Qty, Air Coupling (s) - 1   |     |
| 57   | 0000860              |      | Outlet, Air, with shut off valve  | 1   |
|      |                      |      | Location, Air Coupling(s) - h) DS Pump Panel  |     |
|      |                      |      | Qty, Air Coupling (s) - 1   |     |
|      | 0014195              |      | Fitting, Milton 727 (MNPT) for Air Inlet/Outlet, IPOS                                       | 1   |
| 59   | 0000820              |      | Moisture Ejector, Automatic, w/Heat   | 3   |
|      |                      |      | Qty, Auto. Moisture Eject - 3   |     |
| 00   | 0705005              |      | Location, Moisture Ejector - Wet Tank   |     |
|      | 0795325              |      | Engine, Cummins L9, 450 hp, 1250 lb-ft, W/OBD, EPA 2017, Imp/Vel                            | 1   |
|      | 0001244              |      | High Idle w/Electronic Engine, Custom   | 1   |
| 62   | 0687994              |      | Engine Brake, Jacobs Compression Brake, Cummins Engine                                      | 1   |
| 00   | 0550004              |      | Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo  |     |
|      | 0552334              |      | Clutch, Fan, Air Actuated, Horton Drive Master  | 1   |
|      | 0123135              |      | Air Intake, w/Ember separator, Imp/Vel  | 1   |
|      | 0794761              |      | Exhaust System, 4", 2017 L9 Engine, Horizontal, Right Side                                  | 1   |
|      | 0521651              |      | Exhaust, Modified for Plymovent System, 6.00" Diffuser                                      | 1   |
|      | 0787999              |      | Radiator, Impel/Velocity  | 1   |
|      | 0616439              |      | Cooling Hoses, Gates Silicone   | 1   |
|      | 0001125              |      | Fuel Tank, 65 Gallon, Left Side Fill  | 1   |
|      | 0001129              |      | Lines, Fuel   | 1   |
| 71   | 0595087              |      | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle   | 1   |
| 70   |                      |      | Door, Material & Finish, DEF Tank - Brushed Stainless                                       |     |
| 72   | 0552862              |      | Fuel Pump for Repriming, Special Switch Location  | 1   |
|      |                      |      | Location - Put switch in center console in the upper mux switch panel on                    |     |
| 72   | 0582243              |      | the top left above the exhaust brake switch.  | g.  |
|      | 0553019              |      | Shutoff Valves, Fuel Line @ Primary Filter, Cummins   | į.  |
|      | 0642572              |      | Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf                                       |     |
|      | 0625329              |      | Trans, Allison 5th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/DCF/SFR/Enf                      | - 1 |
|      | 0684459              |      | Transmission, Shifter, 5-Spd, Push Button, 3000 EVS   | - 1 |
|      |                      |      | Transmission Oil Cooler, Modine, External   | 8   |
|      | 0090176<br>0027843   |      | Mode, Downshift, Aggressive downshift to 3rd, w/engine brake, 5 speed                       | 8   |
|      |                      |      | Fluid, 3000 Series Trans, Allison Approved TES-295 Synthetic, IPOS, Custom                  | 1   |
|      | 0001370              |      | Driveline, Spicer 1710  | 1   |
|      | 0669988              |      | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler                                 | 1   |
|      | 0001544              |      | Not Required, Steering Assist Cylinder on Front Axle  | 1   |
|      | 0509231              |      | Steering Wheel, 4 Spoke with Controls   | 1   |
| 84   | 0690274              |      | Logo/Emblem, on Dash  | 1   |
|      |                      |      | Text, Row (1) One - Olathe  |     |
|      |                      |      | Text, Row (2) Two - Fire  |     |
| ΩF   | 0680598              |      | Text, Row (3) Three - Department  | 9   |
|      | 0034671              |      | Credit, Drum Pump Kit, Grease, Vogel Lube System  | 1   |
| 00   | 00040/ I             |      | Lube System, Vogel, 22 Point, w/TAK-4 Suspension  | 1   |
| Ω7   | 0058490              |      | Location - Under cab area   | 4   |
|      | 0123625              |      | Cab Gap, Wheelbase, 1" Additional   | 1   |
|      | 0616492              |      | Bumper, 19" Extended, Imp/Vel<br>Tray, Hose, Center, 19" Bumper, Outside Air Horns, Imp/Vel | 1   |
| 09   | 0010 <del>1</del> 34 |      |   | 1   |
|      |                      |      | Grating, Bumper extension - Grating, Aluminum   |     |
| 2    |                      |      | Capacity, Bumper Tray - 21) 150' of 1.75"   |     |

|             | Option  | Type | Option Description  | Qty    |
|-------------|---------|------|---|--------|
| 90          | 0630813 |      | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray   | 1      |
| 0.1         | 0663647 |      | Stay arm, Tray Cover - b) Pneumatic Stay Arm  |        |
| 31          | 0003047 |      | Tray, (1) Hose Right Side of Bumper   | 1      |
|             |         |      | Grating, Bumper extension - Grating, Aluminum   |        |
| 92          | 0606365 |      | Capacity, Bumper Tray - 32) 15' of 6.00"<br>Hose Restraint, Bumper Tray, 2.00" Strap, Fasteners, Each     | 2      |
|             |         |      | Qty, - 02   |        |
|             |         |      | Type of fastener - seat belt buckle   |        |
| 93          | 0510226 |      | Lift & Tow Package, Imp/Vel, AXT, Dash CF   | 9      |
| 94          | 0522573 |      | Tow Hooks Not Required, Due to Lift and Tow Package   | 1      |
| 95          | 0566676 |      | Notch, Bumper Tray Cover, Each  | 1      |
|             |         |      | Fill in Blank - on the center tray  |        |
|             |         |      | Qty, Hose Tray Covers - 1   |        |
| 96          | 0630700 | SP   | Trim, Hose Tray, Bumper, S/S Front Edge   | 1      |
|             |         |      | Location - Front bumper center hose tray  |        |
|             | 00=1001 |      | Qty, - 01   |        |
|             | 0651334 |      | Cab, Velocity FR, 7000  | 1      |
|             | 0668309 |      | Engine Tunnel, ISL and DD13, Impel/Velocity FR  | 1      |
|             | 0677478 |      | Rear Wall, Exterior, Cab, Aluminum Treadplate   | 1      |
|             | 0122466 |      | Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel  | 1      |
|             | 0123176 |      | Grille, Bright Finished, Front of Cab, Impel/Velocity   | 1      |
| 102         | 0002224 |      | Scuffplates, S/S At Cab Door Jambs, 4-Door Cab  | 1      |
| 400         | 0500750 |      | Material Trim/Scuffplate - b) S/S, Brushed  |        |
|             | 0509756 |      | Bright Finished Housing, Headlights & Front Directional, Velocity   | 1      |
|             | 0087357 |      | Molding, Chrome on Side of Cab  | 1      |
|             | 0521669 |      | Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex  | 1      |
|             | 0072188 |      | Mirror, Down View, Passenger Side for Driver, 8" Round  | 1      |
| 107         | 0651321 |      | Door, Full Height, Velocity FR 4-Door Cab, Level Roof   | 1      |
| 100         | 0655511 |      | Key Model, Cab Doors - 1041   | 113411 |
|             | 0667905 |      | Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab  | 1      |
|             | 0667903 |      | Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR   | 1      |
|             | 0512419 |      | Controls, Electric Windows, All Cab Doors, Impel/Velocity FR  | 1      |
|             | 0661649 |      | Electric Door Locks, Cab Doors, Imp/Vel   | 1      |
|             | 0555485 |      | Key Pad, Electric Door locks, DS, Imp/Vel   | 1      |
|             | 0770194 |      | Steps, 4-Door Full Tilt Cab, Imp/Vel  | 1      |
|             | 0552559 |      | Handrail, Exterior, Knurled, Alum, 4-Door Cab   | 1      |
| 113         | 0552559 |      | Steps, Stirrup, Cab & Crew Cab Doors, Imp/Vel   | 1      |
| 116         | 0509649 |      | Light, Step, Additional - P25 LED   | 4      |
|             | 0002140 |      | Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step Fenders, S/S on Cab                 | 1      |
|             | 0122479 |      | Window, Side of C/C, Fixed, Velocity  | 1      |
|             | 0552935 |      | Trim, Cab Side Windows, Velocity  | 1      |
|             | 0502333 |      | •   | 1      |
|             | 0558334 |      | Not Required, Windows Rear of Crew Cab, Imp/Vel Not Required, Trim, Cab Rear Windows, No Rear Windows     | 1      |
|             | 0786295 |      | Window Tint, Behind Cab Door, Left Side, Medium Gray  | 1      |
|             | 0786289 |      | Window Tint, Definite Cab Door, Left Side, Medium Gray Window Tint, Crew Cab Door, Left Side, Medium Gray |        |
|             | 0786278 |      | Window Tint, Grew Cab Door, Left Side, Medium Gray Window Tint, Crew Cab Door, Right Side, Medium Gray    | 1      |
|             | 0786283 |      | Window Tint, Grew Cab Door, Right Side, Medium Gray Window Tint, Behind Cab Door, Right Side, Medium Gray | 1      |
|             | 0788589 | SP   | Compt, Storage, Trans C/C, Lk Dbl Pan, PS Rev Hng, Cable, D/A Int Dr,70" Vel/Imp                          | 1      |
| 120         | 0700000 | OI . |   | (9)    |
|             |         |      | Light, Short Transverse Compt - Pierce, Both Sides<br>Finish, Exterior Cab Compt - D/A Finish             |        |
| 127         | 0638068 | SP   | Tubes, Alum, Pike Pole Storage  | 1      |
|             |         |      | Qty, - 01   |        |
|             |         |      | location - In the compartment behind the PS crew cab door. Needs to be                                    |        |
|             |         |      | able to be removed from the passenger side only.  |        |
|             | 0123731 |      | Roof, Alum 4-way, Impel/Velocity/Velocity SLT   | 1      |
|             | 0618686 |      | Fasteners, Mechanical, Insulation, Eng Tunnel and Cab and Crew Floor                                      | 1      |
| 130         | 0663383 |      | Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Vel/Imp  | 1      |
|             |         |      | Mounting Provision Spacing - 1.00"  |        |
| 404         | 074007  |      | Material Finish, Cab Interior - Painted   | 1961   |
| 13 <b>1</b> | 0748671 |      | Cab Interior, Vinyl, Velocity FR, CARE  | 1      |
|             |         |      | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray   |        |

| _   | Option   | Туре | Option Description  | Qty |
|-----|----------|------|---|-----|
| 132 | 0667943  |      | Cab Interior, Paint Color, Impel/Velocity FR  | 1   |
| 400 | 0000100  |      | Color, Cab Interior Paint - a) gray   |     |
|     | 0690163  |      | Floor, Rubber Padded/Treadplate, Cab & Crew Cab, Imp/Vel, Dash CF   | 1   |
|     | 0667936  |      | Heater/defroster, Dual Zone Control, Impel/Velocity FR  | 1   |
| 135 | 0603347  |      | Air Conditioning, Dual Zone Control, Impel/Velocity FR  | 1   |
| 136 | 0539546  |      | Paint Color, A/C Condenser - Cover Match Roof Fan Window Defroit Driver's Side, One (1) Legation Jan No. (2005)                       | 121 |
| 100 | 0000010  |      | Fan, Window Defrost, Driver's Side, One (1), Location, Imp/Vel/DCF  | 1   |
|     |          |      | Location - ceiling of the cab above the engine tunnel. Make sure fan doesn't block cab spotter mirror.                                |     |
| 137 | 0539547  |      | Fan, Window Defrost, Passenger Side, One (1), Location, Imp/Vel/DCF   | 1   |
|     |          |      | Location - ceiling of the cab above the engine tunnel. Make sure fan  |     |
| 400 |          |      | does not block the cab spotter mirror   |     |
| 138 | 0639675  |      | Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer   | 1   |
| 120 | 0567443  |      | Sun Visor Retention - No Retention  | a   |
|     | 0583938  |      | Grab Handles, DS & PS Door Post & Passenger Dash panel, Imp/Vel   | 1   |
| 140 | 0000000  |      | Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim   | 1   |
| 141 | 0122516  |      | Qty, - 01<br>Fluid Check Access, Imp/Vel  | 1   |
|     | 0583042  |      | Side Roll and Frontal Impact Protection   | 1   |
|     | 0622617  |      | Seating Capacity, 6 Seats   | 1   |
| 144 | 0697005  |      | Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety  | 1   |
| 145 | 0696994  |      | Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety  | 1   |
| 146 | 0002517  |      | Not Required, Radio Compartment   | 1   |
| 147 | 0122183  |      | Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety   | 1   |
| 148 | 0102783  |      | Not Required, Seat, Rr Facing C/C, Center   | 1   |
|     | 0122186  |      | Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety   | 1   |
| 150 | 0748643  | SP   | Cabinet, Forward Facing, LS, 21 W x 42 H x 14 D, Roll, Sp Sw, Sp Mtg,   | 1   |
|     |          |      | WW,Imp/Vel  |     |
|     |          |      | Location - Need the rocker switch for the light to be mounted with SS guard under the lip of the compartment on the exterior          |     |
|     |          |      | Light, Short Cabinet - Pierce, Interior, Right Side and Pierce, Interior, Left  |     |
|     |          |      | Side  |     |
|     |          |      | Material Finish, Shelf - Painted - Cab Interior   |     |
|     |          |      | Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 0.75" Up-Turned Lip  |     |
|     |          |      | Door, Cab Interior Cabinet - Rollup, ROM Series IV, Anodized, Non-<br>Locking   |     |
|     |          |      | Louvers, Cabinet - 0-No Louvers   |     |
| 151 | 0122746  |      | Seat, Forward Facing C/C, Center, (2) Pierce PS6, Base, SCBA, Safety  | 1   |
| 152 | 0748649  | SP   | Cabinet, Forward Facing, RS, 21 W x 42 H x 14 D, Roll, Sp Sw, Sp Mtg,   | 1   |
|     |          |      | WW,Imp/Vel  |     |
|     |          |      | Location - Need the rocker switch for the light to be mounted with SS   |     |
|     |          |      | guard under the lip of the compartment on the exterior Light, Short Cabinet - Pierce, Interior, Right Side and Pierce, Interior, Left |     |
|     |          |      | Side  |     |
|     |          |      | Material Finish, Shelf - Painted - Cab Interior   |     |
|     |          |      | Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 0.75" Up-Turned Lip  |     |
|     |          |      | Door, Cab Interior Cabinet - Rollup, ROM Series IV, Anodized, Non-<br>Locking   |     |
|     |          |      | Louvers, Cabinet - 0-No Louvers   |     |
| 153 | 0780466  | SP   | Guard, Light Switch, Cabinet  | 2   |
|     |          |      | Location - 2 forward facing EMS cabinet switches in cab   |     |
|     |          |      | Qty, - 02   |     |
| 154 | 0765148  |      | Cabinet Floor, Qty, False Floor   | 2   |
|     |          |      | Location - two forward facing EMS cabinets in cab   |     |
| 155 | 0042264  |      | Qty, - 02<br>Shelf, Adjustable, EMS_Compt, 1.25" Lip  | 4   |
| 100 | 00.12204 |      | Qty, Shelf - 04   | 4   |
|     |          |      | Location, Shelf, EMS - (2) DS Fwd Fcng Cabinet and (2) PS Fwd Fcng  |     |
|     |          |      | Cabinet   |     |
| 156 | 0042359  |      | Upholstery, Seats In Cab, All Vinyl, CARE   | 6   |
|     |          |      | Color, Cab Interior Vinyl/Fabric - c) Black   |     |
| 457 | 0542004  |      | Qty, - 06   | _   |
| 15/ | 0543991  |      | Bracket, Air Bottle, Hands-Free II, Cab Seats   | 5   |
| 158 | 0797843  | SP   | Qty, - 05<br>Latch, Southco, M1, Non-Locking, Seat Riser Access Door IPOS   | 1   |
| 100 | 0101040  | JI   | Editor, Southed, Wit, Wort-Locking, Stat Mistri Access D001 IPOS  | 1   |

|      | Option          | Туре | Option Description  | Qty |
|------|-----------------|------|---|-----|
|      | 0748651         | SP   | Access, Front, Forward Facing Seat Riser, Painted Alum IPOS, Imp/Vel  | 1   |
| 160  | 0603867         |      | Seat Belt, ReadyReach   | 1   |
| 161  | 0604863         |      | Seat Belt Color - Red<br>Seat Belt Height Adjustment, 6 Seats, Imp/Vel, Dash CF                                 | 20  |
|      | 0602464         |      | Helmet Storage, Provided by Fire Department, NFPA 2016  | 1   |
|      | 0647638         |      | Lights, Dome, Weldon Dual LED 4 Lts   | 1   |
| -    |                 |      | Color, Dome Lt - Red & White  | 4   |
|      |                 |      | Color, Dome Lt Bzl - Black  |     |
|      |                 |      | Control, Dome Lt White - Door Switches and Lens Switch  |     |
|      |                 |      | Control, Dome Lt Color - Lens Switch  |     |
| 164  | 0628472         |      | Light, Map, Overhead, Peterson M371S LED, Rectangular w/Switch 2lts   | 1   |
|      |                 |      | 12vdc power from - Battery switched   |     |
|      | 0602637         |      | Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification                                     | 1   |
|      | 0568369         |      | Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010, Dash CF                                      | 1   |
|      | 0509511         |      | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX   | 1   |
|      | 0032602         |      | Speedometer, Class 1 w/LED, Officer Overhead  | 1   |
| 169  | 0673123         |      | Light, Do Not Move Apparatus, Wln 3SR00FRR LED  | 1   |
| 170  | 0509042         |      | Alarm, Do Not Move Truck - Pulsing Alarm  |     |
|      | 0611681         |      | Messages, Open Door/Do Not Move Truck, MUX w/Color Display  | 1   |
| 17.1 | 0011001         |      | Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX   | 1   |
| 172  | 0555915         |      | Location, Emerg Sw Pnls - Driver's Side Overhead Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity  | 4   |
|      | 0548014         |      | Wiring, Spare, 20 A 12V DC 3rd  | 1   |
| .,,  | 55 100 17       |      | Qty, - 01   | 1   |
|      |                 |      | 12vdc power from - Battery direct   |     |
|      |                 |      | Wire termination - Stud   |     |
|      |                 |      | Location - One in P-2 as high as possible   |     |
| 174  | 0610968         |      | Wiring, Spare, 2.0 A 12V DC, USB Termination Blue Sea 1016 1st  | 4   |
|      |                 |      | Qty, - 04   |     |
|      |                 |      | 12vdc power from - Battery direct   |     |
|      |                 |      | Location - 2 on engine tunnel switch console facing officer. There is a   |     |
|      |                 |      | metal plate on the back side that faces the officer where they could go. Also 2                                 |     |
|      |                 |      | USB ports to PS interior roll-up-door "EMS" compartment. located for access from the second shelf on rear wall. |     |
| 175  | 0548012         |      | Wiring, Spare, 20 A 12V DC 4th  | 1   |
|      |                 |      | Qty, - 01   |     |
|      |                 |      | 12vdc power from - Battery direct   |     |
|      |                 |      | Wire termination - Stud   |     |
|      |                 |      | Location - Behind officer seat  |     |
| 176  | 0548013         |      | Wiring, Spare, 20 A 12V DC 2nd  | 2   |
|      |                 |      | Qty, - 02   |     |
|      |                 |      | 12vdc power from - Battery direct   |     |
|      |                 |      | Wire termination - Stud   |     |
| 177  | 0548009         |      | Location - In each EMS compartments below the false floor Wiring, Spare, 20 A 12V DC 1st                        | 1   |
| 111  | 507000 <b>3</b> |      |   | ũ   |
|      |                 |      | Qty, - 01<br>12vdc power from - Battery direct  |     |
|      |                 |      | Wire termination - Stud   |     |
|      |                 |      | Location, Spare Wiring - Center Console   |     |
| 178  | 0615386         |      | Vehicle Information Center, 7" Color Display, Touchscreen, MUX  | 1   |
|      |                 |      | System Of Measurement - US Customary  |     |
|      | 0606249         |      | Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor   | 1   |
| 180  | 0663215         |      | Intercom, Firecom 5100D Single Radio, 7-Pos, D,O,4C,P   | 1   |
|      |                 |      | Location - OFFICERS SIDE OVERHEAD INBOARD POSITION #4 TO  |     |
|      |                 |      | MATCH IP DRAWING.   |     |
| 121  | 0006240         |      | Location, Intercom, C Cab - 4) 2 forward & 2 rearward facing seats  | Si. |
| 101  | 0000240         |      | Cable, Radio to Intercom Interface, Firecom, 1 Radio  | 1   |
|      |                 |      | Radio, First Two-Way Make - Motorola High Power   |     |
| 182  | 0681389         |      | Radio, First, Two-Way Model - Harris Unity XG 100M<br>Headset, Firecom, UH-51 Under Helmet, Radio Transmit      | 7   |
|      |                 |      | Qty, - 07   | ,   |
|      |                 |      | Location, Headset - Driver Seat, Officer Seat, DS Outbrd, Rear Fcng   |     |
|      |                 |      | Seat, DS Inbrd, Fwrd Fcng Seat, PS Inbrd, Fwrd Fcng Seat, PS Outbrd, Rear                                       |     |
|      |                 |      | coat, be more, i was ong coat, i e more, i was ong coat, i e catora, i toa                                      |     |

| Line C |         | Type | Option Description  | Qty    |
|--------|---------|------|---|--------|
| 183 0  | 0003757 |      | Antenna, Std and Add'l Mts Only, 2-way Radio, Cust, Spl Cable Routing   | 5      |
|        |         |      | Location - Two above the driver route to the center console three above the office route behind the officer seat.  Qty, - 05  |        |
|        |         |      | ঘাস, - ০১<br>Location 1 - Two above the driver and three above the officer  |        |
| 184 0  | 0653519 |      | Camera, Pierce, Driver Mux, R, RS, LS Cameras   | 1      |
| 185 0  | 523921  |      | Camera System Audio - Speaker Behind Driver Camera System Recess, Rear Vision Camera  | 1      |
| 186 0  | 0615100 |      | Location, Camera, Recessed - Driver Side Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Vel,  | 1      |
| 187 0  | 0624254 |      | WiFi<br>Electrical System, Velocity   | 1      |
| 188 0  | 0079166 |      | Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud  | 1      |
| 189 0  | 0008621 |      | Battery System, Single Start, All Custom Chassis  | 1      |
| 190 0  | 0123174 |      | Battery Compartment, Imp/Vel  | 1      |
| 191 0  | 531338  |      | Charger, Sngl Sys, Kussmaul, Pump Plus 1200, 52-21-1100   | 1      |
| 192 0  | 0598091 |      | Location, Charger/Compr, Behind Driver's Seat, Vel/Imp/DCF  | 1      |
| 193 0  | 0530951 |      | Location, Bat Chrg Ind, DS Behind Cab Door  | 1      |
| 194 0  | 0016857 |      | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super<br>Qty, - 01   | 1      |
|        |         |      | Color, Kussmaul Cover - b) red  |        |
|        |         |      | Shoreline Connection - Battery Charger  |        |
| 195 0  | 0026800 |      | Shoreline Location  | 1      |
| 400.0  | 1404744 |      | Location, Shoreline(s) - DS Cab Side  |        |
|        | )121711 |      | Alternator, 320 amp, Leece-Neville 4962PA, Sgl Sys  | 1      |
| 197 0  | 0092582 |      | Load Manager/Sequencer, MUX   | 1      |
| 198 0  | 0613546 |      | Enable/Disable Hi-Idle - e)High Idle enable   | 4      |
|        | )648425 |      | Headlights, Round LED, JW Speaker, 8630 Evolution, Polycarbonate Lens, Vel/Imp Light, Directional, WIn 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF  | 1<br>1 |
| 200.0  | 0620054 |      | Color, Lens, LED's - m)match LED's  |        |
|        | 0648074 |      | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts   | 1      |
|        | )591889 |      | Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts   | 1      |
|        | )564683 |      | Lights, Clearance/Marker/ID, Rear, Wln 0SR00MCR LED 7Lts Lights, Tail, Wln M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg  | 1      |
| 204 0  | )561471 |      | Color, Lens - Colored<br>Lights, Backup, Wln M6BUW, LED, For Tail Lt Housing  | 2      |
|        | 0664481 |      | Bracket, License Plate & Light, P25 LED   | į.     |
|        | 556853  |      | Bezels, Wln, (2) M6 Chrome Pierce, For Mtg (3) Wln M6 Lts   | 4      |
|        | 589905  |      | Alarm, Back-up Warning, PRECO 1040  | 1      |
|        | 791715  | SP   | Intercom, Back-up Warning, Two-Way, FRC ICA400-A40, Master Switch   | 1      |
|        |         |      | Location - recessed in a painted aluminum box and then the box is cut into the  | 3      |
|        |         |      | engine tunnel mounting plate at the center, same as 29811  Location 1 - on DS rear wall of apparatus above cup switch   |        |
|        |         |      | Location 2 - switch panel 9   |        |
| 209 0  | 614309  |      | Synchronize, Wln Warning Lights, 1st  | 2      |
|        |         |      | Location - (Wire lights together so the lights alternate in sync DS Red outside and PS Red inside to DS Blue inside to PS Blue outside.) Color: DS Front Outside Red, PS Front Outside Blue, DS Front Inside Blue, PS Front outside Blue. |        |
|        |         |      | Qty, - 02<br>Location 1 - Front warning   |        |
|        |         |      | Location 2 - front warning  |        |
| 210 0  | 613892  |      | Synchronize, Wln Warning Lights, 2nd  | 2      |
|        |         |      | Location - Rear Zone Lower, WIn M9*C LED, Clear Lens (Wire lights together so the light alternate in sync with rear amber.) Should alternate DS Amber to PS Blue and PS Amber to DS Red in a X pattern  Qty, - 02                         |        |
|        |         |      | Location 1 - Rear Zone Lower, WIn M9*C LED, Clear Lens (Wire lights together so the light alternate in sync with rear amber.) Should alternate DS Amber to PS Blue and PS Amber to DS Red in a  |        |
|        |         |      | X pattern   |        |

|     | Option             | Туре | Option Description   | Qty    |
|-----|--------------------|------|--|--------|
| 210 |                    |      | Location 2 - Rear Zone Lower, WIn M9*C LED, Clear Lens (Wire lights  |        |
|     |                    |      | together so the light alternate in sync with rear amber.) Should alternate DS Amber to PS Blue and PS Amber to DS Red in a             |        |
| 044 | 0507000            |      | X pattern  |        |
| 211 | 0587028            |      | Light, Marker, Britax Model 428.102 LED, Red/Amber, Qty, Location  | 1      |
|     |                    |      | Location, Lights - Rear body DS and PS<br>Qty, Lights (pair) - 1   |        |
| 212 | 0653125            |      | Lights, Perimeter Cab, Win PELCC LED 4Dr   | 1      |
| 213 | 0613714            |      | Lights, Perimeter Pump House, WIn PELCC LED 2lts   | = 1    |
| 214 | 0669594            |      | Lights, Perimeter Body, WIn PELCC LED 2lts, Rear Step  | 1      |
|     |                    |      | Control, Perimeter Lts - Parking Brake Applied, Reverse Signal Activation  |        |
|     |                    |      | and Rear Scene Light Activation  |        |
|     |                    |      | Control, Perimeter Lts - Parking Brake Applied, Reverse Signal Activation and Rear Scene Light Activation                              |        |
| 215 | 0662818            |      | Lights, Perimeter, WIn PELCC LED Chrome Mnt  | 2      |
|     |                    |      | Location, Lights - Centered under D1 and P1  |        |
| 216 | 0556337            |      | Qty, - 02  |        |
|     | 0771191            | SP   | Lights, Step, P25 LED at Rear Tailboard, 2lts Perm Lts<br>Light, Visor, Wln S30M**, 30", Brkt, Cnt Feature                             | 1      |
| 217 | 0771101            | Oi   | Qty, - 01  | 1      |
|     |                    |      | Location, driver's/passenger's/center - 1 Centered on Roof   |        |
|     |                    |      | Color, WIn Lt Housing - Black Paint  |        |
|     |                    |      | Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw DS and Cab Sw  |        |
|     |                    |      | Panel PS Color, LEDs, Visor Warn Spot, LS Outside - White  |        |
|     |                    |      | Color, LEDs, Visor Warn Spot, ES Outside - White   |        |
| 218 | 0749213            |      | Lights, Wln, S30M** 30" 12VDC LED, RS Cab  | 1      |
|     |                    |      | Location - PS roof edge inline with DS light   |        |
|     |                    |      | Qty, - 01  |        |
|     |                    |      | Control, Light - Mkr Lt Not Connected<br>Color, Wln Lt Housing - Black Paint   |        |
|     |                    |      | Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw DS and Cab Sw  |        |
|     |                    |      | Panel PS   |        |
| 219 | 0749397            |      | LED Module Type - 2 White Spot<br>Lights, Wln, S30M** 30" 12VDC LED, LS Cab  | а      |
| 210 | 01 40001           |      | Location - DS roof edge similar to 31255   | 1      |
|     |                    |      | Qty, - 01  |        |
|     |                    |      | Control, Light - Mkr Lt Not Connected  |        |
|     |                    |      | Color, Win Lt Housing - Black Paint  |        |
|     |                    |      | Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw DS and Cab Sw Panel PS   |        |
|     |                    |      | LED Module Type - 2 White Spot   |        |
| 220 | 0764643            | SP   | Lights, Wln, S091M* 9" 12VDC LED, 1st  | 2      |
|     |                    |      | Location - Mounted at 45 degree angles on DS forward of condenser. PS  |        |
|     |                    |      | directly across. Similar to 31255<br>Qty, - 02   |        |
|     |                    |      | Color, Win Lt Housing - Black Paint  |        |
| 004 |                    |      | Control, Scene Lts - DS Scene Lts and PS Scene Lts   |        |
| 221 | 0772850            |      | Lights, WIn, S16*M* 16" 12VDC, 1st   | 2      |
|     |                    |      | Location - DS rear body, PS directly across.<br>Qty, - 02  |        |
|     |                    |      | Color, Win Lt Housing - Black Paint  |        |
|     |                    |      | Control, Scene Lts - DS Scene Lts and PS Scene Lts   |        |
| 222 | 0500050            |      | Scene Light Optics - flood   |        |
|     | 0532358<br>0645879 |      | Not Required, Deck Lights, Other Hose Bed & Rear Lighting<br>Lights, Hose Bed, Cover, Dual Amdor AY-9750-20 LED Light Strips 2lts, Low | 1<br>1 |
| 220 | 0043073            |      | Control, Hose Bed Lts - Auto Cover Sw  | '      |
| 224 | 0645677            |      | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body  | 1      |
| 225 | 0645637            |      | Lights, Rear Scene, Wln, PELCC LED, 45 Deg Flange  | 2      |
|     |                    |      | Location, Lights - Each side above tail light housing. Even height on both   |        |
|     |                    |      | sides PS side to be as high as possible and DS to match  |        |
|     |                    |      | Qty, - 02<br>Control, Rear Scene Lts - Cab Switch Panel DS, Cab Switch Panel PS,   |        |
|     |                    |      | Pump Panel DS and Cup Switch At Rear SS  |        |
|     |                    |      |  |        |

|     | Option    | Туре | Option Description   | Qty   |
|-----|-----------|------|--|-------|
| 22  | 6 0763248 |      | Lights, Walk Surf, Amdor AY-LB-12HW0**, LED, Cargo Areas                                 | 2     |
|     |           |      | Location - where needed  |       |
| 22  | 7 0060115 |      | Qty, Cargo Lts - 2<br>Pumper, Medium, Aluminum, 2nd Gen                                  | ્ર    |
|     | 8 0554271 |      | Body Skirt Height, 20"   | 1     |
|     | 9 0614860 | SP   | Tank, Water, 550 Gallon, Poly, Med, New York Style                                       | 1     |
|     | 0 0003405 | О.   | Overflow, 4.00" Water Tank, Poly   | 9     |
|     | 1 0028104 |      | Foam Cell Required   | 1     |
|     | 2 0635329 |      | Modified Poly Tank & Cradle, Ext'd To Rear, Pumper                                       | 1     |
|     | 3 0041289 |      | Notch, Poly Tank, Hose, Hydraulic Lines or Wiring  | 1     |
|     | 4 0553725 |      | Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export                     | 1     |
|     | 5 0003429 |      | Not Required, Direct Tank Fill   | CV    |
|     | 6 0003424 |      | Not Required, Dump Valve   | 1     |
|     | 7 0048710 |      | Not Required, Jet Assist   | 1     |
|     | 8 0030007 |      | Not Required, Dump Valve Chute   | 1     |
|     | 9 0514778 |      | Not Required, Switch, Tank Dump Master   | 1     |
|     | 0 0615188 | SP   | MODIFICATION, Lower Hose Bed Side Sheets   | 1     |
|     | 0 0010100 | O.   | Fill in Blank - 77"  | 5348  |
| 24  | 1 0556223 |      | Hose Bed, Aluminum, Pumper, New York Style, Fill In Blank Height                         | 1     |
|     | -         |      | Fill in Blank - 62"  | 3789  |
|     |           |      | Material Trim/Scuffplate - c) S/S, Polished  |       |
| 24  | 2 0003481 |      | Hose Bed Capacity, Special   | 1     |
|     |           |      | Capacity, Hosebed - DS   250' OF 2.5"   1000' OF 4.0"   300' OF 3.0"                     |       |
|     |           |      | 300' OF 2.5"   PS  |       |
| 24  | 3 0022407 |      | Divider, Hose Bed, Unpainted, Special Height   | 3     |
|     |           |      | Qty, Hosebed Dividers - 3  |       |
| 0.4 | 4 0040400 |      | Height, Hosebed Divider - 22"  |       |
|     | 4 0010133 |      | Cross-Divider, Hose Bed  | 1     |
| 24  | 5 0089471 |      | Cutout, Handhold, in Hose Bed Divider  | 3     |
| 24  | 0000000   |      | Qty, - 03  |       |
|     | 6 0663562 |      | Hose Bed Floor, Reinforced, Generator Mounting   | 1     |
|     | 7 0530804 | CD   | Cover, Hose Bed, Alum Treadplate   | 1     |
| 24  | 8 0796581 | SP   | Hose Restraint, 1 Piece Vinyl Flap, Notched, Strap Fastener, Hosebed Frame, Rear         | 1     |
|     |           |      | Color, Vinyl Cover - c) black  |       |
|     |           |      | Type of fastener - seat belt buckle - bottom of hosebed                                  |       |
|     |           |      | Type of fastener, Rear - quarter turn - Rear of Hosebed<br>Vinyl flap weight - lead shot |       |
| 24  | 9 0013512 |      | Running Boards, 12.75" Deep  | 1     |
| 25  | 0681766   |      | Tailboard, 16" Deep, Full Width, Extended Substructure, Angled Corners                   | 1     |
| 25  | 1 0690027 |      | Wall, Rear, Smooth Aluminum/Body Material, Flush Rear Wall                               | 1     |
| 25  | 2 0003531 |      | Tow Bar, Under Tailboard   | 1     |
| 25  | 3 0623362 |      | Hose Restraint, Running Board, Straps, S/S Seat Belt Buckle Style Latch                  | 2     |
|     |           |      | Location, Hose Tray, Running Board - a) both sides                                       | _     |
|     |           |      | Qty, Tray, Hose - 2  |       |
| 25  | 4 0612289 | SP   | Tray, Hose, Running Board, Special Dimensions  | 1     |
|     |           |      | Location, Hose Tray, Running Board - b) LH Side  |       |
|     |           |      | Qty, Tray, Hose - 1  |       |
|     |           |      | Size - 39.00" long x 13.50" deep x 9.00" wide, SECOND TRAY TO                            |       |
|     |           |      | REPLACE THE ORIGINAL. TRAY NEEDS TO BE 39.00" LONG x 12.00                               |       |
|     |           |      | FROM TOP OF RUNNING BOARD TO UNDERSIDE OF THE TRAY x 9.00" WIDE                          |       |
| 25  | 5 0003561 |      | Construction, Compt, Alum, Pumper  | 1     |
|     | 6 0612539 |      | LS 152" Lap, Full Height Front & Rear, FDLER, Double Door Front & Over Wheel             | 1     |
|     | 7 0617529 | SP   | RS 152" Lap, Low, Double Door Front  | 1     |
|     | 8 0063911 |      | Doors, Lap w/ "D" Handles - Side Compartments  | 1     |
|     | 9 0098470 |      | Compt, Flush Rear, Rollup, 30.75" FF, 25.88" D   | 1     |
|     | 0 0791760 |      | Door, ROM Series IV, Rollup, Rear Compartment  | 1     |
|     |           |      | Color, Roll-up Door - ROM Series IV Painted to Match Lower Body                          | 0.57  |
|     |           |      | Latch, Roll-up Door - Locking, 751, AXT/Qtm/Dash CF/Saber Cabs                           |       |
| 26  | 1 0554995 |      | No Body Modification Required  | 1     |
| 26  | 2 0690816 | SP   | Scuffplate, S/S Rear of Beavertail, Wrapped  | 1     |
|     |           |      | Material Trim/Scuffplate - b) S/S, Brushed   |       |
|     | 3 0016023 |      | Scuffplate, Polished S/S On Rear Outside Edge of Body                                    | (121) |

| Line Option | Туре | Option Description  | Qty  |
|-------------|------|---|------|
| 264 0518559 |      | Keyed Locks for Roll-Up Doors, Key Style 751                                | 1    |
|             |      | Qty, Door Accessory - 01  |      |
| 205 0505000 |      | Location, Door Accessory - R1   |      |
| 265 0505888 |      | Keyed Locks for Latches, Lap Doors (#751 Lock)                              | 7    |
|             |      | Qty, Door Accessory - 07  |      |
|             |      | Location, Door Accessory - All, including the two doors at the rear bottom  |      |
| 266 0589427 | SP   | of each side of the cab.<br>Holder, Postive Door, Gas Cylinder, Each        | 40   |
| 200 0000427 | 01   | ·   | 10   |
|             |      | Location, Door Accessory - All body doors                                   |      |
| 267 0021603 |      | Qty, - 10<br>Scuffplate, Brushed S/S Bottom of Door Frame                   | 7    |
|             |      |   | ,    |
|             |      | Location, Door Accessory - D1, D2, D3, D4, P1, P2, P3 Qty, Scuffplates - 07 |      |
| 268 0522565 |      | Lights, Compt, On Scene LED, Dual Light Strips, Each Side of Door           | 6    |
|             |      | Location - D1, D2, D3, P1, P2, R1   | Ū    |
|             |      | Qty, - 06   |      |
| 269 0687135 |      | Shelf Tracks, Unpainted   | 8    |
|             |      | Qty, Shelf Track - 08   | Ü    |
|             |      | Location, Shelf Track - LS1, LS2, LS3, RS1, RS2, RS3 and B1                 |      |
| 270 0600350 |      | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations       | 9    |
|             |      | Qty, Shelf - 09   |      |
|             |      | Material Finish, Shelf - DA Finish  |      |
|             |      | Location, Shelves/Trays, PredefinedLocation To Be Determined                |      |
| 271 0709689 |      | Tray, 500 lb Slide-out, 2" Sides - Adj. Height, Predefined Locations        | 2    |
|             |      | Qty, Tray (slide-out) - 02  |      |
|             |      | Location, Shelves/Trays, PredefinedLocation To Be Determined                |      |
|             |      | Material Finish, Tray - DA Finish   |      |
| 272 0773736 | SP   | Beavertails, Special Angle/Depth 7" Top/12" Bottom                          | 1    |
| 273 0607988 | SP   | Cover, Painted Stainless Steel, Beavertails, Full Height                    | 1    |
| 274 0656031 |      | Compt, Backboard Storage, Over Pump   | 1    |
|             |      | Size, Backboard - 18" x 72" and 2" thick (2 of these will be in the         |      |
|             |      | compartment)  |      |
|             |      | Door, Material & Finish, Storage - Brushed S/S                              |      |
|             |      | Latch, Door, Storage - Southco M1 Push Close, Flush                         |      |
|             |      | Qty, Backboard Troughs - 1  |      |
|             |      | Location, BB/Stokes/Long Tool Storage Over Pump - Forward, Cargo<br>Area    |      |
|             |      | Access, Backboard/Stokes/Long Tool Compt - Both                             |      |
| 275 0003908 |      | Partition, Trans Rear Compt   | 2    |
|             |      | Qty, Partition - 02   | _    |
|             |      | Location, Partition - c) both sides   |      |
| 276 0004016 |      | Rub Rail, Aluminum Extruded, Side of Body                                   | 1    |
| 277 0784811 |      | Fender Crowns, Rear, Stainless, w/Removable Liner                           | 1    |
|             |      | Material Finish, Fender Liner - Painted                                     |      |
| 278 0519849 |      | Not Required, Hose, Hard Suction  | 1    |
| 279 0626229 |      | Handrails, Side Pump Panels, Per Print                                      | 1    |
| 280 0004126 |      | Handrails, Beavertail, Standard   | 1    |
| 281 0004146 |      | Handrail, Rear, Below Hose Bed, Full Width                                  | 1    |
| 282 0088099 |      | Insert, Air Bottle Compt, W-Shaped, 2nd Gen                                 | 4    |
|             |      | Qty, - 04   |      |
|             |      | Fill in Blank - 4 air bottle compartments                                   |      |
| 283 0657651 |      | Compt, Air Bottle, Double, Full Width Door, Fender Panel                    | 4    |
|             |      | Qty, Air Bottle Comp - 4  |      |
|             |      | Door Finish, Fender Compt - Brushed   |      |
|             |      | Location, Fender Compt - Double - LS Fwd, Double - LS Rear, Double -        |      |
|             |      | RS Fwd and Double - RS Rear   |      |
|             |      | Latch, Air Bottle Compt - Southco C2 Chrome Raised                          |      |
| 004 555:    |      | Insert, Air Bottle Compt - Rubber Matting                                   | 5757 |
| 284 0004225 |      | Ladder, 24' Duo-Safety 900A 2-Section                                       | 1    |
| 285 0004230 |      | Ladder, 14' Duo-Safety 775A Roof  | 1    |
| 286 0004300 |      | Brackets, Adjustable, RS  | 1    |
| 287 0014245 |      | Ladder, 10' Duo-Safety Folding 585A, w/Mounting                             | 1    |
|             |      | Location, Folding Ladder - Behind Ladders on Side Sheet - RS                |      |
|             |      |   |      |

|     | Option  | Туре | Option Description   | Qty |
|-----|---------|------|--|-----|
| 288 | 0567897 |      | Pike Pole, 8' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-8                   | 1   |
|     |         |      | Qty, - 01  |     |
| 200 | 0550040 |      | Location - PS  |     |
| 289 | 0552649 |      | Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-6                   | 2   |
|     |         |      | Qty, - 02  |     |
|     |         |      | Location - One under cab in pike pole storage, and the other in the ladder storage             |     |
| 290 | 0771000 | SP   | Compt, (2) Pike Pole Tubes & (1) Folding Ladder, Behind Ladder Brkts, RS, Olathe               | 1   |
|     |         | 0.   | Door, Material & Finish, Storage - Brushed S/S   | '   |
|     |         |      | Latch, Door, Storage - Southco M1 Push Close, Flush  |     |
| 291 | 0004375 |      | Bell, 12" Chrome w/Eagle   | 1   |
|     |         |      | Location, Acc. Misc b) passenger's side  |     |
| 292 | 0593083 |      | Step, Folding, Front of Body, Left Side Only, w/LED, Trident                                   | 1   |
|     |         |      | Coating, Step - luminescent  |     |
| 293 | 0592994 |      | Steps, Folding, Rear of Body, w/LED, Trident   | 1   |
|     |         |      | Coating, Step - luminescent  |     |
| 294 | 0592990 |      | Step, Folding - Extra, Body Only, Luminescent w/LED, Trident                                   | 4   |
|     |         |      | Qty, Folding Step - 04   |     |
|     |         |      | Location, Additional Step - DS Front Bulkhead 2, and 1 on PS bulkhead,                         |     |
| 205 | 0004435 |      | 1 additional on the rear so there is 2 steps on each side of the rear                          | 12  |
|     | 0004482 |      | Pump, Waterous, CSU, 2000 GPM, Single Stage  | 1   |
|     | 0559769 |      | Seal, Mechanical, Waterous   | 1   |
|     | 0635600 |      | Trans, Pump, Waterous C20 Series Pumping Mode, Stationary Only                                 | 1   |
|     | 0605126 |      | Pump Shift, Air w/Manual Override, Split Shaft, Interlocked, Waterous                          | 1   |
|     | 0003128 |      | Transmission Lock-up, EVS  | 1   |
|     | 0003140 |      | Auxiliary Cooling System   | 1   |
|     | 0014486 |      | Not Required, Transfer Valve, Stage Pump   | 1   |
|     | 0777650 |      | Valve, Relief Intake, Akron  |     |
| 000 | 0177000 |      |  | 1   |
| 304 | 0692045 |      | Pressure Setting - 125 psig<br>Controller, Pressure, FRC, Pump Boss, PBA400                    | 4   |
|     | 0072170 |      | Primer, Trident, Air Prime, Air operated, w/(1) Additional Priming Valve                       | 1   |
|     |         |      | Inlet Extra Primer - Front Inlet   | - 7 |
| 306 | 0092825 |      | Air Blowout, Plumbed to Front Discharge  | 1   |
| 307 | 0788054 | SP   | Flow Test, Front Inlet   | 1   |
|     |         |      | Fill in Blank - 817 gpm, pitot of 48 with a 2" nozzle, 1550 engine rpms,                       |     |
|     |         |      | 100 psi pump pressure  |     |
|     | 0044552 |      | Line, 0.50" Recirculating w/Check Valve  | 1   |
| 309 | 0658361 |      | Thermal Relief Valve, OPM, w/Red Warning Light and Audible Alarm, Waterous                     | 1   |
|     |         |      | Pump   |     |
| 310 | 0780364 |      | Location, Thermal Relief Discharge - Fill Tower<br>Manuals, Pump, (2) Total, Electronic Copies | ä   |
|     | 0789923 | SP   | Plumbing, Stainless Steel and Hose, No Hose, Except TF, Single Stage Pump                      | 4   |
|     | 0795135 | O,   | Plumbing, Stainless Steel, w/Foam System   | 1   |
|     | 0004645 |      | Inlets, 6.00" - 1250 GPM or Larger Pump  | 1   |
| 314 | 0004646 |      | Cap, Main Pump Inlet, Long Handle, NST, VLH  | i   |
|     | 0084610 |      | Valves, Akron 8000 series- All   | 1   |
| 316 | 0004660 |      | Inlet, Left Side, 2.50"  | 1   |
| 317 | 0004680 |      | Inlet, Right Side, 2.50"   | 1   |
| 318 | 0004686 |      | Valve, Inlet(s) Recess Behind Panel, Side Cntrl  | 2   |
|     |         |      | Qty, Inlets - 2  | -   |
| 319 | 0034720 |      | Anode, Zinc, Pair, Pump Inlets   | 1   |
| 320 | 0004700 |      | Control, Inlet, at Valve   | 1   |
| 321 | 0611920 | SP   | Inlet, 4" to 6" Front, 5" Plumbing, w/Trident Bleeder Valve,Saber/Dash-S/Imp/Vel               | 1   |
|     |         |      | Inlet, Size - Six  |     |
| _   |         |      | Drain, Suction - Ball Valve  |     |
|     | 0617604 | SP   | Control, Handwheel, Front Inlet, Pierce Handwheel  | 1   |
| 323 | 0755138 |      | Valve, Relief Intake, Front Inlet, Akron   | 1   |
| 004 | 0004700 |      | Pressure Setting - 125 psig  | .52 |
|     | 0004788 |      | Cap, Front Inlet, Long Handle, VLH   | 1   |
| 325 | 0048644 |      | Swivel, Smooth Chrome, 6.00" Front Inlet   | 1   |
| 326 | 0092569 |      | Inlet Bleeder - Quarter-Turn Style Bleeder<br>No Rear Inlet (Large Dia) Requested              | я   |
| 320 | 0002003 |      | No Iveal filler (raige Dia) Requested  | 1   |

| Line | Option  | Туре | Option Description   | Qty    |
|------|---------|------|--|--------|
| 327  | 0092696 |      | Not Required, Cap, Rear Inlet  | 1      |
| 328  | 0064116 |      | No Rear Inlet Actuation Required   | 1      |
| 329  | 0009648 |      | No Rear Intake Relief Valve Required on Rear Inlet                             | 1      |
|      | 0770892 |      | Air Bleeder, At Front Inlet Swivel, Trident, Round Knob                        | 1      |
|      |         |      |  | (90)   |
|      |         |      | Qty, - 1   |        |
| 331  | 0092568 |      | Fill in Blank - Front intake<br>No Rear Auxiliary Inlet Requested              | 4      |
|      | 0563738 |      |  | 1      |
|      |         |      | Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle                             | 1      |
|      | 0004752 |      | Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing                                  | 1      |
|      | 0004905 |      | Outlet, Tank Fill, 1.50"   | 1      |
| 335  | 0004940 |      | Outlet, Left Side, 2.50"   | 2      |
|      |         |      | Qty, Discharges - 02   |        |
| 336  | 0092570 |      | Not Required, Outlets, Left Side Additional                                    | 1      |
| 337  | 0004945 |      | Outlet, Right Side, 2.50"  | 1      |
|      |         |      | Qty, Discharges - 01   |        |
| 338  | 0092571 |      | Not Required, Outlets, Right Side Additional                                   | 1      |
| 339  | 0005047 |      | Outlet, 4" w/4" Right, Handwheel   | 1      |
|      |         |      | Valve, Brand - Akron   | 9.5    |
| 340  | 0615075 | SP   | Outlet, Front, 2.50" w/2.50" Plumbing, No Hose                                 | 1      |
|      |         |      | •  | 8      |
|      |         |      | Drain, Front Outlet - Trident Swing Handle                                     |        |
| 341  | 0092575 |      | Location, Front, Single - top of left bumper<br>Not Required, Outlet, Rear     | 4      |
|      | 0797622 | SP   |  | 1      |
| 072  | 0101022 | Ol-  | Outlet, Rear, 2.50", Additional, Plumbed As Short As Possible                  | 2      |
|      |         |      | Location - 1 each side   |        |
| 3/13 | 0002572 |      | Qty, Discharges - 02   |        |
|      | 0092573 |      | Not Required, Outlet, Hose Bed/Running Board Tray                              | 1      |
|      | 0752097 |      | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain                         | 1      |
|      | 0613998 | SP   | Valve, .75 Bleeder, Discharges, Swing Handle, No Automatic, Bottom of Plumbing | 1      |
|      | 0005091 |      | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH              | 1      |
| 347  | 0035094 |      | Not Required, Elbow, Left Side Outlets, Additional                             | 1      |
| 348  | 0025091 |      | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH             | 1      |
| 349  | 0089584 |      | Not Required, Elbow, Right Side Outlets, Additional                            | 1      |
| 350  | 0045099 |      | Not Required, Elbow, Rear Outlets  | 1      |
| 351  | 0076593 |      | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.5" MNST, VLH, Additional        | 3      |
|      | 0602443 |      | Elbow and Cap, Large Dia Outlet, Provided by Fire Department, NFPA 2016        | 18     |
|      | 0062133 |      |  | 3      |
|      |         | en   | Control, Outlets, Manual, Pierce HW if applicable                              | 9      |
| 334  | 0753411 | SP   | Outlet, 3.00" Deluge w/Dual Ctrl, LG HW's, Akron Valve, Location               | 9      |
|      |         |      | Location - Hand wheel and riser will be as close to gauge enclosure as         |        |
| 255  | 0770359 |      | possible. Hand wheel must be in between the gauge enclosure and the riser.     |        |
| 333  | 0110339 |      | No Monitor Requested, Customer/Dealer Furnished and Installed                  | 1      |
|      |         |      | Fill in Blank - Stang, 930165P-41 with Stang 260544P-1, Stacked tips           |        |
| 356  | 0029304 |      | and 260541P-11 Shaper  | · ·    |
|      |         |      | No Nozzle Reg'd  | 1      |
|      | 0005070 |      | Deluge Mount, NPT  | 1      |
|      | 0029168 |      | Crosslay, (1) 1.50", Std. Cap  | 1      |
|      | 0090442 |      | Crosslays Sngl Sheet Unpainted, (1) 2.50" Std Cap                              | 1      |
|      | 0029260 |      | Not Required, Speedlays  | 1      |
| 361  | 0609258 | SP   | Hose Restraint, Crosslay/Deadlay, Vinyl, Fasteners, Each Side, Ends            | 2      |
|      |         |      | Color, Vinyl Cover - c) black  |        |
|      |         |      | Qty, - 02  |        |
|      |         |      | Type of fastener - seat belt buckle fastener                                   |        |
| 362  | 0750536 |      | Hose Restr, Spdly, Not Required, No Spdly                                      | 1      |
| 363  | 0615255 |      | Cover, Crosslay, 3/16" Alum Treadplate, Front Hinge                            | 1      |
|      |         |      | Stay arm, Tray Cover - f) Rubber Latch   | 12     |
| 364  | 0034554 | SP   | Crosslays, 6.00" Lower Than Standard   | 1      |
|      | 0009257 |      | Cutout, Handhold, Crosslay Divider   | i      |
|      |         |      | Qty, - 1   | 8      |
| 366  | 0796782 | SP   | Modification, Crosslay Cover, Scuffplate, Aluminum Treadplate and Latching     | 8      |
|      | 0608594 | SP   |  | 9<br>a |
|      | 0005394 | OF-  | Reel, Booster, Aluminum - Front of Hose Bed, Left Side, Stainless Plumb        | 3      |
|      |         |      | Switches, Reel Rewind - (1) Each Pump Panel                                    | 1      |
|      | 0045300 |      | Hose, Booster - 200' of 1.00"/800 PSI  | 1      |
| 3/0  | 0005244 |      | Capacity, Hose Reel 200' of 1"   | 1      |
|      |         |      |  |        |

|     | Option  | Type | Option Description   | Qty |
|-----|---------|------|--|-----|
| 371 | 0007428 |      | Nozzle for Booster Reel Not Req'd  | 1   |
| 372 | 0005326 |      | Blowout, Hose Reel - Valve at Panel  | 1   |
|     |         |      | Qty, - 1   |     |
| 373 | 0622237 |      | Roller Assembly, Additional  | 2   |
|     |         |      | Location - Locate on the PS across from the reel on top of hosebed side,   |     |
|     |         |      | Need to add an additional roller assembly on the left side of the generator as   |     |
|     |         |      | well, to finalize the exact location of this one at the final inspection.  |     |
| 274 | 0022427 |      | Qty, - 02  |     |
|     | 0032137 |      | Foam Sys, External   | 1   |
|     | 0012126 |      | Not Required, CAF Compressor   | 1   |
|     | 0552517 |      | Not Required, Refill, Foam Tank  | 1   |
| 3// | 0755781 |      | Foam Outlet(s), 1.00", Cam-Lock, Location, With 0.25" Flush  | 1   |
|     |         |      | Location - Match previous 31254  |     |
|     |         |      | Qty, Foam Outlets - 01   |     |
| 270 | 0042573 |      | Location 2 - n/a   |     |
|     | 0042373 |      | Not Required, Foam System Demonstration  | 1   |
| 319 | 0020146 |      | Foam Cell, 30 Gallon, Reduce Water   | 1   |
|     |         |      | Type of Foam - Class "B"   |     |
| 380 | 0091036 |      | Foam, Brand Name - Chem-Guard<br>Drain, 1.00" Foam Tank #1   | 24  |
|     | 0091079 |      |  | 1   |
|     | 0091079 |      | Not Required, Foam Tank #2   | - 1 |
|     | 0005496 |      | Not Required, Foam Tank #2 Drain   | 1   |
|     | 0003490 |      | Pump House, Side Control, 45"  | 1   |
|     | 0005525 |      | Pump Panel Configuration, No Match Required  | 1   |
|     | 0780439 | SP   | Material, Pump Panels, Side Control Brushed Stainless  | 1   |
|     |         | 3P   | Panel, Pump Access - Right Side Lift-up, Top Horz Hinged, D-Handle, Shocks   | 1   |
|     | 0020420 |      | Standard Pump House Structure, Side Control  | 1   |
| 388 | 0583824 |      | Light, Pump Compt, WIn 3SC0CDCR LED White  | 1   |
| 200 | 0506202 |      | Qty, - 01  |     |
|     | 0586382 |      | Gauges, Engine, Included With Pressure Controller  | 1   |
|     | 0005601 |      | Throttle Included w/ Pressure Controller   | 1   |
|     | 0549333 | 0.0  | Indicators, Engine, Included with Pressure Controller  | 1   |
|     | 0788052 | SP   | Gauges, Special Plumbing/Routing Instructions, Olathe  | 1   |
| 393 | 0780467 | SP   | Light, "Pump Engaged" @ Pump Panel, Round Green LED, Special Location, IPOS  | 1   |
| 204 | 0511000 |      | Location - Pump panel  |     |
| 394 | 0511888 |      | Panel, Pump, Special Instructions, Fill in Blank Feature   | 1   |
| 305 | 0001750 |      | Fill in Blank - Approved layouts in Stage 6 Manufacturing Job E-Folder   |     |
| 333 | 0001730 |      | Tag, Special Colors  | 3   |
|     |         |      | Qty, Gauges/Disc 03  |     |
|     |         |      | Color, Discharge Tag - The tags color will match the PP drawing.<br>CHANGE THE COLOR OF THE TAGS ON THE PASSENGER REAR                 |     |
|     |         |      | DISCHARGE FROM LIGHT PURPLE TO RED.  |     |
| 396 | 0001492 |      | Tag, Special Wording   | 4   |
|     |         |      | Qty, - 04  |     |
|     |         |      | Discharge - #1 CROSSLAY, 2 1/2" CROSSLAY, PASSENGER REAR   |     |
|     |         |      | DISCHARGE, DRIVER REAR DISCHARGE   |     |
|     |         |      | Wording, Discharge - 1 3/4" CROSSLAY 200', 2 1/2" CROSSLAY 200',   |     |
|     |         |      | 1 3/4" PS REAR 200', 2 1/2" DS REAR 200'. THE DESCRIPTION TO BE ON THE TOP LINE AND THE 200' TO BE ON THE SECOND LINE, 4" outlet to be |     |
|     |         |      | "4" LDH PASS. Discharge"   |     |
| 397 | 0779116 | SP   | Gauges, 6.00" Master - Thuemling, FA-LFP 610, 30"-0-400psi   | 1   |
| 398 | 0616801 |      | Gauge, 2.50" Pressure - Thuemling, FA-LFP 210, PSI, 30"-0-400psi   | 9   |
| 399 | 0062586 |      | Gauge, Water Level, Class 1, Pierce Std  | 1   |
| 400 | 0062992 |      | Gauge, Foam Level, (1) Tank, Class 1, 5lt  | 1   |
| 401 | 0797624 | SP   | Light Shield, S/S LED, WIn 0SG00MCR Pump In Gear Lt  | 1   |
|     | 0606708 | -    | Air Horns, (2) Grover, Stutter Tone, Model 1510, In Bumper   | 1   |
|     | 0606834 |      | Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6)   | 1   |
|     | 0606660 | SP   | Control, Air Horn, Horn Ring, PS Lanyard Chain, DS Foot Sw   | 1   |
|     | 0533071 | ٥.   | Siren, WIn 295SLSC1, w/Detachable Mic Cord   | 1   |
|     | 0510206 |      | Location, Elect Siren, Recessed Overhead In Console  | 1   |
|     |         |      | Location, Elec Siren - Overhead, DS Inside Sw PnI  | M.  |
|     |         |      | Location, Lice Offen - Overneau, DO Illaide OW FIII  |     |

|             | Option  | Type | Option Description   | Qty    |
|-------------|---------|------|--|--------|
| 407         | 0505036 | SP   | Control, Elec Siren, Horn Ring, PS Foot Sw Location Feature  | 1      |
| 408         | 0601302 |      | Location - PS Right side as close to door opening as possible next to other switch Speaker, (1) Wln, SA315P, 100 watt  | 1      |
| 409         | 0601551 |      | Connection, Speaker - siren head<br>Location, Speaker, Frt Bumper, Recessed, Right Side, Outside Frame,Outbrd(Pos  | 1      |
| <b>41</b> 0 | 0016080 |      | 1)<br>Siren, Federal Q2B   |        |
|             | 0006095 |      | Siren, Mechanical, Mounted Above Deckplate   | 1<br>1 |
| 412         | 0081923 |      | Location, Siren, Mech - a) Left<br>Control, Mech Siren, Horn Ring, PS Foot Sw, Location Feature  | 1      |
| 413         | 0006086 |      | Location - As close to the door as possible Switch, Second Siren Brake   | 1      |
| 414         | 0753224 | SP   | Lightbar, Wln, Freedom IV, Rota-Bm, 81", RBRWBROptRBWRBR Opticom Priority - b) High Opticom Activation - E-Master Momentary Opticom Activation - no activation Filter, WhI Freedom Ltbrs - No Filters  | 1      |
|             | 0641379 |      | Bracket, Lightbar, Forward Offset, Custom  | 1      |
| 416         | 0603209 |      | Lightbars, Wln, Freedom IV, Rota-Bm, 2-23", RRR RRR  Lightbar Location, Cab/Crew Cab - c)over the cab doors  | 1      |
| 417         | 0018953 |      | Filter, Whl Freedom Ltbrs - No Filters Wiring Only, GTT Opticom, Special Switching & Labeling  | 1      |
| 418         | 0540460 |      | Location - DS and PS<br>Light, Front Zone, WIn M6*C LED, Clear Lens, 4lts Q Bezel  | 1      |
| /10         | 0653937 |      | Color, Lt DS Frnt Outside - DS Front Outside Red<br>Color, Lt PS Frnt Outside - PS Front Outside Red<br>Color, Lt DS Front Inside - b) DS Front Inside Blue<br>Color, Lt PS Front Inside - b) PS Front Inside Blue<br>Flasher, Headlight Alternating   | 4      |
|             |         |      | HeadIt flash deactivation - a)w/high beam  | 1      |
| 420         | 0644628 |      | Light, Mars TB8-L1-F/* LED, Mounted In Grille, VEL/IMP/Saber FR/AXT<br>Color, Lens, LED Mars Lt - Clear  | 1      |
| 421         | 0540692 |      | Lights, Side Zone Lower, Wln M6*C LED, Clear Lens, 3pr, Ovr 25 Location, Lights Front Side - b)each side bumper Color, Lt Side Front - Red Color, Lt Side Middle - Blue Color, Lt Side Rear - Red Location, Lights Mid Side - Rearward of Crew Cab Doors Location, Lights Rear Side - Over Rear Wheels | 1      |
| 422         | 0553356 |      | Lights, Side, Wln M9# LED, Split Color, Clear Lens, 1st  Location, Lights - Behind crew cab doors as high as possible same as 31254  Qty, - 02  Control, Light - b) side warning   | 2      |
| 423         | 0635918 | SP   | Color, Lt Side Split - Red and Blue<br>Lights, Side, Wln LINV2* LED, Horizontal, 1st<br>Location, Lights - Rub Rails centered under D1, D3, P1, P2<br>Qty, - 04<br>Color, Lights, Warning - d) blue  | 4      |
| 424         | 0635876 | SP   | Control, Light - b) side warning<br>Lights, Side, Wln LINV2* LED, Horizontal, 2nd<br>Location, Lights - Rub Rails centered under D1, D3, P1, P2<br>Qty, - 04<br>Color, Lights, Warning - gla) red  | 4      |
| 425         | 0540781 |      | Control, Light - b) side warning<br>Lights, Rear Zone Lower, Wln M9*C LED, Clear Lens<br>Color, Lt DS Rear - r) DS Rear Lt Red   | 1      |
| 426         | 0608992 | SP ( | Color, Lt PS Rear - b) PS Rear Lt Blue Lights, Rear, WIn LINV2 Horizontal Optic, LED Lights  Location - on the rear body bulkheads one each side just below the taillights. Lights should be ordered with the whelen bezel. DS should be Blue and PS should be Red  Qty, - 02                          | 2      |
| -           |         |      | Color, Lights, Warning - f) red ps/blue ds  Bid #: 411   |        |

|     | Option    | Туре | Option Description   | Qty |
|-----|-----------|------|--|-----|
| 426 |           |      | Control, Light - c) rear lower warning   |     |
| 407 | 0540500   |      | Control, Scene Lts - Park Brake  |     |
| 427 | 0540799   |      | Lights, Rear, WIn M9*C LED, Clear Lens   | 2   |
|     |           |      | Color, Light - d) amber  |     |
|     |           |      | Location, Rear Lights - Rear compt bulkheads   |     |
|     |           |      | Qty, - 02  |     |
| 120 | 0624390   |      | Control, Light - d) separate switch  |     |
| 420 | 0024390   |      | Light, Rear Zone Upper, Win Rota-Beam R316*F LED Beacon, Opposite Rot  | 1   |
|     |           |      | Color, Lens, LED's - m)match LED's   |     |
|     |           |      | Color, Beacon, DS LED's - Red  |     |
| 429 | 0006551   |      | Color, Beacon, PS LED's - Red  |     |
|     | 0056610   |      | Not Required, Lights, Rear Upper Zone Blocking   | 1   |
|     | 0791467   |      | Mtg, Rear Warn Lts, Low Mount, S/S brkts   | 1   |
| 431 | 0/9/40/   |      | Light, Traffic Directing, WIn TAM83, 30.87" Long LED   | 1   |
| 432 | 0670115   | SP   | Activation, Traffic Dir L -  | 12  |
|     | 0530290   | OF.  | Location, Traf Dir Lt, Under Treadplate Hose Bed Cover In Treadplate Box   | 1   |
|     | 0781579   |      | Location, Traf Dir Lt Controller, Overhead Recessed Console, above Eng Tnl PS                                      | 1   |
| 404 | 0/013/9   |      | Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab  | 1   |
|     |           |      | Qty, - 01  |     |
|     |           |      | Location 1 - INSIDE OF THE PASSENGER SIDE FORWARD FACING OUTBOARD EMS CABINET. MOUNT RECESSED LOW IN INBOARD WALL. |     |
|     |           |      | AC Power Source - Shoreline  |     |
|     |           |      | Cover, Receptacle - Interior SS Wall Plate(s)  |     |
| 435 | 0779701   |      | Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, 4 place, Interior Body   | 2   |
|     |           |      | Qty, - 02  | 2   |
|     |           |      | Location 1 - P1 front wall as high as possilbe and R1 on left side lower   |     |
|     |           |      | side wall toward compartment door opening with no intrusion into compartment                                       |     |
|     |           |      |  |     |
|     |           |      | AC Power Source - Shoreline  |     |
| 406 | 0540004   |      | Cover, Receptacle - Interior SS Wall plate   |     |
|     | 0519934   |      | Not Required, Brand, Hydraulic Tool System   | 1   |
|     | 0649753   |      | Not Required, PTO Driven Hydraulic Tool System   | 1   |
| 438 | 0007150   |      | Bag of Nuts and Bolts  | 1   |
| 400 | 0000540   |      | Qty, Bag Nuts and Bolts - 1  |     |
| 439 | 0602516   |      | NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department                                      | 1   |
| 440 | 0602407   |      | Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification                                    | 1   |
|     | 0027023   |      | No Strainer Required   | 1   |
|     | 0602538   |      | Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire   | 1   |
|     | 0002000   |      | Department   | - 1 |
| 443 | 0602360   |      | Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire                                       | 1   |
|     |           |      | Dept   |     |
|     | 0602679   |      | Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department  | 1   |
|     | 0602667   |      | Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department  | 1   |
| 446 | 0559573   |      | Paint, Single Color, Custom  | 1   |
|     |           |      | Paint Color, Predefined - #100 dark red  |     |
| 447 | 0646897   |      | Paint Chassis Frame Assy, E-Coat, Standard   | 1   |
| 4.5 | 0000707   |      | Paint Color, Frame Assembly, Predefined - Standard Black   |     |
|     | 0693797   |      | No Paint Required, Aluminum Front Wheels   | 1   |
|     | 0693792   |      | No Paint Required, Aluminum Rear Wheels  | 1   |
|     | 0007234   |      | Compartment, Unpainted, D/A Finished   | 1   |
| 451 | 0544129   |      | Reflective Band, 1"-6"-1"  | 1   |
|     |           |      | Color, Reflect Band - A - i) gold  |     |
|     |           |      | Color, Reflect Band - B - I) white   |     |
| 450 | 0510011   |      | Color, Reflect Band - C - ze) gold   | ~   |
|     | 0510041   |      | Reflective across Cab Face, Imp/Vel  | 1   |
| 453 | 0547680   |      | Stripe, Chevron, Rear, Reflective, Pumper  | 1   |
|     |           |      | Color, Chev, Reflective B - yellow   |     |
| 151 | 0027341   |      | Color, Chev, Reflective A - ruby red   | 4   |
| 404 | JUZ/ J4 I |      | Jog, In Reflective Stripe, Single or Multiple  | 1   |
| 455 | 0017359   |      | Qty, - 1<br>Stripe, Black Outline, Vinyl on Reflective Band  | 2   |
| 700 | 5011003   |      |  | 2   |
|     |           |      | Qty, - 02  |     |

|     | Option  | Type | Option Description   | Qty   |
|-----|---------|------|--|-------|
| 456 | 0065687 |      | Stripe, Reflective, Cab Doors Interior                                       | 1     |
|     |         |      | Color, Reflective - b) red   | 62,   |
| 457 | 0027372 |      | Lettering Specifications, (GOLD STAR Process)                                | 1     |
| 458 | 0686428 |      | Lettering, Gold Leaf, 3.00", (41-60)   | 1     |
|     |         |      | Outline, Lettering - Outline and Shade                                       | - 2   |
| 459 | 0686202 |      | Lettering, Gold Leaf, 10.00", Each   | 5     |
|     |         |      | Qty, Lettering - 05  | •     |
|     |         |      | Outline, Lettering - Outline and Shade                                       |       |
| 460 | 0686236 |      | Lettering, Gold Leaf, 5.00", Each  | 10    |
|     |         |      | Qty, Lettering - 10  |       |
|     |         |      | Outline, Lettering - Outline and Shade                                       |       |
| 461 | 0686187 |      | Lettering, Gold Leaf, 16.00", Each   | 5     |
|     |         |      | Qty, Lettering - 05  |       |
|     |         |      | Outline, Lettering - Outline and Shade                                       |       |
| 462 | 0686252 |      | Lettering, Gold Leaf, 4.00", (41-60)   | 1     |
|     |         |      | Outline, Lettering - Outline and Shade                                       |       |
| 463 | 0684144 |      | Emblem, Monogram w/Scrolling, Gold Leaf, 12"-14", Pair                       | 1     |
|     |         |      | Qty, - 01  |       |
|     |         |      | Location, Emblem - TBD   |       |
| 464 | 0077164 |      | Emblem, "Star of Life", 12", Reflective, Pair                                | 1     |
| 465 | 0684199 |      | Emblem, Maltese Cross, Sign Gold, 15"-17", Pair                              | 1     |
|     |         |      | Qty, - 01  |       |
|     |         |      | Location, Emblem - TBD   |       |
| 466 | 0599008 |      | Rust Proof/Undercoat, Custom Chassis   | 1     |
|     |         |      | Color, Undercoating - Black  |       |
| 467 | 0529225 |      | Manuals, Two (2) CD, Fire Apparatus Parts, Custom Chassis                    | 1     |
| 468 | 0531636 |      | Manual, (2) CD, Chassis Service, Custom                                      | 1     |
| 469 | 0531638 |      | Manual, Two (2) CD, Chassis Operation, Custom                                | 1     |
| 470 | 0030008 |      | Warranty, Basic, 1 Year, Apparatus, WA0008                                   | 1     |
| 471 | 0611136 |      | Warranty, Chassis, 3 Year, Velocity/Impel, WA0284                            | 1     |
|     | 0696698 |      | Warranty, Engine, Cummins, 5 Year, WA0181                                    | i     |
|     | 0684953 |      | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201                        | 1     |
|     | 0595767 |      | Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038                    | 1     |
|     | 0595698 |      | Warranty, Axle, 3 Year, TAK-4, WA0050  | 1     |
|     | 0777368 |      | Warranty, Axle, 2 Year, Meritor, General Service, WA0328                     |       |
|     | 0652758 |      | Warranty, ASB Brake System, 3 Year, Meritor Wabco, WA0232                    | 1     |
|     | 0032730 |      |  | 1     |
|     | 0595813 |      | Warranty, Structure, 10 Year, Custom Cab, WA0012                             | 1     |
|     | 0593613 |      | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055                              | 1     |
|     |         |      | Warranty, Electronics, 5 Year, MUX, WA0014                                   | 1     |
|     | 0695416 |      | Warranty, Pierce Camera System, WA0188                                       | 1     |
|     | 0708760 |      | Warranty, Not Applicable, LED Strip Lights                                   | 1     |
|     | 0046369 |      | Warranty, 5-year EVS Transmission, Standard Custom, WA0187                   | 1     |
|     | 0685945 |      | Warranty, Transmission Cooler, WA0216  | 1     |
|     | 0688798 |      | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195                       | 1     |
|     | 0596025 |      | Warranty, Structure, 10 Year, Body, WA0009                                   | 1     |
|     | 0681118 |      | Warranty, ROM, Roll-up Door, 7 Year, WA0206                                  | 1     |
|     | 0063510 |      | Warranty, Pump, Waterous, 5 Year Parts, WA0225                               | 1     |
|     | 0648675 |      | Warranty, 10 Year S/S Pumbing, WA0035  | 1     |
|     | 0641372 |      | Warranty, Foam System, Not Available   | 1     |
| 491 | 0595820 |      | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057                             | 1     |
| 492 | 0595421 |      | Warranty, Goldstar, 3 Year, Apparatus, WA0018                                | 1     |
| 493 | 0683627 |      | Certification, Vehicle Stability, CD0156                                     | 1     |
| 494 | 0608290 |      | Certification, Engine Installation, Imp/Vel, Cummins L9, 2017, CD0152/CD0159 | 1     |
| 495 | 0686786 |      | Certification, Power Steering, CD0098  | 1     |
| 496 | 0667417 |      | Certification, Cab Integrity, Velocity FR, CD0009                            | 1     |
| 497 | 0548950 |      | Certification, Cab Door Durability, Velocity/Impel, CD0001                   | 1     |
| 498 | 0548967 |      | Certification, Windshield Wiper Durability, Impel/Velocity, CD0005           | 1     |
|     | 0667411 |      | Certification, Electric Window Durability, Velocity/Impel FR, CD0004         | 1     |
|     | 0549273 |      | Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018       | 1     |
|     | 0667416 |      | Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015           | 1     |
|     | 0667415 |      | Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016   | 1     |
|     |         |      |  | (3.5) |

| Line Option | Type | Option Description                    | Qty    |
|-------------|------|---------------------------------------|--------|
| 503 0545073 |      | Amp Draw Report, NFPA Current Edition | 1      |
| 504 0002758 |      | Amp Draw, NFPA/ULC Radio Allowance    | 1      |
| 505 0799248 |      | Appleton/Florida BTO                  | 1      |
| 506 0000018 |      | PUMPER, 2ND GEN                       | 1      |
| 507 0000012 |      | PIERCE CHASSIS                        | 1      |
| 508 0004713 |      | ENGINE, OTHER                         | 1      |
| 509 0046395 |      | EVS 3000 Series TRANSMISSION          | 1      |
| 510 0020011 |      | WATEROUS PUMP                         | 1      |
| 511 0020009 |      | POLY TANK                             | 1      |
| 512 0028047 |      | NO FOAM SYSTEM                        | 1      |
| 513 0020006 |      | SIDE CONTROL                          | 1      |
| 514 0020007 |      | AKRON VALVES                          | 1      |
| 515 0020014 |      | FRONT SUCTION                         | 1      |
| 516 0020015 |      | ABS SYSTEM                            | ,<br>1 |
| 517 0658751 |      | PUMPER BASE                           | 1      |