

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - Lake Shore PS

Quote Number: 0026720056

Version 1.0

01/28/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: KG80

This LP vapor generator set equipped with a 4R9X alternator operating at 277/480 volts is rated for 80 kW/100 kVA. Output amperage: 121.

Qty	Description
	KG80 Generator System
1	KG80 Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine UL, Pre Alarm, LP, Standby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 277/480V, Wye, 3Ph, 4W
	Alternator 4R9X
	Cooling System Unit Mounted Radiator, 50C
	Skid and Mounting Skid, 44"
	Air Intake Standard Duty
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Steel
	Starting Aids, Installed 1500W,110-120V
	Electrical Accy.,Installed Battery, 1/12V, Wet
	Electrical Accy.,Installed Battery Charger, 6A

KOHLER

Page 1

	Electrical Accy.,Installed	Run Relay
	Electrical Accy.,Installed	2 Input/5 OutputModule
	Rating, LCB 1	100% Rated
	Amps, LCB 1	200
	Trip Type, LCB 1	Thermal Magnetic
	Interrupt Rating LCB 1	18kA at 480V
	Miscellaneous Accy.,Installed	Coolant in Genset
	Miscellaneous Accy.,Installed	Rodent Guards
	Warranty	5 Year Comprehensive
	Testing, Additional	Power Factor Test,0.8,3Ph Only
1	Flexible Fuel Line	
1	Literature, General Maintenance, KG80	

Automatic Transfer Switch

Kohler Model: KSS-AMTC-0200S

3 Pole, 4 Wire, Solid Neutral, 200 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-AMTC-0200S ,
rated 480V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-AMTC-0200S
	Includes the following:

KOHLER® Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - Lake Shore PS

Quote Number: 0026720056

Version 1.0

01/28/2021

Page 3

Literature Languages	English
Mechanism	Specific Breaker
Transition	Standard
Logic	1200
Voltage	480V / 60 Hz
Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	200 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1 Lit Kit, ATS Production, KSS/KSP	

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - Lake Shore PS

Quote Number: 0026720056

Version 1.0

01/28/2021

Page 4

Sourcewell Information						
KOHLER Awarded Contract: 120617-KOH			KOHLER Contract Maturity Date: 01/29/2022			
Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)		Sourcewell Member Total Price FOB Factory		Qty.
KG80	\$ 39,879.00	40	%	\$ 15,951.60	\$ 23,927.40	1
KSS-AMTC-0200S	\$ 3,033.00	30	%	\$ 909.90	\$ 2,123.10	1
Freight to Olathe, KS				\$	1,429.50	
Start up services by CK Power				\$	1,200.00	
Total				\$	28,680.00	

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720056, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER

KOHLER. Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - Lake Shore PS

Quote Number: 0026720056

Version 1.0

01/28/2021

Page 5

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - 56 HWY PS

Quote Number: 0026720054

Version 1.0

02/01/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: KG45

This LP vapor generator set equipped with a 4P8X alternator operating at 120/208 volts is rated for 45 kW/56 kVA. Output amperage: 156.

Qty	Description
	KG45 Generator System
1	KG45 Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine SnglFuel, PreAlarm,LP,Stdby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 120/208V, Wye, 3Ph, 4W
	Alternator 4P8X
	Cooling System Unit Mounted Radiator, 50C
	Skid and Mounting Skid, 41"
	Air Intake Standard Duty
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Steel
	Starting Aids, Installed 1500W,120V
	Electrical Accy.,Installed Battery, 1/12V, Wet
	Electrical Accy.,Installed Battery Charger, 6A
	Electrical Accy.,Installed Run Relay

KOHLER

	Electrical Accy.,Installed	2 Input/5 OutputModule
	Rating, LCB 1	100% Rated
	Amps, LCB 1	200
	Trip Type, LCB 1	Thermal Magnetic
	Interrupt Rating LCB 1	18kA at 480V
	Miscellaneous Accy.,Installed	Coolant in Genset
	Miscellaneous Accy.,Installed	Rodent Guards
	Warranty	5 Year Comprehensive
	Testing, Additional	Power Factor Test,0.8,3Ph Only
1	Flexible Fuel Line (Nat/LP) UL	
1	Lit Kit, General Maint., KG45	

Automatic Transfer Switch

Kohler Model: KSS-ACTC-0200S

3 Pole, 4 Wire, Solid Neutral, 200 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-ACTC-0200S ,
rated 208V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-ACTC-0200S

Includes the following:

Literature Languages

English

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - 56 HWY PS

Quote Number: 0026720054

Version 1.0

02/01/2021

Page 3

Mechanism	Specific Breaker
Transition	Standard
Logic	1200
Voltage	208 V / 60 Hz
Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	200 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1 Lit Kit, ATS Production, KSS/KSP	

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - 56 HWY PS

Quote Number: 0026720054

Version 1.0

01/28/2021

Page 4

Sourcewell Information

KOHLER Awarded Contract: 120617-KOH

KOHLER Contract Maturity Date: 01/29/2022

Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)			Sourcewell Member Total Price FOB Factory	Qty.
KG45	\$ 29,001.63	40	%	\$ 11,600.65	\$ 17,400.98	1
KSS-ACTC-0200S	\$ 3,033.00	30	%	\$ 909.90	\$ 2,123.10	1

Freight to Olathe, KS \$ 1,125.92

Start-up services by CK Power \$ 1,200.00

Total \$ 21,850.00

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720054, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - Lake Stone PS

Quote Number: 0026720057

Version 1.0

01/28/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: KG150

This LP vapor generator set equipped with a 4R13X alternator operating at 277/480 volts is rated for 150 kW/188 kVA. Output amperage: 227.

Qty	Description
	KG150 Generator System
1	KG150 Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine SnglFuel,UL,PreAlarm,LP,Stdby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 277/480V, Wye, 3Ph, 4W
	Alternator 4R13X
	Cooling System Unit Mounted Radiator, 50C
	Skid and Mounting Skid, 53"
	Air Intake Standard Duty
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Steel
	Starting Aids, Installed 1500W,120V
	Electrical Accy.,Installed Battery, 1/12V, Wet
	Electrical Accy.,Installed Battery Charger, 6A
	Electrical Accy.,Installed Run Relay

KOHLER

	Electrical Accy.,Installed	2 Input/5 OutputModule
	Rating, LCB 1	100% Rated
	Amps, LCB 1	200
	Trip Type, LCB 1	Thermal Magnetic
	Interrupt Rating LCB 1	18kA at 480V
	Miscellaneous Accy.,Installed	Coolant in Genset
	Miscellaneous Accy.,Installed	Rodent Guards
	Warranty	5 Year Comprehensive
	Testing, Additional	Power Factor Test,0.8,3Ph Only
1	Flexible Fuel Line (Nat/LP)	
1	Lit Kit, KG150 General Maintenance	

Automatic Transfer Switch

Kohler Model: KSS-AMTC-0200S

3 Pole, 4 Wire, Solid Neutral, 200 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-AMTC-0200S ,
rated 480V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-AMTC-0200S

Includes the following:

Literature Languages

English

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - Lake Stone PS

Quote Number: 0026720057

Version 1.0

01/28/2021

Page 3

Mechanism	Specific Breaker
Transition	Standard
Logic	1200
Voltage	480V / 60 Hz
Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	200 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1	Lit Kit, ATS Production, KSS/KSP

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - Lake Stone PS

Quote Number: 0026720057

Version 1.0

01/28/2021

Page 4

Sourcewell Information						
KOHLER Awarded Contract: 120617-KOH			KOHLER Contract Maturity Date: 01/29/2022			
Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)			Sourcewell Member Total Price FOB Factory	Qty.
KG150	\$ 61,746.00	40	%	\$ 24,698.40	\$ 37,047.60	1
KSS-AMTC-0200S	\$ 3,033.00	30	%	\$ 909.90	\$ 2,123.10	1

Freight to Olathe, KS \$ 1,479.30

Start-up services by CK Power \$ 1,200.00

Total \$ 41,850.00

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720057, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - North 7 HWY

Quote Number: 0026720061

Version 1.0

01/28/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: KG45

This LP vapor generator set equipped with a 4P8X alternator operating at 120/240 volts is rated for 45 kW/56 kVA. Output amperage: 135.

Qty	Description
	KG45 Generator System
1	KG45 Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine SnglFuel, PreAlarm,LP,Stdby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 120/240V, Delta, 3Ph, 4W
	Alternator 4P8X
	Cooling System Unit Mounted Radiator, 50C
	Skid and Mounting Skid, 41"
	Air Intake Standard Duty
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Steel
	Starting Aids, Installed 1500W,120V
	Electrical Accy.,Installed Battery, 1/12V, Wet
	Electrical Accy.,Installed Battery Charger, 6A
	Electrical Accy.,Installed Run Relay

KOHLER

	Electrical Accy.,Installed	2 Input/5 OutputModule
	Rating, LCB 1	100% Rated
	Amps, LCB 1	200
	Trip Type, LCB 1	Thermal Magnetic
	Interrupt Rating LCB 1	18kA at 480V
	Miscellaneous Accy.,Installed	Coolant in Genset
	Miscellaneous Accy.,Installed	Rodent Guards
	Warranty	5 Year Comprehensive
	Testing, Additional	Power Factor Test,0.8,3Ph Only
1	Flexible Fuel Line (Nat/LP) UL	
1	Lit Kit, General Maint., KG45	

Automatic Transfer Switch

Kohler Model: KSS-AFTC-0200S

3 Pole, 4 Wire, Solid Neutral, 200 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-AFTC-0200S ,
rated 240V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-AFTC-0200S

Includes the following:

Literature Languages

English

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - North 7 HWY

Quote Number: 0026720061

Version 1.0

01/28/2021

Page 3

Mechanism	Specific Breaker
Transition	Standard
Logic	1200
Voltage	240V / 60 Hz
Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	200 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1	Lit Kit, ATS Production, KSS/KSP

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - North 7 HWY

Quote Number: 0026720061

Version 1.0

01/28/2021

Page 4

Sourcewell Information

KOHLER Awarded Contract: 120617-KOH

KOHLER Contract Maturity Date: 01/29/2022

Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)			Sourcewell Member Total Price FOB Factory	Qty.
KG45	\$ 29,001.63	40	%	\$ 11,600.65	\$ 17,400.98	1
KSS-AFTC-0200S	\$ 3,033.00	30	%	\$ 909.90	\$ 2,123.10	1

Freight to Olathe, KS \$ 1,125.92

Start-up services by CK Power \$ 1,200.00

Total \$ 21,850.00

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720061, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe-North Woodland

Quote Number: 0026720027

Version 1.0

02/01/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: KG45

This **natural gas** generator set equipped with a 4P8X alternator operating at 120/240 volts is rated for 45 kW/56 kVA. Output amperage: 135.

Qty	Description
	KG45 Generator System
1	KG45 Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine SnglFuel, PreAlarm,NG,Stdby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 120/240V, Delta, 3Ph, 4W
	Alternator 4P8X
	Cooling System Unit Mounted Radiator, 50C
	Skid and Mounting Skid, 41"
	Air Intake Standard Duty
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Steel
	Starting Aids, Installed 1500W,120V
	Electrical Accy.,Installed Battery, 1/12V, Wet
	Electrical Accy.,Installed Battery Charger, 6A
	Electrical Accy.,Installed Run Relay

KOHLER

	Electrical Accy.,Installed	2 Input/5 OutputModule
	Rating, LCB 1	100% Rated
	Amps, LCB 1	200
	Trip Type, LCB 1	Thermal Magnetic
	Interrupt Rating LCB 1	18kA at 480V
	Miscellaneous Accy.,Installed	Coolant in Genset
	Miscellaneous Accy.,Installed	Rodent Guards
	Warranty	5 Year Comprehensive
	Testing, Additional	Power Factor Test,0.8,3Ph Only
1	Flexible Fuel Line (Nat/LP) UL	
1	Lit Kit, General Maint., KG45	

Automatic Transfer Switch

Kohler Model: KSS-AFTC-0200S

3 Pole, 4 Wire, Solid Neutral, 200 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-AFTC-0200S ,
rated 240V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-AFTC-0200S

Includes the following:

Literature Languages

English

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe-North Woodland

Quote Number: 0026720027

Version 1.0

02/01/2021

Page 3

Mechanism	Specific Breaker
Transition	Standard
Logic	1200
Voltage	240V / 60 Hz
Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	200 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1 Lit Kit, ATS Production, KSS/KSP	

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe-North Woodlands

Quote Number: 0026720027

Version 1.0

01/28/2021

Page 4

Sourcewell Information

KOHLER Awarded Contract: 120617-KOH

KOHLER Contract Maturity Date: 01/29/2022

Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)			Sourcewell Member Total Price FOB Factory	Qty.
KG45	\$ 29,001.63	40	%	\$ 11,600.65	\$ 17,400.98	1
KSS-AFTC-0200S	\$ 3,033.00	30	%	\$ 909.90	\$ 2,123.10	1

Freight to Olathe, KS \$ 1,125.92

Start-up Services by CK Power \$ 1,200.00

Total \$ 21,850.00

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720027, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe- Province Village PS

Quote Number: 0026720029

Version 1.0

02/01/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: KG150

This LP vapor generator set equipped with a 4R13X alternator operating at 277/480 volts is rated for 150 kW/188 kVA. Output amperage: 227.

Qty	Description
	KG150 Generator System
1	KG150 Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine SnglFuel,UL,PreAlarm,LP,Stdby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 277/480V, Wye, 3Ph, 4W
	Alternator 4R13X
	Cooling System Unit Mounted Radiator, 50C
	Skid and Mounting Skid, 53"
	Air Intake Standard Duty
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Steel
	Starting Aids, Installed 1500W,120V
	Electrical Accy.,Installed Battery, 1/12V, Wet
	Electrical Accy.,Installed Battery Charger, 6A
	Electrical Accy.,Installed Run Relay

KOHLER

	Electrical Accy.,Installed	2 Input/5 OutputModule
	Rating, LCB 1	100% Rated
	Amps, LCB 1	100
	Trip Type, LCB 1	Thermal Magnetic
	Interrupt Rating LCB 1	18kA at 480V
	Miscellaneous Accy.,Installed	Coolant in Genset
	Miscellaneous Accy.,Installed	Rodent Guards
	Warranty	5 Year Comprehensive
	Testing, Additional	Power Factor Test,0.8,3Ph Only
1	Flexible Fuel Line (Nat/LP)	
1	Lit Kit, KG150 General Maintenance	

Automatic Transfer Switch

Kohler Model: KSS-AMTC-0100S

3 Pole, 4 Wire, Solid Neutral, 100 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-AMTC-0100S ,
rated 480V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-AMTC-0100S

Includes the following:

Literature Languages

English

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe- Province Village PS

Quote Number: 0026720029

Version 1.0

02/01/2021

Page 3

Mechanism	Specific Breaker
Transition	Standard
Logic	1200
Voltage	480V / 60 Hz
Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	100 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1 Lit Kit, ATS Production, KSS/KSP	

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe- Province Village PS

Quote Number: 0026720029

Version 1.0

01/28/2021

Page 4

Sourcewell Information

KOHLER Awarded Contract: 120617-KOH

KOHLER Contract Maturity Date: 01/29/2022

Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)			Sourcewell Member Total Price FOB Factory	Qty.
KG150	\$ 61,431.00	40	%	\$ 24,572.40	\$ 36,858.60	1
KSS-AMTC-0100S	\$ 2,439.00	30	%	\$ 731.70	\$ 1,707.30	1

Freight to Olathe, KS

\$ 1,450.10

Start-up services by CK Power

\$ 1,200.00

Total

\$ 41,216.00

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720029, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - Robinson PS

Quote Number: 0026720063

Version 1.0

01/28/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: 30CCL

This LP vapor generator set equipped with a 4D8.3 alternator operating at 277/480 volts is rated for 30 kW/38 kVA. Output amperage: 46.

Qty	Description
	30CCL Generator System
1	30CCL Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine 30CCL, NFPA, LP, Standby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 277/480V, Wye, 3Ph, 4W
	Alternator 4D8.3, Brushless
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Aluminum
	Starting Aids, Installed 500W, 120V, 1Ph
	Electrical Accy., Installed Battery, 1/12V, Wet
	Electrical Accy., Installed Battery Charger, 6A
	Electrical Accy., Installed Run Relay
	Electrical Accy., Installed 2 Input/5 Output Module
	Rating, LCB 1 100% Rated
	Amps, LCB 1 60

KOHLER

Trip Type, LCB 1	Thermal Magnetic
Interrupt Rating LCB 1	18kA at 480V
Fuel Lines, Installed	Flexible Fuel Lines
Miscellaneous Accy, Installed	Coolant in Genset
Warranty	5 Year Comprehensive
Testing, Additional	Power Factor Test, 0.8, 3Ph Only
1 Lit Kit, General Maint, 30CCL	

Automatic Transfer Switch

Kohler Model: KSS-AMTC-0100S

3 Pole, 4 Wire, Solid Neutral, 100 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-AMTC-0100S , rated 480V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-AMTC-0100S
	Includes the following:
	Literature Languages
	English
	Mechanism
	Specific Breaker
	Transition
	Standard
	Logic
	1200
	Voltage
	480V / 60 Hz

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - Robinson PS

Quote Number: 0026720063

Version 1.0

01/28/2021

Page 3

Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	100 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1 Lit Kit, ATS Production, KSS/KSP	

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - Robinson PS

Quote Number: 0026720063

Version 1.0

01/28/2021

Page 4

Sourcewell Information						
KOHLER Awarded Contract: 120617-KOH			KOHLER Contract Maturity Date: 01/29/2022			
Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)			Sourcewell Member Total Price FOB Factory	Qty.
30CCL	\$ 20,631.00	38	%	\$ 7,839.78	\$ 12,791.22	1
KSS-AMTC-0100S	\$ 2,439.00	30	%	\$ 731.70	\$ 1,707.30	1

Freight to Olathe, KS \$ 1,025.48

Start-up services by CK Power \$ 1,200.00

Total \$ 16,724.00

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720063, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - Valley Road PS

Quote Number: 0026720052

Version 1.0

02/01/2021

Page 1



To: Lloyd Harold

Generator

Kohler Model: KG45

This **LP Vapor** generator set equipped with a 4P8X alternator operating at 120/208 volts is rated for 45 kW/56 kVA. Output amperage: 156.

Qty	Description
	KG45 Generator System
1	KG45 Generator Set
	Includes the following:
	Literature Languages English
	Approvals and Listings UL2200 Listing/cUL Genset List
	Engine SnglFuel, PreAlarm,LP,Stdby
	Nameplate Rating Standby 130C Rise
	Voltage 60Hz, 120/208V, Wye, 3Ph, 4W
	Alternator 4P8X
	Cooling System Unit Mounted Radiator, 50C
	Skid and Mounting Skid, 41"
	Air Intake Standard Duty
	Controller APM402
	Enclosure Type Sound
	Enclosure Material Steel
	Starting Aids, Installed 1500W,120V
	Electrical Accy.,Installed Battery, 1/12V, Wet
	Electrical Accy.,Installed Battery Charger, 6A
	Electrical Accy.,Installed Run Relay

KOHLER

	Electrical Accy., Installed	2 Input/5 Output Module
	Rating, LCB 1	100% Rated
	Amps, LCB 1	100
	Trip Type, LCB 1	Thermal Magnetic
	Interrupt Rating LCB 1	18kA at 480V
	Miscellaneous Accy., Installed	Coolant in Genset
	Miscellaneous Accy., Installed	Rodent Guards
	Warranty	5 Year Comprehensive
	Testing, Additional	Power Factor Test, 0.8, 3Ph Only
1	Flexible Fuel Line (Nat/LP) UL	
1	Lit Kit, General Maint., KG45	

Automatic Transfer Switch

Kohler Model: KSS-ACTC-0100S

3 Pole, 4 Wire, Solid Neutral, 100 amp, Kohler Specific Breaker rated Standard automatic transfer switch, Model KSS-ACTC-0100S , rated 208V, 60 Hz complete with all standard equipment and housed in a NEMA Type 3R enclosure.

Qty	Description
	ATS 1200 Transfer Switch System
1	KSS-ACTC-0100S

Includes the following:

Literature Languages

English

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044

Phone: 920-457-4441

Visit us at KohlerPower.com

www.kohlerpower.com

Job Name: City of Olathe - Valley Road PS

Quote Number: 0026720052

Version 1.0

02/01/2021

Page 3

Mechanism	Specific Breaker
Transition	Standard
Logic	1200
Voltage	208 V / 60 Hz
Poles & Wires	3 Pole/4 Wire, Solid Neutral
Enclosure	Nema 3R
Amps	100 Amps
Connection	Standard
ATS Utility Switching Device	NONE
ATS Generator Switching Device	NONE
IBC Seismic Certification	None
CSA Certification	None
Miscellaneous Acc.,Installed	Lockable User Interface Cover
Warranty	5-YR COMPREHENSIVE
1	Lit Kit, ATS Production, KSS/KSP

KOHLER[®] Power Systems

444 Highland Drive, MS 072, Kohler, WI 53044
Phone: 920-457-4441
Visit us at KohlerPower.com
www.kohlerpower.com

Job Name: City of Olathe - Valley Road PS

Quote Number: 0026720052

Version 1.0

01/28/2021

Page 4

Sourcewell Information						
KOHLER Awarded Contract: 120617-KOH			KOHLER Contract Maturity Date: 01/29/2022			
Model	Kohler List Price (Each)	Sourcewell Member Discount (% = \$)		Sourcewell Member Total Price FOB Factory		Qty.
KG45	\$ 28,686.63	40	%	\$ 11,474.65	\$ 17,211.98	1
KSS-ACTC-0100S	\$ 2,439.00	30	%	\$ 731.70	\$ 1,707.30	1
Freight to Olathe, KS				\$	1,125.72	
Start-up services by CK Power				\$	1,200.00	
Total				\$	21,245.00	

Price does not include any applicable taxes or installation

OFFER ACCEPTANCE

I hereby authorize CK Power to use this form as a bona fide purchase order of the equipment shown on Offer Number: 0026720052, which clearly establishes definite price and specifications of material ordered. The person signing is doing so according to the terms and conditions.

Proposed by:

Company: CK Power

Print Name: Jeff Morton

Title: Sales

Signature: _____

Date: _____

Accepted by:

Company: _____

Print Name: _____

Title: _____

Signature: _____

Date: _____

PO Number: _____

KOHLER